

DVC151



CANNISTER VACUUMS

Makita Cordless and Corded Canister Vacuums offer maximum versatility and convenience. These heavy-duty commercial canister vacuums are available in 8.0 L and 15.0 L capacities. Makita Canister Vacuums are easy to maneuver and feature a large rubber bumper designed to prevent damages to furniture and fixtures.



FAST CHARGING

A built-in fan circulates air between the charger and battery to cool the battery for faster charge time.



MULTIPLE POWER SETTINGS

A push button power controller offers high / normal selection and attaches to the waist.



LOWER NOISE

With Auto-start Wireless System (AWS) Technology, the backpack vacuum only runs when the synced tool is in operation.

VERSATILE FOR A VARIETY OF APPLICATIONS



DUAL-POWER

Corded or cordless operation for maximum versatility.



WET / DRY

Clean up dry dust and debris or use the vacuum to tackle wet cleanups.

MODEL SPECIFICATIONS



Model No.	DVC151 <small>HEPA filter HYBRID</small>	DVC152 <small>BL MOTOR XPT</small>	DVC155 DVC156 <small>BL MOTOR XPT</small>	DVC157 <small>BL MOTOR XPT</small> DVC157 <small>HEPA filter AWS</small>	DVC865 DVC866 <small>BL MOTOR XPT</small>	DVC867 <small>BL MOTOR XPT</small> DVC867 <small>HEPA filter AWS</small>
Model Name	18Vx2 LXT 15.0 L LXT & AC Dry Only Vacuum Cleaner	18Vx2 LXT 15.0 L Wet & Dry Vacuum Cleaner	18Vx2 LXT 15.0 L Wet & Dry Quiet Vacuum Cleaners	18Vx2 LXT 15.0 L Dry Only Quiet Vacuum Cleaner with AWS	18Vx2 LXT 8.0 L Wet & Dry Quiet Vacuum Cleaners	18Vx2 LXT 8.0 L Dry Only Quiet Vacuum Cleaner with AWS
Battery Capacities	Two 18V Li-Ion	Two 18V Li-Ion	Two 18V Li-Ion	Two 18V Li-Ion	Two 18V Li-Ion	Two 18V Li-Ion
Container Capacity	15.0 L Dry	15.0 L Dry & 12.0 L Wet	15.0 L Dry & 12.0 L Wet (DVC155) 15.0 L Dry (DVC156)	15.0 L Dry	8.0 L Dry & 6.0 L Wet (DVC865) 8.0 L Dry (DVC866)	8.0 L Dry
Continuous use with Two 18V Li-Ion Batteries	Approx. 65 minutes with Two 18V (5.0 Ah) Li-Ion Batteries	Approx. 65 minutes with Two 18V (5.0 Ah) Li-Ion Batteries	Approx. 33 minutes with Two 18V (5.0 Ah) Li-Ion Batteries	Approx. 33 minutes with Two 18V (5.0 Ah) Li-Ion Batteries	Approx. 33 minutes with Two 18V (5.0 Ah) Li-Ion Batteries	Approx. 33 minutes with Two 18V (5.0 Ah) Li-Ion Batteries
Maximum Air Flow	74 CFM on DC power & 127 CFM on AC power	74 CFM	74 CFM	49 CFM	74 CFM	49 CFM
Power	70 W DC power & 320 W on AC power	90 W	105 W	80 W	105 W	80 W
Static Water Lift	36.2" (91 cm) on DC power & 96.4" (245 cm) on AC power	39.4" (100 cm)	44.2" (112 cm)	44.2" (112 cm)	44.2" (112 cm)	44.2" (112 cm)
Noise Level	DC 64 dB(A) & AC 75 dB(A)	66 dB(A)	70 dB(A)	70 dB(A)	70 dB(A)	70 dB(A)
Power Cord Length	16.4 ft (5.0 m)	N/A	N/A	N/A	N/A	N/A
Overall Length	14-3/8" (366 mm)	14-3/8" (366 mm)	14-3/8" (366 mm)	14-3/8" (366 mm)	14-3/8" (366 mm)	14-3/8" (366 mm)
Net Weight	19.9 lbs (9.0 kg)	14.6 lbs (6.6 kg)	14.6 lbs (6.6 kg)	16.1 lbs (7.3 kg)	14.2 lbs (6.4 kg)	15.7 lbs (7.1 kg)
Available as	DVC151LZ	DVC152LZ	DVC155LZX2 DVC156LZX1	DVC157LZX1	DVC865LZX2 DVC866LZX1	DVC867LZX2

COMBO KIT SPECIFICATIONS





















Model No.	Description	Includes
DVC865LZX2	18Vx2 LXT 8.0 L Wet & Dry Quiet Vacuum Cleaner (Tool Only)	Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (191G86-8), 1-2/8" X 5-1/2' Hose (199493-7), Poly Bag (10 / Pk) (195432-5), Telescopic Pipe (140G19-0), Bent Pipe (140G26-3), Corner Nozzle (198918-8), Cloth Filter (140248-3), Accessory Tool Box (127606-0)
DVC866LZX1	18Vx2 LXT 8.0 L Dry Only Quiet Vacuum Cleaner (Tool Only)	Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (199454-7), 1-2/8" X 5-1/2' Hose (199493-7), Poly Bag (10 / Pk) (195432-5), Telescopic Pipe (140G19-0), Bent Pipe (140G26-3), Corner Nozzle (198918-8), Cloth Filter (191G88-4), Accessory Tool Box (127621-4)
DVC867LZX2	18Vx2 LXT 8.0 L Dry Only Quiet Vacuum Cleaner With AWS (Tool Only)	Tool Only. Batteries and Charger Sold Separately. 1-1/8" x 11-1/2' Hose With Front Cuffs 22, 24 And 38 (195433-3), Poly Bag (10 / Pk) (195432-5), HEPA Filter (197166-6), Damper (195552-5), Pre-filter (195553-3), Accessory Tool Box (127606-0), Two Auto-start Wireless System (AWS) Bluetooth® Transmitter (198901-5)
DVC151LZ	18Vx2 LXT 15.0 L LXT & AC Dry Only Vacuum Cleaner (Tool Only)	Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (122512-4), 1-1/2" x 11-1/2' Hose (195434-1), 1-1/8" x 11-1/2' Hose With Front Cuffs 22, 24 And 38 (195433-3), Poly Bag (10 / Pk) (195432-5), 22" Straight Pipe (192563-1), 22" Bending Pipe (192562-3), 12" Corner Nozzle (410306-2), HEPA Filter (197166-6), Damper (195552-5), Prefilter (195553-3), Accessory Tool Box (455732-8)
DVC152LZ	18Vx2 LXT 15.0 L Wet & Dry Vacuum Cleaner (Tool Only)	Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (122512-4), 1-1/2" x 11-1/2' Hose (195434-1), Poly Bag (10 / Pk) (195432-5), 22" Straight Pipe (192563-1), 22" Bending Pipe (192562-3), 12" Corner Nozzle (410306-2), Cloth Filter (140248-3), Accessory Tool Box (455732-8)
DVC155LZX2	18Vx2 LXT 15.0 L Wet & Dry Quiet Vacuum Cleaner (Tool Only)	Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (191G86-8), 1-2/8" X 5-1/2' Hose (199493-7), Poly Bag (10 / Pk) (195432-5), Telescopic Pipe (140G19-0), Bent Pipe (140G26-3), Corner Nozzle (198918-8), Cloth Filter (140248-3), Accessory Tool Box (127607-8)
DVC156LZX1	18Vx2 LXT 15.0 L Dry Only Quiet Vacuum Cleaner (Tool Only)	Tool Only. Batteries and Charger Sold Separately. Floor Nozzle (199454-7), 1-2/8" X 5-1/2' Hose (199493-7), Poly Bag (10 / Pk) (195432-5), Telescopic Pipe (140G19-0), Bent Pipe (140G26-3), Corner Nozzle (198918-8), Cloth Filter (191G88-4), Accessory Tool Box (127622-2)
DVC157LZX1	18Vx2 LXT 15.0 L Dry Only Quiet Vacuum Cleaner With AWS (Tool Only)	Tool Only. Batteries and Charger Sold Separately. 1-1/8" x 11-1/2' Hose With Front Cuffs 22, 24 And 38 (195433-3), Poly Bag (10 / Pk) (195432-5), HEPA Filter (197166-6), Damper (195552-5), Pre-filter (195553-3), Accessory Tool Box (127607-8), Two Auto-start Wireless System (AWS) Bluetooth® Transmitter (198901-5)

DVC157



WIRELESS
Bluetooth® Connection
to your Power-Tool!

CANNISTER VACUUM ACCESSORIES							
Part Number	Description	Application Specification	For Models	Part Number	Description	Application Specification	For Models
	197166-6 HEPA filter HEPA Filter	99.97% Efficiency (0.03% Maximum Permeability) ≥ 1 Micron (μ)	DVC861, DVC862 DVC863, DVC864 DVC151, DVC152 DVC153, DVC154 DVC155, DVC156 DVC157, DVC865 DVC866, DVC867		410306-2 12" Corner Nozzle (Ivory) For 1-1/4" Hose Length	Extraction For Fine Detail Work	DVC861 DVC862 DVC863 DVC864 DVC151 DVC152 DVC153 DVC154
	195552-5 Damper	Filtration For Wet / Dry Material	DVC862 DVC152 DVC155		191657-9 Round Brush (Black) For 1-1/2" Hose	For Fine Detail Work	DVC861 DVC862 DVC863 DVC864 DVC151 DVC152 DVC153 DVC154
	195553-3 Pre-Filter	Filtration For Wet / Dry Material	DVC861, DVC862 DVC863, DVC864 DVC151, DVC152 DVC153, DVC154 DVC155, DVC156 DVC157, DVC865 DVC866, DVC867		195434-1 1-1/2" x 11-1/2' Hose	Extraction Flow Of Dust Particulate Matter	DVC861 DVC862 DVC863 DVC864 DVC151 DVC152 DVC153 DVC154
	140248-3 Cloth Filter	Filtration For Dry Material	DVC861, DVC862 DVC863, DVC864 DVC151, DVC152 DVC153, DVC154 DVC156, DVC867		195433-3 1-1/8" x 11-1/2' Hose With Front Cuffs 22, 24 And 38		
	195555-9 Wet Filter	Filtration for Wet Material	DVC862 DVC152 DVC155		192563-1 22" Straight Pipe For 1-1/2" Hose	Extraction Flow Of Dust Particulate Matter	DVC861 DVC862 DVC863 DVC864 DVC151 DVC152 DVC153 DVC154
	195557-5 Fleece Filter Bags	Filter Bags For Dry Material	DVC861, DVC862 DVC863, DVC864 DVC151, DVC152 DVC153, DVC154 DVC155, DVC156 DVC157, DVC865 DVC866, DVC867		192562-3 22" Bending Pipe For 1-1/2" Hose		
	195432-5 Poly Bag (10 / Pk)	Disposal Bags For Wet Material	DVC862 DVC152 DVC155		455732-8 Accessory Tool Box	Holder For Tool Accessories	DVC861 DVC862 DVC863 DVC864 DVC151 DVC152 DVC153 DVC154
	122512-4 Floor Nozzle For 1-1/2" Hose	Extraction For Floor Detail Work	DVC861 DVC862 DVC863 DVC864 DVC151 DVC152 DVC153 DVC154		195544-4 Power Tool Cord Clamp Holder	To Secure Power Cord Or Dust Extractor Hose	DVC861 DVC862 DVC863 DVC864 DVC151 DVC152 DVC153 DVC154
	198184-7 Floor Nozzle With Carpet Shift For 1-1/2" Hose	Extraction For Hard And Soft Surfaces			198898-8 Wireless Unit Set 198901-5 Two Auto-Start Wireless Unit Set	Bluetooth Technology Communication Device	For 198898-8 DVC864 DVC154 For 198901-5 DVC157 DVC867

DRC200

Makita's INTELLIGENT Robotic Cleaner

BRUSHLESS
X2
18V + 18V → 36V



ROBOTIC VACUUM

Clear the floor with the 18Vx2 LXT Brushless Cordless Robotic Vacuum, a state-of-the-art vacuum designed to automatically clean large spaces in commercial applications. Innovative robotic guidance technology guarantees reliable task automation and increases productivity.



NO CORDS

Makita LXT Robotic Vacuum offers freedom from the cord and unprecedented mobility to clean expansive spaces.



NO BROOMS

No need to sweep. The robotic vacuum is compact enough to reach the tight spaces that even brooms can't.



REDUCED LABOR

Let the Makita LXT Robotic Vacuum provide cost savings by reducing labor costs.

MODEL SPECIFICATIONS

Model No.	DRC200Z BL MOTOR ROBOPRO
Model Name	18Vx2 LXT 2.5 L Robotic Vacuum Cleaner
Battery Capacities	Two 18V Li-Ion
Container Capacity	2.5 L
Continuous use with Two 18V Li-Ion Batteries	Approx. 3.3 hours with Two 18V (5.0 Ah) Li-Ion Batteries
Maximum Cleaning Area	5,382 sq.ft. (500 m ²) with Two 18V (5.0 Ah) Li-Ion Batteries
Running Mode	Random / Pattern
Noise Level	64 dB
Overall Length	18-1/8" (460 mm)
Net Weight	14.6 lbs (6.6 kg)

Includes

Tool Only. Batteries and Charger Sold Separately. Wireless Remote Controller (SH00000238), Side Brushes (SH00000065), 50' Boundary Line Tape (SH00000240), Power Brush (SH00000063), Turn Brush Cover Protector (SH00000064), Filter (SH00000213)

Cleans Up To
5,382 sq.ft.
in 3.3 Hours*

*with additional 50' of Boundary Line Tape & Two 18V (5.0 Ah) Li-Ion Batteries







Run Time Up To
200 minutes*

*On hard floors in "Main Brush plus Vacuum" mode using Two 18V (5.0 Ah) Li-Ion Batteries

LARGE
Side Brushes &
Power Brush
Provide **MAXIMUM**
Cleaning Efficiency!



ROBOTIC VACUUM ACCESSORIES

Part Number	Description	Application / Specification	For Model	Part Number	Description	Application / Specification	For Model
 SH00000213	Filter	Capture Micro Dust Particulates	DRC200	 SH00000064	Turn Brush Cover Protector	For Use When Power Brush Is Used	DRC200
 SH00000065	Side Brushes	Capture Large Debris And Small Particles	DRC200	 SH00000238	Wireless Remote Controller	Wireless Capability To Set Most Operating Functions Including Location Beacon	DRC200
 SH00000063	Power Brush	Capture Large Debris And Small Particles	DRC200	 SH00000240	50' Boundary Line Tape	Boundary Line Tape Prevents The Vacuum From Travelling Into Restricted Zones	DRC200

FEATURES AND BENEFITS



COMPLETE CLEANING PERFORMANCE

Three stage cleaning utilizes side brushes, main brush and vacuum suction to ensure complete cleaning. Comes with an easily accessible large dust box ensuring ample capacity for commercial applications and its cruise mode function combined with multiple detection sensors efficiently navigates and performs complete coverage of floor space.



FIND YOUR ROBOTIC VACUUM ANYWHERE

Press the location beacon button on the remote control to help you locate the Robotic Cleaner.



KEEP RESTRICTED AREAS OFF-LIMITS

Boundary line mode prevents the vacuum from traveling into restricted zones when a boundary tape line is placed.



CAPACITY

Easily accessible large 5/8" gallon dust box ensures ample capacity for commercial applications.

IDEAL USAGE AREAS

- > Gymnasiums
- > Museums
- > Offices
- > Libraries
- > Cafeterias
- > Hospitals
- > Department Stores
- > Convention Centers
- > Schools

ALSO AVAILABLE



SH0000240
Boundary Tape


CRUISE MODES

The Robotic Vacuum offers two navigation options called Cruise Modes. Cruise Mode functionality combined with multiple detection sensors allow the Robotic Vacuum to efficiently navigate and perform complete coverage of floor space.



PATTERN MODE

Use Pattern Mode for cleaning wide spaces with fewer obstacles, like warehouses, or long corridors.



RANDOM MODE

Use Random Mode for cleaning spaces with many obstacles, like office spaces or gyms.



DVC750

PORTABLE VACUUMS

Makita 18V LXT Cordless Portable Vacuums are high-performance, efficient solutions for quick clean-ups. Their compact, versatile and easy-to-use designs are ideal for multiple applications.



NO CORDS

No cords means no trip hazards, preventing injury while cleaning.



EASY STORAGE

Compact and ergonomic design allows for easy storage in closets and tight spaces.



FAST CHARGING

A built-in fan circulates air between the charger and battery to cool the battery for faster charge time.

FAST AND EFFICIENT CLEANING

LED Battery Charge Level Indicator

Powered by 18V Li-ion Battery

Nozzle can be stored



Hose can be stored



Blower Outlet
Insert the hose to blower outlet and turn it clockwise until it clicks.
Wet and Dry



For Vacuum Cleaning

Hose: 1-1/8" x 6-1/2" with Front Cuffs 38



DVC750



Easy Disposal





DCL184



Perfect for detail cleaning of **VEHICLE INTERIORS AND FURNITURE** with its compact design and range of standard accessories

MODEL & COMBO KIT SPECIFICATIONS



Model No.	DVC750Z <small>18V LXT MOTOR XPT HEPA Filter</small>	DCL184Z <small>18V LXT</small>
Model Name	18V LXT 7.5 L Portable Vacuum Cleaner	18V LXT 500 ml Vacuum Cleaner
Battery Capacities	18V Li-Ion	18V Li-Ion
Container Capacity	7.5 L Dry / 4.5 L Wet	500 mL (Dust Bag) / 330 mL (Paper Filter)
Continuous use with Two 18V Li-Ion Batteries	Approx. 30 minutes (High) / 60 minutes (Low) with 18V (5.0 Ah) Li-Ion Battery	Approx. 33 minutes (Max) / 50 minutes (High) / 133 minutes (Low) with 18V (5.0 Ah) Li-Ion Battery
Maximum Air Flow	57 CFM	49 CFM
Power	90 W (High) / 25 W (Low)	36 W (Max) / 23 W (High) / 5 W (Low)
Static Water Lift	26.9" (680 mm)	21.7" (550 mm)
Noise Level	76 dB(A)	68 dB(A)
Overall Length	16-1/2" (418 mm)	14-3/8" (365 mm)
Net Weight	8.8 lbs (4.0 kg)	3.4 lbs (1.5 kg)

Model No.	Description	Includes
DVC750Z	18V LXT 7.5 L Portable Vacuum Cleaner (Tool Only)	Tool Only. Batteries and Charger Sold Separately. HEPA Filter (162518-0), 1-1/8" x 6-1/2" Hose (140G04-3), Wide Nozzle (458891-7), Sash Nozzle (458919-1)
DCL184Z	18V LXT 500 ml Vacuum Cleaner (Tool Only)	Tool Only. Batteries and Charger Sold Separately. 1-1/2" x 9-5/8" Hose (140H92-6), Seat Nozzle (140H95-0), Soft Brush (140H94-2), Blower Nozzle (140J64-3), Rubber Nozzle (422437-5), Mat Nozzle (459056-4), Shoulder Harness (162544-9), Paper Filter (5 / PK) (1 Ea. 194566-1), Dust Bag (198746-1)

DVC750 PORTABLE VACUUM ACCESSORIES

Part Number	Description	Application / Specification	For Model	Part Number	Description	Application / Specification	For Model
162518-0	HEPA Filter HEPA Filter	99.97% Efficiency (0.03% Maximum Permeability) ≥ 1 Micron (µ)	DVC750	140G04-3	1-1/8" x 6-1/2" Hose	Extraction Flow Of Dust Particulate Matter	DVC750
199827-4	Pre-Filter Set	Filtration For Wet / Dry Material	DVC750	458891-7	Wide Nozzle	Extraction for Floor Detail Work	DVC750
199486-4	Shoulder Belt	Belt Worn Diagonally Across The Chest And Over The Shoulder	DVC750	458919-1	Sash Nozzle	Extraction For Fine Detail Work	DVC750

18V LXT DUAL-PORT RAPID CHARGING SYSTEM

Charges TWO Batteries Simultaneously

DC18RD

Automatic Charging Controls

The rapid charger's CPU communicates with the battery's onboard data chip. After analyzing the battery condition, it automatically charges for extended performance and cycle life.

Forced Air Cooling Fan

Cools the battery by forcing cool air through the battery's built-in air vents to minimize charging time.

DC18RD

Charging Display Controls

Shows battery's current condition and charge level indicators.

USB Port

Enables convenient charging of mobile devices on the jobsite.



DC18RD Accepts 18V BL1815N, BL1830B / BL1840B / BL1850B, BL1860B Li-Ion Batteries



Rapid Charging System
Regulates Thermal, Voltage and Current during Charging Cycle to ensure Battery cannot be Over-Charged or Over-Heated during the Charging Process

LITHIUM-ION BATTERY CHARGERS

Model	Description	Model	Description
	18V Li-Ion 4-Port Multi-Charger - DC18SF <ul style="list-style-type: none"> Charges two 18V Li-Ion Batteries at once Optimum Charging System Charges 2 x 18V (6.0 Ah) Li-Ion Batteries in 130 minutes Charges 4 x 18V (6.0 Ah) Li-Ion Batteries in 260 minutes 		18V Li-Ion Dual Port Rapid Charger - DC18RD <ul style="list-style-type: none"> Charges 2 x 18V Li-Ion Compact Batteries in 15 minutes! Charges 2 x 18V Li-Ion (3.0 Ah) Batteries in 22 minutes! Charges 2 x 18V Li-Ion (4.0 Ah) Batteries in 36 minutes! Charges 2 x 18V Li-Ion (5.0 Ah) Batteries in 45 minutes!
	18V Li-Ion Rapid Charger - DC18RC <ul style="list-style-type: none"> Forced Cooling System Charges 18V (6.0 Ah) Li-Ion Battery in 55 minutes 3 Active Controls System (Current, Voltage & Temperature) provides an optimal charge and ensures Battery cannot be overcharged or overheated during the charging process 		18V Li-Ion Standard Charger - DC18SD <ul style="list-style-type: none"> Charges 14.4V - 18V Li-Ion and Ni-MH Slide Style Batteries Charges 18V (6.0 Ah) Li-Ion Battery BL1830B in 130 minutes Digital Power Display indicates condition of Battery and current charge level (-80%, +80%, 100%)
	18V Li-Ion / 12V MAX CXT Li-Ion Dual-Port Rapid Charger - DC18RE <ul style="list-style-type: none"> Charges 12V MAX CXT (BL1016, BL1021B, BL1041B) and 18V Li-Ion (BL1815N, BL1830B, BL1840B, BL1850B, BL1860B) Batteries Enables two Batteries to be charged in sequence 		18V Li-Ion Automotive Charger - DC18SE <ul style="list-style-type: none"> Charges 7.2V - 18V Ni-Cad, Ni-MH and Li-Ion Slide Style Batteries Plugs into standard 12V / 24V DC Automotive outlets Charges 18V (6.0 Ah) Li-Ion Battery in 130 minutes Use with Adapter ADP04 (Part No. #193949-2) to charge pod / stick style Batteries

BATTERY AND CHARGER TIME REFERENCE CHART (MINUTES)

Voltage	Cell Type	Ah	Style	Model No.	Part No.	DC18RC	DC18RD	DC18RE	DC18SF	DC18SD	DC18SE (Automotive)	DC10SB	DC10WD	DC07SA
18V	Li-Ion	6.0	Slide-On	BL1860B*	197424-0	55	55	55	130	130	130	-	-	-
		5.0	Slide-On	BL1850B*	196675-2	45	45	45	110	110	110	-	-	-
		4.0	Slide-On	BL1840B*	196401-9	36	36	36	90	90	90	-	-	-
		3.0	Slide-On	BL1830B*	194205-3	22	22	22	60	60	60	-	-	-
		1.5	Slide-On	BL1815N	196235-0	15	15	15	30	30	30	-	-	-

* Charge Level Indicator ** Available for Warranty replacement only

POWERFUL WET / DRY CLEANING SOLUTION



VC4210L

L Class Automatic Filter Cleaning
42.0 L Dust Extractor



Air Flow Rate	148 CFM
Static Water Lift	101" (255 cm)
Tank Size	42.0 L
Variable Speed	Yes
Filtration System	3-Stage HEPA Filtration
Power Cord	24.6 ft (7.5 m)

Includes: HEPA Filter (W107413555), Fleece Filter Bag (1 Ea. W107418353), Disposal Bag (1 Ea. W107418355), 1-3/8" x 13' Anti-Static Suction Hose (Features Quick Connect Coupling) (P-84084), Quick Connect Tool Adapter (P-70378), Tool Adapter (W107418688), Crevice Nozzle (P-80005), Two Interlocking Case Holder (W107418357)



FEATURES AND BENEFITS

Motor chamber constructed of quality sound-absorbing materials resulting in a quiet operating sound level of 60 dB(A)

Powerful 12 AMP motor generates 148 CFM of suction power and 92" of water lift



Secure interlocking case on top of the unit



On-board tool-activated power outlet

PARTS AND ACCESSORIES

	Part No	Description
	W107413555	Wet / Dry HEPA Filter
	W107418351	HEPA Filter Flat Cartridge
	W107418349	Cleaning Set
	W107418353	Nano Fleece Filter Bag (5 / Pk)
	W107418355	Plastic Disposal Bag (5 / Pk)
	197210-9	Interlocking Case (Small)
	197211-7	Interlocking Case (Medium)
	197212-5	Interlocking Case (Large)



MODEL & COMBO KIT SPECIFICATIONS



Model No.	VC4210L HEPA filter	VC3012L HEPA filter Push&Clean Filter Cleaning System	VC2512L HEPA filter Push&Clean Filter Cleaning System
Model Name	L Class Automatic Filter Cleaning 42.0 L Dust Extractor	L Class Push & Clean Filter Cleaning 30.0 L Dust Extractor	L Class Push & Clean Filter Cleaning 25.0 L Compact Dust Extractor
Container Capacity	42.0 L	30.0 L	25.0 L
Dry Tank Capacity	34.0 L	24.0 L	21.0 L
Wet Tank Capacity	30.0 L	19.0 L	18.0 L
Maximum Air Flow	148 CFM	113 CFM	127 CFM
Static Water Lift	101" (255 cm)	101" (255 cm)	84.4" (214 cm)
AMPS (120V)	7.4 A	7.0 A	9.4 A
Power Cord Length	24.6 ft (7.5 m)	24.6 ft (7.5 m)	24.6 ft (7.5 m)
Noise Level	60 dB(A)	59 dB(A)	64 dB(A)
Overall Length	22-5/8" (575 mm)	19-3/8" (500 mm)	15-5/8" (395 mm)
Net Weight	35.3 lbs (16.0 kg)	22.0 lbs (10.0 kg)	17.4 lbs (8.0 kg)

Model No.	Description	Includes
VC4210L	L Class Automatic Filter Cleaning 42.0 L Dust Extractor	HEPA Filter (W107413555), Fleece Filter Bag (1 Ea. W107418353), Disposal Bag (1 Ea. W107418355), 1-3/8" x 13' Anti-Static Suction Hose (Features Quick Connect Coupling) (P-84084), Quick Connect Tool Adapter (P-70378), Tool Adapter (W107418688), Crevice Nozzle (P-80005), Two Interlocking Case Holder (W107418357), Adapter 35/38 (P-70421)
VC3012L	L Class Push & Clean Filter Cleaning 30.0 L Dust Extractor	Floor Nozzle (P-81789), Extension Tubes (P-70437), 12" Crevice Nozzle (P-80005), Tool Adapter 38 (W107418688), Tool Adapter 22 (W107418678), Curved Tube Handle (P-70346), Quick Connect Tool Adapter (P-70378), 1-3/8" x 13' Anti-Static Suction Hose (Features Quick Connect Coupling) (P-84084), Nano Fleece Filter Bag (1 Ea. P-84078), HEPA Filter (T-01806), Plastic Disposal Bag (1 Ea. P-70297)
VC2512L	L Class Push & Clean Filter Cleaning 25.0 L Compact Dust Extractor	Floor Nozzle (W107402706), Extension Tubes (P-72942), Crevice Nozzle (W295410000), Universal Nozzle (W142950000), Tool Adapter (W107409977), 1-1/4" x 11' Suction Hose (W107406115), Filter Bag (P-72899), Plastic Disposal Bag (1 Ea. P-70297), PET Fleece Filter Cartridge (P-70219), Accessory Tool Box (W107409980), Tool Adapter 38 (W107418680), Tool Adapter 22 (W107418661)

L CLASS DUST EXTRACTOR BRUSH & NOZZLE SETS

Part Number	Description	Includes	For Models
 P-70502	4 Piece Brush & Nozzle Set For 1-3/8" Hose	<ul style="list-style-type: none"> • 12" Crevice Nozzle (P-80005) • 1-3/4" x 5" Rectangular Brush Nozzle (P-70471) • Brush, Universal Nozzle <p><i>Note: Brush & Universal Nozzle Not Available Separately</i></p>	VC4710 446L VC3012L VC2512L
 P-70518	3 Piece Brush & Nozzle Set For 1-3/8" Hose	<ul style="list-style-type: none"> • 1-3/4" x 2-3/4" Square Brush Nozzle (P-80004) • Rubber Tube Nozzle • Universal Nozzle <p><i>Note: Rubber Tube Nozzle & Universal Nozzle Not Available Separately</i></p>	VC4710 446L VC3012L VC2512L
 P-70312	8 Piece Brush & Nozzle Set For 1-3/8" Hose	<ul style="list-style-type: none"> • Floor Nozzle with Carpet Shift (P-70465) • 1-3/4" x 2-3/4" Square Brush Nozzle (P-80004) • Universal Nozzle • 12" Crevice Nozzle (P-80005) • Pipe Holder (W302004027) • Two 19" Extension Tubes (P-70437) • Curved Tube Handle (P-70346) <p><i>Note: Universal Nozzle Not Available Separately</i></p>	VC4710 446L VC3012L VC2512L VC4210L

L CLASS DUST EXTRACTOR ACCESSORIES

Part Number		Description	Application Specification	For Models	Part Number		Description	Application Specification	For Models
	P-70194	Paper Filter Bag (5 / Pk)	Lock Out Paper Filter Bags For Dry Material	446L VC3012L VC2512L VC4210L		P-70465	Floor Nozzle with Carpet Shift For 1-3/8" Hose	For Vacuuming Floors With Hard Or Soft Surfaces	446L
	P-72899	Filter Bag (5 / Pk)	Paper Filter Bags For Dry Material	446L VC3012L VC2512L VC4210L		P-81789	Floor Nozzle For 1-3/8" Hose	Extraction For Floor Detail Work	VC3012L
	P-79843	Nano Fleece Filter (2 / Pk)	99.95% Efficiency (0.05% Maximum Permeability) ≥ 2 Microns (μ)	VC4710		W142950000	Universal Nozzle For 1-1/4" Hose		VC2512L
	P-79859	HEPA Filter (2 / Pk)	99.97% Efficiency (0.03% Maximum Permeability) ≥ 0.3 Microns (μ)	VC4710		W14682	Front Cuff 32	To Facilitate Connection To Power Tools For Dust Extraction And Collection	VC3012L
	P-70219	PET Fleece Filter Cartridge	99.97% Efficiency (0.03% Maximum Permeability) ≥ 1 Micron (μ)	446L VC3012L VC2512L		P-72942	Extension Tubes (Can Be Connected For A Combined Length Of 39-1/2")	Two 20-1/2" Lengths 39-1/2" Assembled Length	VC4710 446L
	T-01806	HEPA Filter	99.995% - 99.999% Efficiency (0.005% - 0.001% Maximum Permeability) ≥ 0.3 Micron (μ)	446L VC3012L VC2512L		P-70437			VC3012L VC2512L VC4210L
	W107418351	HEPA Filter Flat Cartridge	99.995% Efficiency (0.03% Max. Permeability) ≥ 0.1 microns (μ)	VC4210L		P-70346	Curved Tube Handle For 1-3/8" Hose	Handle For Use With Extension Tubes	VC3012L VC4710 446L, VC2512L VC4210L
	W107413540	PET Filter	Motor Cooling Air Filter	VC4210L		P-84084	1-3/8" x 13' Anti-Static Suction Hose (Features Quick Connect Coupling)	Extraction Flow Of Dust Particulate Matter	VC3012L VC2512L VC4210L
	P-80002	Filter Screen	Replaces Filter When Vacuuming Wet Materials	446L		P-79865	1-3/8" x 9-1/2' Anti-Static Suction Hose (Features P-70421 1-3/8" Hose Joint)		VC4710 446L
	P-78293	Nano Fleece Filter Bag (5 / Pk)	Lock Out Nano Fleece Filter Bag For Dry Material	VC4710		P-70487	1" x 11-1/2' Anti-Static Suction Hose		VC2512L
	P-84078			VC3012L		P-70362	1-3/8" x 9-1/2' Anti-Static Suction Hose	446L	
	W107418353			VC4210L		P-70384	Quick Connect Coupling	Quick Connect Coupling For 1-3/8" Anti-Static Suction Hose	VC4710 446L
	P-70297	Plastic Disposal Bag (5 / Pk)	Disposal Bag For Semi-Wet Material Or Liners With Fleece Filter Bag	VC4710, 446L VC3012L VC2512L VC4210L		P-70378	Quick Connect Tool Adapter For 1-3/8" Anti-Static Suction Hose	Quick Connect Tool Adapter For 1-3/8" Anti-Static Suction Hose	VC3012L VC4710 VC4210L, 446L VC2512L
	W107418355			VC4210L		W107418688	Tool Adaptor		VC4210L
	P-80001	Exhaust Fitting	Part Enables Dust Free Environment With 1-3/8" Anti Static Suction Hose	446L		P-80003	Power Cord Storage Holders	To Attach Power Cord To Dust Extractors	VC4710 446L
	P-80004	1-3/4" x 2-3/4" Square Brush Nozzle For 1-3/8" Hose	Extraction For Fine Detail Work	446L		W107418357	Interlocking Case Holder (2 / Pk)	For Attachment Of Interlocking Cases	VC4210L
	P-70471	1-3/4" x 5" Rectangular Brush Nozzle For 1-3/8" Hose				W107418356I	Metal Handle	For Ease Of Transport And Maneuverability	VC4210L
	P-80005	12" Crevice Nozzle For 1-3/8" Hose	For Vacuuming Tasks In Narrow Areas	446L		WUT02U	Auto-Start Wireless System (AWS) Bluetooth® Dust Extractor Adapter Kit	Wireless Activation Of Electric (AC) Dust Extractors	VC3012L VC4710 VC4210L, 446L VC2512L
	W6084			VC4210L					



WARRANTY STATEMENT

MAKITA CANADA INC.

Limited One Year General Product Warranty:

All Makita tools purchased in Canada from authorized dealers are warranted to be free of defects from workmanship and materials for a period of ONE YEAR from the date of original purchase.

Limited Two Year Outdoor Power Equipment Warranty:

All Makita gas powered outdoor power equipment (OPE) is warranted to be free of defects from workmanship and materials for a period of TWO YEARS from the date of original purchase. This warranty includes Makita gas powered OPE products (excludes gas powered air compressors) used in consumer, commercial or rental applications. Accessories included with OPE products have a ONE YEAR warranty. These accessories include but are not limited to; chainsaw chain, chainsaw bars, trimmer heads, brush cutter blades, handles, harnesses, hoses, connectors, filters, bags, tool kits, adjustment / maintenance tools.

Limited Three Year Pneumatic Nailer, Lithium Ion Tool, Battery and Charger Warranty:

All Makita lithium ion products, lithium ion batteries and lithium ion battery chargers are warranted to be free of defects from workmanship and materials for a period of THREE YEARS from the date of original purchase. Exclusions are, but not limited to, flashlights, work lights, job site radios, speakers, jackets/vests, power source adapters and battery adapters. Products excluded have a ONE YEAR warranty. All Makita pneumatic nailers and staplers are warranted to be free of defects from workmanship and materials for a period of THREE YEARS from the date of original purchase. Any accessories included with pneumatic nailing / stapling products have a ONE YEAR warranty. **NOTE:** The limited THREE YEAR warranty for Pneumatic nailers, staplers as well as **Lithium Ion** batteries and chargers applies only to products purchased in **Canada** after April 1, 2018.

Makita Warranty Terms, Limitations and Exclusions:

Should any problem develop during the specified warranty period shown above, return the complete product (freight prepaid) to one of Makita's Factory or Authorized Service Centres in Canada. If a qualified inspection shows the problem is caused by defective workmanship or material, Makita may choose to repair and / or replace the product in question. This warranty does not apply where:

- Repairs to the product have been made or attempted by others.
- Repairs to the product are required because of normal wear and tear.
Regarding pneumatic nailers / staplers the following wear items will be covered under the Limited One Year General Warranty: piston / driver assemblies, piston cushions / stoppers, driver blades, rubber O-rings, seals and air filters.
- The product has been abused, misused or improperly maintained.
- Alterations have been made to the product.
- Regarding lithium ion products and chargers; the use of non-Makita brand batteries will void all warranties for these products.

In no event shall Makita be liable for any indirect, incidental or consequential damages from the sale or use of the product. This disclaimer applies both during and after the term of this warranty. Makita disclaims liability for any implied warranties, including implied warranties of merchantability and fitness for a specific purpose, after the applicable term of this warranty. This warranty provides for specific legal rights. The provisions contained in this warranty are not intended to limit, modify or take away from, disclaim or exclude any warranties set forth in any legislation. To the extent required by law, the provisions in any provincial or federal legislation with respect to warranties take precedence over the provisions of this warranty. ***This warranty is subject to change without notice.***

MAKITA
PROUDLY OPERATES

13

FACTORY SERVICE CENTRES ACROSS CANADA!



**Our highly trained Makita Technicians
COAST TO COAST
are READY TO HELP YOU!**

Your nearest Makita Factory SERVICE Centre is your first point of contact for all technical inquiries

1. Richmond / Vancouver, BC
2. Burnaby / Vancouver, BC
3. Calgary, AB
4. Edmonton, AB
5. Saskatoon, SK
6. Winnipeg, MB
7. London, ON
8. Mississauga / Toronto, ON
9. Whitby / Toronto, ON
10. Ottawa / Nepean, ON
11. Montreal / St. Leonard, QC
12. Quebec City / Les Saules, QC
13. Dartmouth / Halifax, NS

RICHMOND / VANCOUVER

11771 Hammersmith Way,
Richmond, BC. V7A 5H6
Phone: 604-272-3104
Toll Free: 1-800-663-0909
Fax: 604-272-5416

BURNABY / VANCOUVER

2288 Holdom Avenue,
Burnaby, BC. V5B 4Y5
Phone: 604-291-1511
Toll Free: 1-877-295-1511
Fax: 604-291-1599

CALGARY

#8 – 6325 11th Street SE,
Calgary, AB T2H 2L6
Phone: 403-243-3995
Toll Free: 1-800-267-0445
Fax: 403-287-3044

EDMONTON

11614 - 149 Street NW,
Edmonton, AB. T5M 3R3
Phone: 780-455-6644
Toll Free: 1-888-455-6644
Fax: 780-451-4877

SASKATOON

206A - 2750 Faithful Avenue,
Saskatoon, SK. S7K 6M6
Phone: 306-931-0111
Toll Free: 1-888-931-0111
Fax: 306-931-4574

WINNIPEG

1670 St. James Street,
Winnipeg, MB. R3H 0L3
Phone: 204-694-0402
Toll Free: 1-800-550-5073
Fax: 204-694-5782

LONDON

317 Adelaide Street S. Unit 117,
London, ON. N5Z 3L3
Phone: 519-686-3115
Toll Free: 1-800-571-0899
Fax: 519-686-4347

MISSISSAUGA / TORONTO

6350 Tomken Road Unit 8,
Mississauga, ON. L5T 1Y3
Phone: 905-670-7255
Toll Free: 1-888-221-9811
Fax: 905-670-0120

WHITBY / TORONTO

1950 Forbes Street,
Whitby, ON. L1N 7B7
Phone: 905-571-2200
Toll Free: 1-800-263-3734
Fax: 1-800-867-1683

Makita Canada
Head Office & Distribution Centre 



OTTAWA / NEPEAN

210 Colonnade Road, Unit 11,
Ottawa, ON. K2E 7L5
Phone: 613-224-5022
Toll Free: 1-888-560-2214
Fax: 613-224-2360

MONTREAL / ST. LEONARD

6389 Boulevard Couture,
St. Leonard, QC. H1P 3J5
Phone: 514-323-1223
Toll Free: 1-800 361-7049
Fax: 1-800-561-5953

QUÉBEC CITY / LES SAULES

1200 St. Jean Baptiste Unit 106,
Québec, QC. G2E 5E8
Phone: 418-871-5720
Toll Free: 1-800-663-5757
Fax: 418-871-6684

DARTMOUTH / HALIFAX

204 Brownlow Avenue, Unit #145,
Dartmouth, NS. B3B 1T5
Phone: 902-468-7064
Toll Free: 1-888-625-4821
Fax: 902-468-3551

Makita Canada **Order Desk & Distribution Centres**

Western Canada
Phone: 604-272-3104
Toll Free Phone: 1-800-663-0909
Toll Free Fax: 1-800-667-7078
Email: orderdeskmcv@makita.ca

Central, Québec & Eastern Canada
BILINGUAL SERVICE
Phone: 905-571-2200
Toll Free Phone: 1-800-263-3734
Toll Free Fax: 1-800-565-0906
Email (English): orderdeskmct@makita.ca
Email (Français): orderdeskmcq@makita.ca



LARGER CAPACITY

6.0 LITRE FILTER BAG
FOR LESS FREQUENT DISPOSAL

MORE POWER

78 CFM OF SUCTION POWER
44" OF WATER LIFT

LONGER RUN TIME

UP TO 117 MINUTES OF
CONTINUOUS OPERATION



Follow Us! @makita.ca

Printed in Canada 2021vr1