

4-STROKE POWER

2-STROKE POWER

MM4

MAKITA MINI 4-STROKE ENGINE

- Patented lubrication system enables Makita 4-stroke brush cutters & line trimmers to be used on angles and slopes
- Anti-vibration system for fatigue free use
- Smooth throttle control and soft grip for comfortable operation
- Durable nylon string trimmer head



16" Cutting Width

33.5cc
Line
Trimmer
EBH341L



16" Cutting Width

24.5cc
Line
Trimmer
EBH253L



16-1/4" Cutting Width

24.5cc
Curved
Shaft Line
Trimmer
ER2550LH

25.7cc
Line Trimmer
EM2600L

- Multi-positional engine
- Environment-friendly 2-stroke engine with catalytic exhaust
- Wide trigger control and soft grip for comfortable operation



17" Cutting Width



15-3/4" Cutting Width



25.7cc
Curved
Shaft Line
Trimmer
ER2600L

Compliant with EPA phase 2, EU stage 2 exhaust emissions regulations

- Multi-positional engine
- Environment-friendly 2-stroke engine with catalytic exhaust
- Equipped with Easy Start system for faster, easier starting



Line Trimmer Guard



Line Trimmer Head



4-Stroke Engine Maintenance Kit

for Line Trimmers & Brush Cutters

197678-9

ACCESSORIES

197437-1

30
Hour
Lubricating
Maintenance Grease

for Line Trimmers & Brush Cutters

SPECIFICATIONS	EBH341L	EBH253L	ER2550LH	EM2600L	ER2600L
Cutting Width	16" (40.6 cm)	16" (40.6 cm)	16-1/4" (41.2 cm)	17" (43 cm)	15-3/4" (40 cm)
Displacement	33.5cc	24.5cc		25.7cc	
Maximum Engine Power	1.07 Kw / 1.44 HP	0.71 Kw / 0.97 HP		0.83 Kw / 1.2 HP	
Fuel Tank Capacity	0.65 L	0.5 L		0.6 L	
Oil Tank Capacity	0.1 L	0.08 L		Fuel / Oil Mixture 50:1	
Overall Length	71-1/4" (181 cm)	69-3/4" (177 cm)	64" (162.3 cm)	69-3/4" (177 cm)	64-3/4" (165 cm)
Dry Weight	14.8 lbs (6.7 kg)	11.5 lbs (5.2 kg)	10.8 lbs (4.9 kg)	10.8 lbs (4.9 kg)	9.5 lbs (4.3 kg)

LINE TRIMMERS

See pages 36-37 for more
LINE TRIMMER ACCESSORIES

CORDLESS POWER

BRUSHLESS
X2
18V → 18V → 36V
18Vx2 Line Trimmer
DUR364LZ

Tool only. Battery & charger sold separately.

XPT
EXTREME PROTECTION TECHNOLOGY
BRUSHLESS

11-3/4" Cutting Width

18V LITHIUM-ION
18V Line Trimmer
DUR187LZ

Tool only. Battery & charger sold separately.

XPT
EXTREME PROTECTION TECHNOLOGY
ADT
BRUSHLESS

11-3/4" Cutting Width

18V LITHIUM-ION
18V Line Trimmer
DUR189LZ

Tool only. Battery & charger sold separately.

XPT
EXTREME PROTECTION TECHNOLOGY
ADT
BRUSHLESS

11-3/4" Cutting Width



Trimmer Head rotates 180° to enable easy edge trimming

10-1/4" Cutting Width

180°



18V LITHIUM-ION
18V Line Trimmer
DUR181Z

Tool only. Battery & charger sold separately. (Also available with Battery and Charger DUR181SF. See makita.ca)

12V MAX CXT
Nylon Blade Trimmer
UR100DZX

Tool only. Battery & charger sold separately.

9" Cutting Width

XPT
EXTREME PROTECTION TECHNOLOGY

12V LITHIUM-ION
CXT

Space Saving Design!

18V LITHIUM-ION
18V Split Shaft Line Trimmer
DUR188LZ

Tool only. Battery & charger sold separately.

XPT
EXTREME PROTECTION TECHNOLOGY
BRUSHLESS

11-3/4" Cutting Width

BRUSHLESS
X2
18V → 18V → 36V
18Vx2 Brush Cutter
DUR365UZ

Tool only. Battery & charger sold separately.

XPT
EXTREME PROTECTION TECHNOLOGY
BRUSHLESS

13-3/4" Cutting Width

Powerful trimming for where low noise is a concern!

Brushless motor is located on the trimmer head end to provide ultimate torque for trimming

ACCESSORIES

Shoulder Strap



Chest Harness

Trimmer Line 15 m (Twist Line)
Replacement Trimmer Line ideal for Cordless Line Trimmers

197472-9



Construction Series

Demolition Series



Work Gloves are available in medium, large and extra-large sizes

SPECIFICATIONS	DUR364LZ	DUR365UZ	DUR188LZ	DUR189Z	DUR187LZ	DUR181Z	UR100DZX
Battery Capacities	Two 18V Li-Ion		18V Li-Ion			12V Li-Ion	
Cutting Width	13-3/4" (35 cm)		11-3/4" (29.8 cm)			9" (23 cm)	
No Load Speed	High: 6,500 RPM Low: 5,000 RPM	3,500 RPM 5,300 RPM 6,500 RPM	4,000 RPM / 5,000 RPM / 6,000 RPM			7,800 RPM	10,000 RPM
Overall Length	69" (175 cm)		70-1/2" (179 cm)	63-1/2" (161 cm)	70-1/2" (179 cm)	56-1/2" (143 cm)	46-3/4" (118 cm)
Net Weight	7.3 lbs (3.3 kg)	8.9 lbs (4.0 kg)	6.7 lbs (3.0 kg)	5.8 lbs (2.6 kg)	6.0 lbs (2.8 kg)	5.5 lbs (2.5 kg)	4.3 lbs (1.7 kg)

LAWN MOWER / BLOWERS

CORDLESS POWER

18V x2 17" Lawn Mower DLM431Z

Tool only. Battery & charger sold separately.

17" Cutting Width



NEW! Also available with Batteries and Charger DLM431PT2. See makita.ca

- Perfect for lawns up to 10,000 square feet (950 sq meters)
- Single lever with 13 setting cutting height adjustment - variable from 20 - 75 mm (13/16 inch - 3 inches)
- Ball bearing wheels for less effort required while mowing
- Folding handle for compact storage
- Lawn Mower can be used with or without Grass Catcher Bag

18V x2 15" Lawn Mower DLM380Z

Tool only. Battery & charger sold separately.

15" Cutting Width



- Perfect for lawns up to 6,000 square feet (550 sq meters)
- Single lever with 6 setting cutting height adjustment - variable from 20 - 75 mm (1 inch - 3 inches)
- Folding handle for compact storage
- Dual battery charge level indicators
- Lawn Mower can be used with or without Grass Catcher Bag

SPECIFICATIONS	DLM431Z	DLM380Z
Battery Capacities	Two 18V Li-Ion	
Cutting Width	17" (43 cm)	15" (38 cm)
Range of Height	13/16" - 2-15/16" (2 - 7.5 cm)	1" - 2-15/16" (2.5 - 7.5 cm)
Step	13 Steps	6 Steps
Grass Box Capacity	50 L	40 L
No Load Speed	3,600 RPM	3,700 RPM
Overall Length	58-3/4" (149 cm)	53-1/2" (149 cm)
Net Weight	38.2 lbs (17.3 kg)	31.7 lbs (14.4 kg)

Our most powerful cordless blower yet!



18V x2 Turbo Blower DUB362Z

Tool only. Battery & charger sold separately.



Amazing 120 MPH and 473 CFM operation



- 6-stage air volume/velocity settings by dial with variable speed control by trigger
- The trigger also has a lock on function, with button operable from either side of handle
- 3-stage telescopic long nozzle with adjustment range of 100 mm (4")
- Dual LED charge level indicators
- Best grip to frame angle provides optimum nozzle to ground angle for efficient sweeping operation

SPECIFICATIONS	DUB362Z
Battery Capacities	Two 18V Li-Ion
Maximum Air Volume	473 CFM (13.4 m ³ /min)
Maximum Air Speed	120 MPH (54 m/sec)
No Load Speed	22,000 RPM
Overall Length	32-3/4", 34-3/4", 36-5/8" (83 cm, 88 cm, 93 cm)
Net Weight	6.0 lbs (2.7 kg)

BLOWERS

See page 36 for more
BLOWER ACCESSORIES

CORDLESS POWER

X2
18V + 18V → 36V

18Vx2 Blower DUB361Z

Tool only. Battery & charger sold separately.

XPT
EXTREME PROTECTION TECHNOLOGY

Push button air volume selection (low / high settings)

- eXtreme Protection Technology (XPT) offers maximum protection against dust, debris and liquids for
- Optimal performance in extreme conditions
- Battery capacity warning light indicates ideal time to recharge battery
- Low noise level suitable for use in residential areas and public spaces
- Long blowing nozzle with curved tip for optimal blowing performance
- Shoulder belt for operator convenience

18V Blower Sweeper DUB183Z

Tool only. Battery & charger sold separately.
(Also available with Battery and Charger DUB183SF. See makita.ca)

18V
LITHIUM-ION

Unique extended nozzle design for optimum operation directs air flow angle for blowing & sweeping

18V Blower/Vacuum DUB182Z

18V
LITHIUM-ION

Optional Long Nozzle with Curved End sold separately (Part No. TP00000199)

Tool only. Battery & charger sold separately.

- Low / Medium / High Air Volume Settings with Variable Speed Control within Each Setting
- Ergonomic Soft Rubber Grip design for Vibration Absorption and Comfortable Operation
- Anti-static design to prevent buildup of Static Electricity
- Converts to Vacuum quickly and easily
- Light Weight Design for Reduced Operator Fatigue

LITHIUM-ION BATTERY CHARGERS



4-Port Multi Charger - DC18SF

- Charges two 18V Li-Ion batteries at once
- Charges three or four 18V (3.0 Ah) Li-Ion batteries in 120 minutes



Dual Port Rapid Charger - DC18RD

Dual port design enables two batteries to be charge simultaneously



Rapid Charger - DC18RC

Charges 18V (3.0 Ah) Li-Ion battery in 22 minutes



Standard Charger - DC18SD

Charges 18V (3.0 Ah) Li-Ion battery in 60 minutes



Automotive Charger - DC18SE

Plugs into 12V automotive outlets to enable charging on the go

SPECIFICATIONS	DUB361Z	DUB182Z	DUB183Z
Battery Capacities	Two 18V Li-Ion	18V Li-Ion	
Maximum Air Volume	Low: 92 CFM (2.6 m ³ / min) High: 155 CFM (4.4 m ³ / min)	92 CFM (2.6 m ³ /min)	
Maximum Air Speed	Low: 128 MPH (57 m / sec) High: 208 MPH (93 m / sec)	179 MPH (80 m / sec)	116 MPH (52 m / sec)
No Load Speed	Low: 10,000 RPM High: 17,000 RPM	0 - 18,000 RPM	
Overall Length	35-5/8" (90.5 cm)	20-3/4" (53.5 cm)	33-1/4" (84.5 cm)
Net Weight	4.2 lbs (1.9 kg)	2.9 lbs (1.3 kg)	

4-STROKE POWER

- Exceeds government clean air emission ratings
 - **MM4 Low Noise, Low Emission** engine
 - **Auto Decompression** for easy starting
 - Easy access to spark plug and air filter
 - Lightweight design

MM4
MAKITA MINI 4-STROKE ENGINE

2
YEAR
WARRANTY

218 MPH
Air Speed
52.5cc
Backpack
Blower
EB5300TH

205 MPH
Air Speed
75.6cc
Backpack
Blower
EB7660TH

2
YEAR
WARRANTY

Ideal for
application of
insecticides,
herbicides,
fungicides, and
liquid fertilizers

145 MPH Air Speed
24.5cc Blower
BHX2500CA



2
YEAR
WARRANTY

190 MPH Air Speed
75.6cc
Backpack
Mist Blower
PM7650H

2
YEAR
WARRANTY

(Also available with Vacuum Kit
BHX2500CAV. See makita.ca)

Transform the
BHX2500CA
24.5cc
Blower into a
high-powered
vacuum!

Vacuum Assembly
197234-5



Safety
Glasses



SPECIFICATIONS	EB7660TH	EB5300TH	PM7650H	BHX2500CA
Displacement	75.6cc	52.5cc	75.6cc	24.5cc
Maximum Air Speed	205 MPH	218 MPH	190 MPH	145 MPH
Maximum Air Volume (End Of Nozzle)	705 CFM	512 CFM	497 CFM	356 CFM
Power Rating	3.0 kW / 4.1 HP	1.8 kW / 2.5 HP	2.7 kW / 3.6 HP	0.81 kW / 1.1 HP
Tank Capacity	1.9 L	1.8 L	1.8 L	520 ml
Overall Length	13-1/8" (33.2 cm)	12-5/8" (32 cm)	16-1/2" (42 cm)	13-3/4" (35 cm)
Dry Weight	24.1 lbs (10.9 kg)	19.7 lbs (8.9 kg)	30.7 lbs (13.9 kg)	9.9 lbs (4.5 kg)

HEDGE TRIMMERS

2-STROKE POWER

- **3 Edge Tooth Design** and High **Anti-Abrasion Coated Surface** for Stain Free Long Lasting Operation
- **Double Sided Stainless Steel Blades** for Extended Life, Clean Trimming and Cutting on Both Sides of Blade
- **Extended 50 Hour Long Life Gear Case Lubrication System**
- Anti-vibration design for Less Operator Fatigue

22.2cc Hedge Trimmers



5 Position Handle



5 Position adjustable rear handle for vertical or angle trimming

SPECIFICATIONS	EH7500W	EH6000W	EH5000W
Displacement	22.2cc		
Maximum Engine Power	0.68 kW / 0.91 HP		
Cutting Length	28-3/4" (72.8 cm)	23-1/8" (58.8 cm)	19" (48.3 cm)
Fuel Tank Capacity	400 ml		
Overall Length	49-1/2" (125 cm)	44" (111 cm)	40" (101 cm)
Net Weight	11.4 lbs (5.2 kg)	11.0 lbs (5.0 kg)	10.5 lbs (4.8 kg)

ELECTRIC POWER



Electric Brake

25-1/2" Cutting Length

Hedge Trimmer
UH6570

Electric Brake

21-5/8" Cutting Length

Hedge Trimmer
UH5570

- **Ergonomic Soft Rubber Grip** for vibration absorption and comfortable operation
- **2-Hand Operation Switch** for maximum safety
- **Tip Guard** to prevent kick-back while trimming
- **Coated Blades** for improved durability
- **Built in Safety Clutch**
- **Easy blade replacement**

SPECIFICATIONS	UH6570	UH5570
Cutting Length	25-1/2" (65 cm)	21-5/8" (55 cm)
Strokes Per Minute	1,600 SPM	
AMPS (120V)	4.8 A	
Overall Length	40-1/2" (103.1 cm)	
Net Weight	3.8 lbs (8.4 kg)	3.7 lbs (8.2 kg)



25 Hour
Lubricating
Maintenance
Grease

for Hedge Trimmers

CORDLESS POWER

18V x2 Hedge Trimmer

DUH651Z

Tools only. Battery & charger sold separately.

25-1/2" Cutting Width



Reduced noise and emissions versus competitive gas models

- Accepts 2 x 18V Li-Ion batteries without a battery converter for use with existing 18V Li-Ion battery platform
- eXtreme Protection Technology (XPT) offers maximum protection against dust, debris and liquids for optimal performance in extreme conditions

NEW!

18V LITHIUM-ION

XPT
EXTREME PROTECTION TECHNOLOGY
BRUSHLESS

18V Hedge Trimmer

DUH602Z

Tools only. Battery & charger sold separately.

- Electric brake stops blade 3-5 seconds after trigger is released for increased operator safety
- Battery capacity warning light indicates approximate remaining battery power
- 5 position rotating rear handle

18V LITHIUM-ION

22" Cutting Width

Tool only. Battery & charger sold separately.
(Also available with Battery and Charger DUH523SF. See makita.ca)

18V Hedge Trimmer

DUH523Z

12V Hedge Trimmer

UH201DZ

Tool only. Battery & charger sold separately.

CXT 12V LITHIUM-ION

7-7/8" Cutting Width

Optional Grass Shear Attachment

Shear Blade Assembly 195176-7
Blade Cover 452055-5
Grass Catcher 457426-1

Chip Receiver Set
Standard Equipment
Part No. 198402-3

SPECIFICATIONS	DUH651Z	DUH602Z	DUH523Z	UH201DZ
Battery Capacities	Two 18V Li-Ion	18V Li-Ion	12V MAX CXT Li-Ion (Slide)	12V MAX CXT Li-Ion (Slide)
Strokes Per Minute	1,000 - 1,800 SPM	0 - 2,000 / 0 - 3,600 / 0 - 4,400 SPM	1,350 SPM	2,500 SPM
Cutting Width	25-1/2" (65 cm)	23-5/8" (60 cm)	22" (56 cm)	7-7/8" (20 cm)
Maximum Cutting Thickness	11/16" (1.8 cm)	7/8" (2.1 cm)	15/32" (1.2 cm)	5/16" (0.8 cm)
Overall Length	48-1/2" (123 cm)	43-3/4" (111.3 cm)	38" (96.3 cm)	19-7/8" (50 cm)
Net Weight	8.9 lbs (4.0 kg)	8.2 lbs (3.7 kg)	6.0 lbs (2.7 kg)	2.5 lbs (1.1 kg)

POLE HEDGE TRIMMERS

4-STROKE POWER



With **Adjustable Cutting Heads**
ideal for reaching tall hedges or shrubs



- Complies with **CARB Tier 3, EPA Phase 2, EU Stage 2 Emissions Requirements**
- **Multi-position Engine Lubrication System** allows Makita 4-Stroke Pole Hedge Trimmers to be operated at any angle for maximum versatility
- **135° Hedge Trimmer Head Articulation** (-90° - 45°) with **13 positive stops** (1 1.25° increments)
- **Pin Style Angle Securing System** provides added retention at positive stop angles versus friction securing systems
- Hedge Trimmer **Blades Fold Up To 180°** to provide compact size during transport or storage
- **Clutch Prevents Engagement Of Hedge Trimmer Head** when folded in the 180° position for maximum safety during transport or storage

25.4cc Pole Hedge Trimmers

With Adjustable Cutting Heads

6'-7" Overall Length

19-1/4" Cutting Length

Short Shaft
EN4951SH



8'-3" Overall Length

19-1/4" Cutting Length

Long Shaft
EN4950H



SPECIFICATIONS	EN4950H	EN4951SH
Displacement	25.4cc	
Maximum Engine Power	0.77 Kw / 1.03 HP	
Cutting Length	19-1/4" (49 cm)	
Fuel Tank Capacity	0.6 L	
Overall Length	99" (255 cm)	80-1/2" (205 cm)
Net Weight	15.2 lbs (6.9 kg)	14.5 lbs (6.6 kg)

4-STROKE POWER



MM4
MAKITA MINI 4-STROKE ENGINE

With **Fixed Cutting Heads**
for use in vertical cutting applications

- **Short Shaft Style** ideal for vertical cutting of tall hedges and shrubs
 - Complies with CARB Tier 3, EPA Phase 2, EU Stage 2 Emissions Requirements
- **Multi-position Engine Lubrication System** allows Makita 4-Stroke Pole Hedge Trimmers to be operated at any angle for maximum versatility
- **Wide Trigger Control** and **Soft Rubber Grip** design for comfortable operation

25.4cc Pole Hedge Trimmers

With Fixed Cutting Heads

5'-11" Overall Length

2
YEAR
WARRANTY

Double Sided Blades
for versatile cutting utilising
both sides of the blade!

2
YEAR
WARRANTY

6'-27"
Overall Length

23-1/4" Cutting Length

28-3/4" Cutting Length

Short Shaft
EN5950SH

Short Shaft
EN7350SH

Single Sided Blade
with Chip Receiver Attachment!

SPECIFICATIONS	EN5950SH	EN7350SH
Displacement	25.4cc	
Maximum Engine Power	0.77 Kw / 1.1 HP	
Cutting Length	23-1/4" (59 cm)	28-3/4" (73 cm)
Fuel Tank Capacity	0.6 L	
Overall Length	70" (178 cm)	75-1/4" (191 cm)
Net Weight	13.2 lbs (6.0 kg)	13.7 lbs (6.2 kg)