

AGTTM

AMBIENT GLOW TECHNOLOGYTM
ENTERPRISE
PROGRAM

The first full-service Photoluminescent Aggregate
Supply & Consultation Program in the World.

Contact Information

TF: 1.877.248.8641

DD: 001.905.250.9642

keith@ambientglowtechnology.com

www.ambientglowtechnology.com



Ambient Glow Technology – AGT™ is...

The world leader in high performance glow aggregates for concrete. Since developing the current industry-standard - AGT™ Commercial-Grade glow stone in 2008, Ambient Glow Technology remains on the cutting edge of glow stone manufacturing technology. We are proud to share our passion for the glow with our 150+ Exclusive AGT™ Master Dealers, active worldwide in over 38 countries on all 5 continents.

What is the AGT™ ENTERPRISE Program?

The AGT™ ENTERPRISE Program is the first full-service photoluminescent aggregate supply & consultation program in the world. Our primary reason for developing this program was to help educate clients about glow aggregates and assist them in determining which AGT™ glow aggregate would be most suitable for their project.

Initial Glow Project Consultation

Our consultative approach focuses on project vision attainment – not just product selling. We address the many variables that must be considered when specifying high performance glow aggregates such as: luminosity characteristics, optimal aggregate sizing, color, type of substrate and glow aggregate loading, etc.. The fact is that the achievement of your client's glow project vision contributes to their legacy as well as yours. This is a truth we do not take lightly.

Our Commitment to Quality & Performance

Not all glow aggregates being marketed on the internet are the same. They vary in material quality, glow duration and price. When applying glow aggregates in permanent substrates such as concrete, selecting an inferior performing glow aggregate can be catastrophic. This is due to the fact that there is no economically viable solution to remedy this glow performance problem after the fact.

In order to ensure that clients have access to the most state-of-the-art glow aggregates in the world, we created our R&D division – AGT™ Glow Labs. Since 2008, this department has developed a number of new photoluminescent aggregates and coatings. Most notably in mid 2015, we unveiled the world's first DIN67510 Part 1 compliant super-luminosity glow aggregate AGT ULTRA™ – which boasts the longest and brightest afterglow in the industry. •

AGT™ Best Practices for Glow Aggregate Application

Once the appropriate AGT™ glow aggregate has been specified for the project, the next concern is how best to apply them in a substrate. Our AGT™ Applications Team shares its over 10 years of real, hands-on experience applying AGT™ glow stone in concrete and other substrates with our clients to ensure that the end result is what they had envisioned.

Our Guarantee

We promise to supply our clients with the highest quality glow aggregates in the world and deliver them at the very best price possible. Volume discounts are available for projects requiring over 150kgs. Prior to making any decision on your glow stone, we encourage you to compare AGT™ with any other glow stone on the market. We guarantee that AGT™ ULTRA is the highest performing glow stone available anywhere.*

• See AGT™ ULTRA Performance Testing Results

* AGT™ samples will be forwarded to you as part of our ENTERPRISE Program evaluation process along with a copy of our written Glow Performance Guarantee.



AGT™ GLOW PROJECT SCOPE FORM® (Page 1 of 2)

PROJECT INFORMATION

DATE:

ARCHITECTURAL/DESIGN FIRM INFORMATION

PRIMARY CONTACT:	<input type="text"/>
CONTACT TITLE:	<input type="text"/>
CONTACT TEL#:	<input type="text"/>
CONTACT EMAIL:	<input type="text"/>
WEBSITE:	<input type="text"/>
SHIPPING:	<input type="text"/>

PROJECT NAME:	<input type="text"/>	
PROJECT LOCATION:	<input type="text"/>	
PROJECT START DATE:	<input type="text"/>	<input type="text"/>
RFQ CLOSING DATE:	<input type="text"/>	<input type="text"/>

GENERAL CONTRACTOR/CONCRETE CONTRACTOR INFORMATION

PRIMARY CONTACT:	<input type="text"/>
CONTACT TITLE:	<input type="text"/>
CONTACT TEL#:	<input type="text"/>
CONTACT EMAIL:	<input type="text"/>

AGT™ GLOW PROJECT SCOPE

GLOW PROJECT DIMENSIONS (Sq. ft. /m2):

SUBSTRATE TYPE:

	Check Box (x)
NEW CONCRETE?	<input type="checkbox"/>
EXISTING CONCRETE?	<input type="checkbox"/>
NEW ASPHALT?	<input type="checkbox"/>
EXISTING ASPHALT?	<input type="checkbox"/>
OTHER? Please Describe	<input type="text"/>

ANY COMPETING LIGHT SOURCES IN THE AREA (LIGHT POLLUTION):

	Check Box (x)
LIGHT POSTS NEARBY?	<input type="checkbox"/>
IF SO, HOW CLOSE?	<input type="text"/>
STRUCTURES NEARBY THAT ARE LIT ?	<input type="text"/>
IF SO, HOW CLOSE?	<input type="text"/>



AGT™ GLOW PROJECT SCOPE FORM[™] (Page 2 of 2)

AGT™ GLOW MATERIAL SPECIFICATION

HIGH PERFORMANCE GLOW AGGREGATES:	I'm Interested in (x)	Request Sample (x)
AGT™ Super Luminosity ULTRA Glow Stone FEATURE: GLOW TIME: 15+ hrs. - LIFESPAN: 20+ yrs.		
AGT™ COMMERCIAL-GRADE Glow Stone FEATURE: GLOW TIME: 8+ hrs. - LIFESPAN: 20+ yrs.		

AGT™ GLOW COLOR REQUIRED:	I'm Interested in (x)	Request Sample (x)
SKY BLUE (DEEP BLUE):		
AQUA BLUE (TOURQUOISE):		
EMERALD YELLOW:		
PLASMA PURPLE (VIOLET)		

AGT™ GLOW AGGREGATE SIZE REQUIRED:	I'm Interested in (x)	Request Sample (x)
1/2" (10-12mm):		
1/4" (7-8mm):		
1/8" (2-4mm):		
1/16" (1-2mm):		

HOW ELSE CAN WE HELP?

WOULD YOU LIKE...	YES
ONE OF OUR TEAM MEMBERS TO CONTACT YOU TO DISCUSS YOUR AGT™ GLOW AGGREGATE OPTIONS?	
ONE OF OUR TEAM MEMBERS TO CONTACT YOUR CONCRETE CONTRACTOR TO DISCUSS BEST PRACTICES?	
MSDS SHEETS ON CERTAIN PRODUCTS? IF YES, WHICH ONES?	

YOUR COMMENTS & PROJECT VISION...

OUR MISSION: To do everything in our power to ensure the glowing success of your project. We endeavor to achieve this by offering you the highest performing glow aggregates & coatings in the world combined with over 10 years of market-leading glow expertise...

Please share your project vision with us...


Ambient Glow Technology™ - AGT™
 12-1064 Salk Road, Pickering, ON., Canada --- TF: 1.877.248.8641
www.ambientglowtechnology.com

Copyright © 2004-2016 Universal One Corporation. All rights reserved.


COMMERCIAL-GRADE GLOW STONE LUMINOSITY RATINGS

Type: Commercial-Grade	Decay Time (mcd/m2)					
	30 minutes	60 minutes	120 minutes	240 minutes	360 minutes	720 minutes
Emerald Yellow AGT-C-EY-1/2 (12mm)	135.6	62.3	29	27.9	25.7	21.5
Aqua Blue AGT-C-AB-1/2 (12mm)	68.2	29.1	13.7	12.5	10.9	8.4
Sky Blue AGT-C-SB-1/2 (12mm)	62.7	26.2	11.5	10.9	8.8	7.2

* Luminosity Diminution: Glow Stone luminosity will diminish 1%-2% per year. For example in 20yrs. luminosity will be at 60%-80%.



* According to Germany DIN67510 Part 1



Disclaimer:

The information in this data sheet is based upon laboratory tests we believe to be accurate and is intended for guidance only. All recommendations or suggestions relating to the use of the products sold by Ambient Glow Technology whether in technical documentation, or in response to a specific inquiry, or otherwise, are based on data which, to the best of our knowledge is reliable. All associated product information and instructions were designed for users with the requisite knowledge and industrial skills necessary for proper product application and it is the end-user's responsibility to determine the suitability of the product for its intended use. Ambient Glow Technology has no control over either the quality or condition of the substrate, or the many other factors affecting the use and application of the product. Ambient Glow Technology does therefore not accept any liability arising from loss, injury or damage resulting from such use of the contents of this data sheet (unless there is written agreements stating otherwise). The data contained herein may be modified at anytime due to further advances in photoluminescent technologies.

For more information please contact us at:


905.250.9642

www.ambientglowtechnology.com


ULTRA-GRADE GLOW STONE LUMINOSITY RATINGS

Type: ULTRA	Decay Time (mcd/m ²)					
	30 minutes	60 minutes	120 minutes	240 minutes	360 minutes	720 minutes
Emerald Yellow AGT-U-EY-1/2 (12mm)	166.7	75.8	35.3	33.1	30.2	24.4
Aqua Blue AGT-U-AB-1/2 (12mm)	83.6	36.3	16.3	14.2	12.3	10.4
Sky Blue AGT-U-SB-1/2 (12mm)	75	33	14.8	12.6	10.1	8.4
Plasma Purple AGT-U-PP-1/2 (12mm)	32	13.3	5.7	4.8	3.1	2.6

* Luminosity Diminution: Glow Stone luminosity will diminish 1%-2% per year. For example in 20yrs. luminosity will be at 60%-80%.



^a According to Germany DIN67510 Part 1



Disclaimer:

The information in this data sheet is based upon laboratory tests we believe to be accurate and is intended for guidance only. All recommendations or suggestions relating to the use of the products sold by Ambient Glow Technology whether in technical documentation, or in response to a specific inquiry, or otherwise, are based on data which, to the best of our knowledge is reliable. All associated product information and instructions were designed for users with the requisite knowledge and industrial skills necessary for proper product application and it is the end-user's responsibility to determine the suitability of the product for its intended use. Ambient Glow Technology has no control over either the quality or condition of the substrate, or the many other factors affecting the use and application of the product. Ambient Glow Technology does therefore not accept any liability arising from loss, injury or damage resulting from such use of the contents of this data sheet (unless there is written agreements stating otherwise). The data contained herein may be modified at anytime due to further advances in photoluminescent technologies.

For more information please contact us at:

905.250.9642

www.ambientglowtechnology.com

Ambient Glow Technology - Limited Warranty

Subject to the terms and conditions herein, Ambient Glow Technology ("AGT™") warrants its glow stone products to be free from manufacturing defects and to glow under normal usage for a period of 20 years from the date of purchase and will perform as outlined in AGT Tech Data Documents #003 and #004. The warranty coverage is limited to the original purchaser and is not transferable. The terms of this limited warranty are subject to the exclusions, limitations and restrictions as set forth as follows:

Exclusions from Warranty Coverage

AGT™ will have no liability under this warranty for, and no implied warranty shall be deemed to cover, any damages or failures related to or caused by: damages caused by natural causes including but not limited to hurricane, flooding earthquake, high winds, lightening or other types of natural disaster, environmental conditions, damages caused by any act of human including applying blunt force, bomb or other force, or as a result of unforeseen circumstances, acts of negligence or product misuse or abuse, structure or structural failure, inadequate substrate or substrate related failures including cracking or excessive deflection, normal wear and tear, improper coatings, any chemical interactions, coverage or coatings which block or impede light transmission and reception, failure to comply with our technical data sheets and other written instructions, applicable building codes and regulations and standard industry practice.

Special Guarantee – AGT™ Ultra Grade Glow Stone

AGT™ guarantees that Ultra Glow Stone is the brightest photoluminescent stone available. Further that AGT™ ULTRA Glow Stone will continue to glow for over 15 hours after being fully charged for a minimum of 8 minutes in sunlight. Refer to the exclusions and limitations in this warranty as well as the Warranty Claims Procedure.

Warranty Claims Procedure

Refer to our warranty Claims Procedure instructions on our website www.ambientglowtechnology.com or email us at support@ambientglowtechnology.com.

Limitations

Except for the express written warranty contained herein, AGT™ makes no other warranties, guarantees or indemnities, whether express or implied, arising by law, course of dealing, usage of trade, customer or otherwise, including but not limited to the implied warranty of merchantability and implied warranty of fitness for a particular purpose and all such other warranties, guarantees and indemnities are hereby disclaimed, overridden and excluded. This limitation may not be applicable in certain jurisdictions which do not allow limitations on the length of an implied warranty.

The Liabilities of AGT™ are limited solely and exclusively to the obligations specifically undertaken herein, and under no circumstances will AGT™ be liable or obligated for any incidental, consequential, indirect or special, punitive or any other damages of any kind whatsoever, whether foreseeable or unforeseeable, arising out of breach or failure of express or implied warranty, breach of contract, fraud, misrepresentation, negligence, strict liability in tort or otherwise, or any other cause of action, except and only to the extent that this Limitation is specifically precluded by applicable law of mandatory application. The Liability of AGT™ with respect to this warranty shall in no event exceed the replacement of such product or refund of the original purchase price at our sole discretion.

Some states/jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights and you may also have other rights that vary from state to state or other jurisdictions.

Miscellaneous

This writing is understood and intended to be the final expression of the AGT™ Warranty and is a complete and exclusive statement of the terms and conditions with respect thereto, superseding all prior agreements or representations, oral or written, and all other communications relating to Product Warranty. This warranty may not be altered or amended except in a written instrument executed by AGT™. No agent, employee or any other party is authorized to make any warranty in addition to that made in this warranty and AGT™ shall not be bound by any such statements other than those contained in this warranty.

The parties agree that any legal action arising from a dispute hereby irrevocably and unconditionally attorn to the exclusive jurisdiction of the courts of the Province of Ontario and all courts competent to hear appeals therefrom.

