

COLLECTION 2023

Innovation from the coast of California



CONTENTS

TASK & DESK LAMPS

5	BROOKLYN AC
7	BROOKLYN AURA
9	BROOKLYN USB
11	BROOKLYN AC VACANCY SENSOR
15	BROOKLYN AURA DESK
17	BROOKLYN AC DESK
19	BROOKLYN USB DESK
23	TORONTO TASK
25	TORONTO GROMMET
~7	

27 HIGHLINE TASK

PENDANT, WALL & CEILING LIGHTS

31	BROOKLYN WALL PENDANT
37	HIGHLINE SINGLE PENDANT
39	HIGHLINE TRIPLE PENDANT
41	DROPLET PENDANT
45	LA BREA PENDANT
51	BROOKLYN SCONCE
53	HIGHLINE CEILING

BROOKLYN LED TASK LIGHT

View All Task & Desk Lamps



BROOKLYN LED TASK LIGHT

Three brightness settings Two USB ports for device charging Integrated LED light panel

Optional built-in wireless Qi[™]-certified phone charging pad Optional universal AC sockets Optional universal AC sockets with vacancy sensor

BROOKLYN AC LED TASK LIGHT



The Brooklyn AC LED task light joins understated modern design and seamless functionality to create a utilitarian and elegant desk light, with two universal AC sockets that work with US, UK, EU, and other international adapters, plus two USB ports, (1 USB-A, and 1 USB-C, accommodating for newer handsets as well).

Innovative LED Light panel technology casts energy-efficient, warm, white light without any hot spots. The lamp also comes with an integrated device mount, three touch-activated brightness settings, and a base that has an optional residue-free adhesive for stabilization, or you can purchase an additional triangular aluminum base plate with low-profile felt pads.

BROOKLYN AC

LED SPECIFICATIONS

- LUMENS | 600 - 250 - 20
- COLOR TEMP | 3000K
- WATTAGE | 13W
- | 85+ • CRI
- EFFICIENCY | 45 lm/W

TECHNICAL SPECIFICATIONS

- SWITCH | Touch Activation
- RATING | UL Listed
- MATERIALS | Aluminum, Polycarbonate Alloy
- U.S. PATENT | USD769,512S

MEASUREMENTS

- WEIGHT
- PRODUCT DIMENSIONS
- CASE PACK (4 pcs) DIMENSIONS | 21"h x 20"w x 13"d

| 3.25 lbs. | 17.3"h x 17.1"w

FEATURES

USB PORTS

- AC SOCKETS
 - | 2
 - | 1 USB-A, 1 USB-C (3Amps)
- INPUT VOLTAGE | 100 240


FINISHES


77830 BRUSHED ALUMINUM

77831 BLACK SLATE









The Brooklyn AURA LED task light joins understated modern design and seamless functionality to create a utilitarian and elegant desk light, featuring a built-in Qi-certified 15W wireless Fast-Charging pad, and two USB ports, (1 USB-A, and 1 USB-C, accommodating for newer handsets as well), making the AURA an efficient option when desk space is limited.

Innovative LED Light panel technology casts energy-efficient, warm, white light. The lamp also comes with an integrated device mount, three touch-activated brightness settings, and a base that has an optional residue-free adhesive for stabilization, or you can purchase an additional triangular aluminum base plate with low-profile felt pads.

BROOKLYN AURA LED TASK LIGHT

LED SPECIFICATIONS

- LUMENS | 600 250 20
- COLOR TEMP | 3000K
- WATTAGE | 12W
- CRI | 85+
- EFFICIENCY | 50 lm/W

TECHNICAL SPECIFICATIONS

- SWITCH | Touch Activation
- RATING | UL Listed
- MATERIALS | Aluminum, Polycarbonate Alloy
- U.S. PATENT | D787,735

MEASUREMENTS

- WEIGHT
- PRODUCT DIMENSIONS
- CASE PACK (4 pcs) DIMENSIONS | 20"h x 18"w x 14"d

| 2.1 lbs. | 17.3"h x 14.8"w ENSIONS | 20"h x 18"w x 14"



FEATURES

- WIRELESS CHARGING | Yes
- USB PORTS
- INPUT VOLTAGE


| 1 USB-A, 1 USB-C (3Amps)

| 100 - 240

FINISHES

77020 BRUSHED ALUMINUM

77021 BLACK SLATE





The Brooklyn USB LED task light joins understated modern design and seamless functionality to create a utilitarian and elegant desk light, featuring two USB ports, (1 USB-A, and 1 USB-C, accommodating for newer handsets as well), making it an efficient option when desk space is limited.

Innovative LED Light panel technology casts energy-efficient, warm, white light. The lamp also comes with an integrated device mount, three touch-activated brightness settings, and a base that has an optional residue-free adhesive for stabilization, or you can purchase an additional triangular aluminum base plate with low-profile felt pads.

BROOKLYN USB

LED SPECIFICATIONS

- | 600 250 20 • LUMENS
- COLOR TEMP | 3000K
- WATTAGE | 12W
- | 85+ • CRI
- EFFICIENCY | 50 lm/W

TECHNICAL SPECIFICATIONS

- SWITCH | Touch Activation
- RATING | UL Listed
- MATERIALS | Aluminum, Polycarbonate Alloy • U.S. PATENT | D787,735

MEASUREMENTS

- WEIGHT
- PRODUCT DIMENSIONS
- CASE PACK (4 pcs) DIMENSIONS | 20"h x 18"w x 14"d

FEATURES

- | 1 USB-A, 1 USB-C (3Amps) USB PORTS
- INPUT VOLTAGE | 100 - 240


FINISHES

77010 BRUSHED ALUMINUM

77011 BLACK SLATE









BROOKLYN AC LED TASK LIGHT with VACANCY SENSOR

The Brooklyn AC LED task light with Vacancy Sensor joins understated modern design and seamless functionality to create an energy-efficient and elegant desk light, two universal AC sockets that work with US, UK, EU, and other international adapters, plus two USB ports.

Innovative LED Light panel technology casts warm, white light, which the infrared Vacancy Sensor automatically turns off after 15 minutes of vacancy. Manual reactivation is required, preventing unwanted and distracting activation, making this fixture perfect for coworking spaces and open floor plans.

SPECIAL ORDER ITEM, MOQ 500 pcs.

BROOKLYN AC with VACANCY SENSOR

LED SPECIFICATIONS

- LUMENS | 600 - 250 - 20
- COLOR TEMP | 3000K
- WATTAGE | 13W
- | 85+ • CRI
- EFFICIENCY | 45 lm/W

TECHNICAL SPECIFICATIONS

- SWITCH | Touch Activation
- RATING | UL Listed
- MATERIALS | Aluminum, Polycarbonate Alloy
- U.S. PATENT | USD769,512S



MEASUREMENTS

- WEIGHT
- PRODUCT DIMENSIONS
- CASE PACK (4 pcs) DIMENSIONS | 21"h x 20"w x 13"d


FEATURES

- VACANCY SENSOR | Yes
- AC SOCKETS | 2
- | 2 (3A total) USB PORTS
- INPUT VOLTAGE | 100 240

FINISHES

77810 BRUSHED ALUMINUM

| 3.25 lbs. | 17.3"h x 17.1"w



BROOKLYN LED DESK LIGHT





BROOKLYN LED DESK LIGHT

Three brightness settings Two USB-C ports for device charging Integrated LED light panel Fine linen shade

Optional international AC sockets



BROOKLYN AURA LED DESK LIGHT

The Brooklyn AURA LED desk light joins understated modern design and seamless functionality to create a utilitarian and elegant desk light, featuring a built-in Qi-certified 15W wireless Fast-Charging pad, and two USB ports, (1 USB-A, and 1 USB-C, accommodating for newer handsets as well), making the AURA a power-packed option with minimal footprint.

The fine linen shade offers a sleek and elegant finish to compliment the lines of the aluminum extrusion. The lamp also features a hidden threaded mount for additional stability and security.

BROOKLYN AURA LED DESK LIGHT

LED SPECIFICATIONS

- LUMENS | 1100 - 475 - 100
- COLOR TEMP | 3000K
- WATTAGE | 13W
- CRI | 80+
- EFFICIENCY | 85 lm/W



TECHNICAL SPECIFICATIONS

- SWITCH | Touch Activation
- RATING UL Listed
- Aluminum, MATERIALS Polycarbonate Alloy

MEASUREMENTS

- WEIGHT
- PRODUCT DIMENSIONS
- CASE PACK (4 pcs) DIMENSIONS | 25"h x 16"w x 14"d
- CASE PACK (4 pcs) DIMENSIONS

| 2.25 lbs. | 21.5"h x 11.2"w (extrusions) | 24"h x 24"w x 10"d (linen shades)



FEATURES


- USB PORTS
- | 1 USB-A, 1 USB-C (3 Amps)
- INPUT VOLTAGE | 100 240

FINISHES



77150 BRUSHED ALUMINUM





BROOKLYN AC LED DESK LIGHT

The Brooklyn Desk pairs the understated modern curves of the Brooklyn line with the functionality of two universal AC sockets (compatible with US, UK, EU, and other international plugs), and two USB ports, (1 USB-A, and 1 USB-C, accommodating for newer handsets as well), making it an efficient option when desk space is limited.

The fine linen shade offers a sleek and elegant finish to compliment the lines of the aluminum extrusion. The lamp also features a hidden threaded mount for additional stability and security.

BROOKLYN AC LED DESK LIGHT

LED SPECIFICATIONS

- LUMENS | 1100 475 100
- COLOR TEMP | 3000K
- WATTAGE | 13W
- CRI | 80+
- EFFICIENCY | 85 lm/W

TECHNICAL SPECIFICATIONS

- SWITCH | Touch Activation
- RATING | UL Listed
- MATERIALS | Aluminum, Polycarbonate Alloy

MEASUREMENTS

- WEIGHT
- PRODUCT DIMENSIONS
- CASE PACK (4 pcs) DIMENSIONS | 25"h x 16"w x 14"d
- CASE PACK (4 pcs) DIMENSIONS

| 6.25 lbs.
| 21.5"h x 11.3"w
| 25"h x 16"w x 14"d
(extrusions)
| 24"h x 24"w x 10"d
(linen shades)




FEATURES

- AC SOCKETS | 2
- USB PORTS | 2 (3A total)
- INPUT VOLTAGE | 100 240

FINISHES

77130 BRUSHED ALUMINUM





BROOKLYN USB LED DESK LIGHT



The Brooklyn Desk pairs the understated modern curves of the Brooklyn line with the functionality of two USB ports, (1 USB-A, and 1 USB-C, accommodating for newer handsets as well), making it an efficient option when desk space is limited.

The fine linen shade offers a sleek and elegant finish to compliment the lines of the aluminum extrusion. The lamp also features a hidden threaded mount for additional stability and security.

BROOKLYN USB LED DESK LIGHT

LED SPECIFICATIONS

- LUMENS | 1100 475 100
- COLOR TEMP | 3000K
- WATTAGE | 13W
- CRI | 80+
- EFFICIENCY | 85 lm/W

TECHNICAL SPECIFICATIONS

- SWITCH | Touch Activation
- RATING | UL Listed
- MATERIALS | Aluminum,
 Polycarbonate Alloy

MEASUREMENTS

- WEIGHT
- PRODUCT DIMENSIONS
- CASE PACK (4 pcs) DIMENSIONS | 25"h x 16"w x 14"d
- CASE PACK (4 pcs) DIMENSIONS | 24"h x 24"w x 10"d

| 2.25 lbs.
| 21.5"h x 11.2"w
| 25"h x 16"w x 14"d
(extrusions)
| 24"h x 24"w x 10"d
(linen shades)




FEATURES

- USB PORTS
- | 1 USB-A, 1 USB-C (3 Amps)
- INPUT VOLTAGE | 100 240

FINISHES

77140 BRUSHED ALUMINUM







TORONTO LED TASK LIGHT

Tunuc

partier m

View All Task & Desk Lamps



TORONTO LED TASK LIGHT

Three brightness settings Two USB ports Touch activated Flexible 360° movement Soft-touch silicone overmold

Available with freestanding base or mounted grommet



The Toronto LED Task Lamp features 360° flexibility, a sleek unobstructive design, and two USB charging ports in the base. The flexible neck is coated in soft-touch silicone overmold and can be adjusted in all directions.

The Toronto Task has three touch activated brightness settings which casts bright, warm light at 3000K up to 450 lumens.

Special Order Item, MOQ 500 Pcs.

TORONTO TASK

LED SPECIFICATIONS

- LUMENS | 450 200 75
- COLOR TEMP | 3000K
- WATTAGE | 7W
- CRI | 82+
- EFFICIENCY | 65 lm/W

TECHNICAL SPECIFICATIONS

- SWITCH | Touch Activation
- RATING | UL Listed
- MATERIALS | Aluminum, Silicone, Polycarbonate Alloy

MEASUREMENTS

- WEIGHT
- PRODUCT DIMENSIONS
- CASE PACK (4 pcs) DIMENSIONS | 17"h x 12"w x 11"d

FEATURES

- 360° FLEXIBILITY | Yes
- USB PORTS | 2 (3A total)
- INPUT VOLTAGE | 100 240


FINISHES

79017 WHITE









24

| 4.17 lbs. | 16.1"h x 14"w | 17"h x 12"w x 11'

TORONTO GROMMET LED TASK LIGHT

The Toronto LED Grommet Task Lamp features 360° flexibility, a sleek unobstructive design, and two USB charging ports in the grommet base. The flexible neck is coated in soft-touch silicone overmold and can be adjusted in all directions.

The Toronto Task has three touch activated brightness settings which casts bright, warm light at 3000K up to 450 lumens. The Grommet is designed to fit on desks up to 50mm thick.

Special Order Item, MOQ 500 Pcs.

TORONTO GROMMET

LED SPECIFICATIONS

- LUMENS | 450 200 75
- COLOR TEMP | 3000K
- WATTAGE | 7W
- CRI | 82+
- EFFICIENCY | 65 lm/W

TECHNICAL SPECIFICATIONS

- SWITCH | Touch Activation
- RATING | UL Listed
- MATERIALS | Aluminum, Silicone, Polycarbonate Alloy

MEASUREMENTS

• WEIGHT	1.25 lbs.
PRODUCT DIMENSIONS	15.6"h x 14"w
• CASE PACK (4 pcs) DIMENSIONS	18"h x 18"w x 11"d

FEATURES


- 360° FLEXIBILITY | Yes
- USB PORTS | 2 (3A total)
- INPUT VOLTAGE | 100 240

FINISH

79027 WHITE









HIGHLINE LED DESK LIGHT

View All Task & Desk Lamps



HIGHLINE LED DESK LIGHT

Upward and downward illumination Three brightness settings Two USB ports Touch activated

HIGHLINE LED DESK LIGHT



The Highline LED Desk Lamp features both upward-facing and downward-facing illumination, ideal for desks in darker rooms where ambient lighting may be required.

The lamp features two USB charging ports, suitable for charging high capacity mobile phones and tablets, as well as touch-sensitive activation with 3 lighting levels. At full power, the Highline LED Desk Lamp casts 600 lumens to the desk surface, and splashes 400 lumens of ambient light upwards.

HIGHLINE DESK

LED SPECIFICATIONS

- LUMENS | max. 600 (upward), 400 (downward)
- COLOR TEMP | 3000K
- WATTAGE | 14.3W
- CRI | 85+
- EFFICIENCY | 70 lm/W

TECHNICAL SPECIFICATIONS

- SWITCH | Touch Activation
- RATING | UL Listed
- MATERIALS | Aluminum, Polycarbonate Alloy
- U.S. PATENT | Patent Pending



MEASUREMENTS

- WEIGHT
- PRODUCT DIMENSIONS
- CASE PACK (4 pcs) DIMENSIONS | 30"h x 26"w x 10"d

| 4.06 lbs.
| 19"h x 21.75"w

FEATURES

- USB PORTS | 2 (2.1A each)
- INPUT VOLTAGE | 100 240

ACCENTS

78202 BLACK C CHROME

78203 78204 COPPPER BRASS <mark>78241</mark> Orange Accent



GREY ACCENT



View All Wall, Pendant, & Ceiling Lights



Two brightness settings ADA-compliant power switch Fine linen shade Easy installation (no hard wiring) Use your own bulbs

The Brooklyn LED Wall Pendant Light features the understated modern curves of the Brooklyn line and a convenient and easy to install wall mounted aluminum extrusion. The light features mounting holes on the back of the extrusion for mounting on 2 screws (included), making installation quick and easy. No hard wiring is required, as the light comes with an integrated power cord.

The fine linen shade offers a sleek and elegant finish to compliment the lines of the aluminum extrusion. Please note, due to shipping constraints, this fixture must be ordered in muliples of two,

LED SPECIFICATIONS

- LUMENS | Bulb Dependent
- COLOR TEMP | Bulb Dependent
- WATTAGE | Bulb Dependent
- CRI | Bulb Dependent
- EFFICIENCY | Bulb Dependent

TECHNICAL SPECIFICATIONS

- SWITCH | ADA-Compliant Switch
- RATING | UL Listed
- MATERIALS | Aluminum, Polycarbonate Alloy, Linen
- U.S. PATENT | D835,331

MEASUREMENTS

- WEIGHTPRODUCT DIMENSIONS
- CASE PACK (2 pcs) DIMENSIONS
- CASE PACK (2 pcs) DIMENSIONS

| 8.25 lbs. | 65.4" h x 16" w | 69" h x 21" w x 5" d (extrusions) | 24" h x 17" w x 17" d

(linen shades)

FEATURE


• INPUT VOLTAGE | 100 - 240

FINISHES

77741 TWINKLE

77730 BRUSHED ALUMINUM










HIGHLINE LED PENDANT

View All Wall, Pendant, & Ceiling Lights



HIGHLINE LED PENDANT

Illumination from both sides of the LED frame Adjustable cable lengths Matte black with choice of accent

Available as a single or triple pendant



The LUX Highline LED Single Pendant is suspended vertically with adjustable cable length (up to 4 feet) and emits even lighting out of both sides of the metal extrusion. The Highline LED Pendant boasts up to 600 lumens of 3000K illumination per each individual pendant. The fixture is dimmable using electronic low-voltage (ELV) dimmers.

HIGHLINE SINGLE PENDANT

LED SPECIFICATIONS

- LUMENS | max. 600
- COLOR TEMP | 3000K
- WATTAGE | 13.3W
- CRI | 85+
- EFFICIENCY | 45 lm/W

TECHNICAL SPECIFICATIONS

- SWITCH | Wall SwitchRATING | UL Listed
- MATERIALS | Aluminum, Textile
- U.S. PATENT | Patent Pending

MEASUREMENTS

• WEIGHT	1.65 lbs.
PRODUCT DIMENSIONS	52.5"h x 6.1"w (fixture)
	13"h x 1.25"w (pendant)
• CASE PACK (4 pcs) DIMENSIONS	16"h x 16"w x 11"d

FEATURE


- DIMMABLE | with ELV dimmers
- INPUT VOLTAGE | 100 240

FINISHES





78214 BRASS





The LUX Highline LED Triple Pendant is suspended vertically with adjustable cable length (up to 4 feet) and emits even lighting out of both sides of the metal extrusion. The Highline LED Triple Pendant boasts 600 lumens of 3000K illumination per each individual pendant, for a total of 1800 lumens. The fixture is dimmable using electronic lowvoltage (ELV) dimmers.

HIGHLINE TRIPLE PENDANT

LED SPECIFICATIONS

- LUMENS | max. 1800
- COLOR TEMP | 3000K
- WATTAGE | 36W
- CRI | 85+
- EFFICIENCY | 50 lm/W

TECHNICAL SPECIFICATIONS

- SWITCH | Wall Switch
- RATING | UL Listed
- MATERIALS | Aluminum, Textile
- U.S. PATENT | Patent Pending

MEASUREMENTS

 WEIGHT | 5.29 lbs.
 PRODUCT DIMENSIONS | 39.8"h x 21.3"w (fixture) 13"h x 1.25"w (pendant)
 CASE PACK (4 pcs) DIMENSIONS | 24"h x 16"w x 13"d

FEATURE

- DIMMABLE | with ELV dimmers
- INPUT VOLTAGE | 100 240


FINISHES



BLACK CHROME




78224 BRASS



DROPLET PENDANT

View All Wall, Pendant, & Ceiling Lights



DROPLET PENDANT

Designed around a vintage-inspired E26 bulb Copper, satin black, or polished chrome finish



The LUX Droplet LED Pendant Light was designed around a specific vintage Edison-style LED bulb. The elegantly seamless transition from fixture to bulb gives the LUX Droplet a unique and polished appearance from all angles. The fixture can be used with any E26 style bulb, though is specifically designed to incorporate the LUX LED bulb pictured.

DROPLET PENDANT

LED SPECIFICATIONS

- LUMENS 650 with included LED bulb
- COLOR TEMP | 2200K with included LED bulb
- WATTAGE | 6.5W
- CRI 80+ with included LED bulb
- EFFICIENCY | 100 lm/W

TECHNICAL SPECIFICATIONS

- SWITCH | Wall Switch
- RATING | UL Listed
- MATERIALS | Aluminum
- U.S. PATENT | USD862773S1

MEASUREMENTS

- WEIGHT
- PRODUCT DIMENSIONS
- CASE PACK (4 pcs) DIMENSIONS | 29"h x 25"w x 12"d

FEATURE

- DIMMABLE | with ELV dimmers
- INPUT VOLTAGE | 100 240

FINISHES









| 12 oz.







0



Cast concrete in charcoal finish Brass accent cap Use your own bulb

The LUX La Brea LED Pendant Light is constructed from cast concrete with a brass cap. The striking charcoal finish is accented by a stark white inner reflective surface. The fixture can be used with any E26 style bulb.

LED SPECIFICATIONS

- LUMENS | Bulb Depedent
- COLOR TEMP | Bulb Depedent
- WATTAGE | Bulb Depedent
- CRI | Bulb Depedent
- EFFICIENCY | Bulb Depedent

TECHNICAL SPECIFICATIONS

- SWITCH | Wall Switch RATING | UL Listed • MATERIALS | Concrete, Brass
- **MEASUREMENTS**

• WEIGHT	3.2 lbs.
PRODUCT DIMENSIONS	10.25"h x 6.62"w
• CASE PACK (4 pcs) DIMENSIONS	19"h x 17"w x 14"d


FEATURE

- | with ELV dimmers • DIMMABLE
- INPUT VOLTAGE | 100 240

FINISHES












BROOKLYN LED SCONCE

View All Wall, Pendant, & Ceiling Lights



BROOKLYN LED SCONCE

Continuously dimmable, warm bright light Elegantly crafted from a single piece of aluminum Light is distributed evenly from top and bottom

Hard-wired and plug-in versions available

BROOKLYN LED SCONCE

The Brooklyn LED Wall Sconce continues the understated modern design of the Brooklyn floor and desk lamps, with its elegant symmetrical finish crafted from a single piece of aircraft-grade aluminum.

The dimmable, low-profile sconce casts 600 lumens of bright warm light evenly from the top and bottom. Touch-activated version available for headboards and other applications.

BROOKLYN SCONCE

LED SPECIFICATIONS

- | 600 (dimmable) • LUMENS
- COLOR TEMP | 3000K
- WATTAGE | 10W
- CRI | 93+
- EFFICIENCY | 60 lm/W

TECHNICAL SPECIFICATIONS

- | Touch Activated or Wall Switch • SWITCH
- RATING | UL Listed
- MATERIALS | Aluminum
- U.S. PATENT | USD819254S1

MEASUREMENTS

• WEIGHT	2.83 lbs.
PRODUCT DIMENSIONS	65.4″h x 16″w
PRODUCT DIMENSIONS	8.66"h x 6.69"w
• CASE PACK (4 pcs) DIMENSIONS	21"h x 13"w x 12"d

FEATURE

• INPUT VOLTAGE | 100 - 240

FINISHES


77600 BRUSHED ALUMINUM


77601





BLACK SLATE









HIGHLINE LED CEILING LIGHT

View All Wall, Pendant, & Ceiling Lights



HIGHLINE LED CEILING LIGHT

Upward and downard illumination Adjustable cable length Matte black with choice of accent




The LUX Highline LED Ceiling Light is a minimalist ceiling mounted LED fixture with four light heads joining at a central copper locus. The light features downward facing and upward facing light panels to cast bright warm light onto the floor and ceiling.

The "X" shaped fixture has subtle polished copper accents and matte black aluminum extrusion arms. Extension poles allow the fixture to be suspended at three lengths: 21-in., 9-in., and 3-in.

HIGHLINE CEILING

LED SPECIFICATIONS

- LUMENS | max. 3200
- COLOR TEMP | 3000K
- WATTAGE | 64W
- CRI | 85+
- EFFICIENCY | 50 lm/W





TECHNICAL SPECIFICATIONS


- SWITCH | Wall Switch
- RATING | UL Listed
- MATERIALS | Aluminum, Textile
- U.S. PATENT | Patent Pending

MEASUREMENTS

- WEIGHT
- PRODUCT DIMENSIONS
- CASE PACK (2 pcs) DIMENSIONS | 39"h x 21"w x 10"d







FEATURE

- DIMMABLE | with ELV dimmers
- INPUT VOLTAGE | 100 240

FINISHES





78234 BRASS







CONTACT US

sales@luxledlights.com www.luxledlights.com 805.324.6778

www.luxledlights.com



sales@luxledlights.com 805.324.6778 www.luxledlights.com