



## ATTENTION:

- Disconnect power before installing fixture.
- Installing, wiring and maintenance must be performed by a licensed electrician or qualified persons and in accordance with the National Electrical Codes and all local codes.
- Always disconnect power before installing or replacing bulbs and before cleaning or other maintenance.
- Do not install this fixture closer than six inches from any combustible material.
- Do not look directly into the LED bulb. As with other high intensity light sources, eye damage may occur.

## ASSEMBLY STEPS

1. Disconnect power from all circuits at the electrical panel (circuit breaker) before beginning installation.
2. Determine your desired hanging height and select the best suited included Extension Pole length.
3. If the cables must be cut, ensure that the cords are properly stripped to expose the copper conductors.
4. Mount the Mounting Plate to the ceiling junction box with the included screws.
5. Make appropriate electrical connections using wire nuts. It is good practice to cover the wire nuts with electrical tape to strain relieve and further insulate the connections.
  - a. Connect the live (black) wire to the live wire in the junction box.
  - b. Connect the neutral (white) wire to the neutral wire in the junction box.
  - c. Connect the ground (green) wire to the appropriate grounding point in the junction box or to the supply side ground wire. If no ground is present in the junction box, connect the fixture's ground wire to the green screw (included) on the crossbar. Ensure grounding meets all local and national codes.
  - d. Carefully position the wires in the ceiling junction box
6. Position the Canopy flush to the ceiling with the Fixture Installation Fasteners protruding 3/16" through the holes in the Canopy.
7. Secure the Canopy with the included Finial Nuts.
8. Restore power to the fixture by reenergizing the circuit breaker.


## OPERATING INSTRUCTIONS:

- The fixture may be used with 120V Triac Dimming switches.

## CLEANING INSTRUCTIONS:

- Dust with a clean, dry cloth only.
- To protect the finish of the fixture, avoid using any abrasive cleaners.

INSTALLATION DIAGRAM





Visit us at:  
[www.luxledlights.com](http://www.luxledlights.com)  
REV100