

Toronto

Grommet LED Task Light

User Guide

Read all instructions prior to using your new product.

ASSEMBLY INSTRUCTIONS

- Use a 2 3/8" (60mm) or 2 3/4" (70mm) hole saw to prepare the mounting surface to accept the grommet.
- Remove the tightening nut before inserting the grommet.
- Tighten the nut from the bottom of the mounting surface. Do not over tighten.
- Slide light head onto base connector. NOTE: To tamper-proof the light head, install the optional set screw using the included allen wrench. Do not over tighten.

USING YOUR LUX TORONTO LAMP

- Use only with the included 24V 1.25A power supply.
- Turn on the light by pressing gently on the power switch on the end of the light bar.
- Press the power switch again to cycle through the three brightness levels (420, 200, 20 lumens).
- The Toronto's silicone flexible neck is adjustable, however the aluminum light bar is not.
- The two USB ports output 5VDC, 2A total.


SAFETY INFORMATION:

- The flexible external power supply cable cannot be replaced; if the cable is damaged the entire power supply must be replaced.
- For indoor use only; do not use outdoors.
- Switch off the light before disconnecting the power supply.
- Do not look directly at the LEDs when they are illuminated.

CUSTOMER SERVICE:

For questions and assistance please contact us at:
800.922.3233 • customerservice@mightybright.com







Visit us at:
www.luxledlights.com