CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: KADO LLC
23100 Foley St,
Hayward, CA 94545

Batch #: 6

Laboratory Number: ATL-20963

Report Issue Date: 5/7/2024

Order Date: 5/3/2024

Analysis Date: 5/7/2024

Sample Description:
D8,THCP,THCA Distillate - Rainbow Loops

Unit Weight: 1g

Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE- EXPANDED

Analyte	LOQ (mg/g)	Results mg/g	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.014	N/D	N/D
THCV	<0.008	N/D	N/D
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	15.150	1.515
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	804.970	80.497
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/g	%
9S-HHC	<0.009	N/D	N/D
9R-HHC	<0.013	N/D	N/D
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	36.160	3.616
D9-THCH	<0.006	N/D	N/D
D8-THCH	<0.009	N/D	N/D
D9-THCP	<0.009	11.920	1.192
D8-THCP	<0.010	N/D	N/D
D8-THCO	<0.007	N/D	N/D
D9-THCO	<0.005	N/D	N/D
9S-HHCP	<0.010	N/D	N/D
9R-HHCP	<0.010	N/D	N/D
11-OH-D8-THC	<0.005	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/g	%
1S-H4CBD	<0.012	N/D	N/D
1R-H4CBD	<0.025	N/D	N/D
D9-THCB	<0.004	N/D	N/D
D8-THCB	<0.007	N/D	N/D

	mg/g	%
Max Active THC	31.71	3.17
Max Active CBD	N/D	N/D
Total Active Cannabinoids	863.75	86.38
Total Cannabinoids	868.20	86.82

NOTES:

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC) 11-Hydroxy-THC (11-OH-D8-THC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabiphorol(D9-THCP) Delta-8- Tetrahydrocannabinol-O-Acetate (D8-THCO) Tetrahydrocannabihexol (THCH)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
(954) 515 - 0200
info@accuratetestlab.com