

www.abstraxtech.com | info@abstraxtech.com | 2661 Dow Avenue | Tustin, CA 92780



Certificate of Analysis

Name: Hot Cakes (Native Series)

Matrix:Terpene Blend

Lot #: 007555

Product #: ABXTB0238

Manufacture Date: 07/06/2023

Expiration Date: 07/06/2024

Overall Result: Pass

Test	Specification	Result
Appearance	Colorless to yellow clear liquid	Pass

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Specific Gravity @ 25 °C	Specification	Result
0.841	0.82-0.86	Pass

Gas Chromatograph	Residual Solvent Analysis	Water Activity (A $_{ m W}$) < 0.65
>90% purity	Pass	0.439

Analyte	Action Limit (μg/g)	Detected (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1.0	N.D.	1/7	Pass
Acetone	5000	N.D.	2/11	Pass
Acetonitrile	410	N.D.	22/131	Pass
Benzene	1.0	N.D.	1/7	Pass
Butane	5000	N.D.	2/12	Pass
Chloroform	1.0	N.D.	1/9	Pass

Ethanol	5000	N.D.	8/62	Pass
Ethyl Acetate	5000	N.D.	8/50	Pass
Ethyl Ether	5000	N.D.	10/62	Pass
Ethylene Oxide	1.0	N.D.	1/8	Pass
Heptane	5000	N.D.	1/7	Pass
Hexane	290	N.D.	3/20	Pass
Isopropyl Alcohol	5000	N.D.	11/69	Pass
Methanol	3000	N.D.	16/98	Pass
Methylene Chloride	1.0	N.D.	1/7	Pass
M-xylene	5000	N.D.	2/16	Pass
0-xylene	5000	N.D.	16/99	Pass
P-xylene	890	N.D.	2/16	Pass
Pentane	2170	N.D.	4/25	Pass
Propane	2170	N.D.	1/8	Pass
Trichloroethylene	1.0	N.D.	1/8	Pass
Toluene	2170	N.D.	10/60	Pass



Tristhan Tran QC Chemist 07/07/2023

This Certificate of Analysis is accurate to the best of our knowledge. However, the customer is responsible for performing its own assessment to ensure that the material is suitable for its intended applications, including compliance with all pertinent legal requirements. The expected shelf life is calculated from the original manufacture date and is based on unopened containers stored under proper conditions. Once containers have been opened, maintaining minimal headspace and storing under appropriate conditions will aid in preserving the product's integrity.