terzani.com







Type Suspension

Materials Stainless steel

Finishes Code




White disc/Stainless Steel 0N90S E7 C8 KK



White disc/Gold plated 0N90S L6 C8 KK



White disc/Black nickel 0N90S E9 C8 KK





Recommended Light

120V ~ 50/60Hz



HALOGEN 3 x 20W G4 12V


or

LED 3 x 2W G4 12V















terzani.com







Type Suspension

Materials Stainless steel

Finishes Code



Stainless Steel 0N90S E7 C8




Gold plated 0N90S L6 C8



Black nickel 0N90S E9 C8

Body |





Recommended Light

120V ~ 50/60Hz



3 x 20W G4 12V


or




LED 3 x 2W G4 12V

Dimmable with IGBT and TRIAC

Canopy |

















terzani.com







Type Suspension

Materials Stainless steel

Finishes Code



Stainless Steel 0N91S E7 C8




Gold plated 0N91S L6 C8



Black nickel 0N91S E9 C8

White canopy

Body |





Recommended Light

120V ~ 50/60Hz



HALOGEN 12 x 20W G4 12V

or




LED 12 x 2W G4

Dimmable with IGBT and TRIAC

Canopy |





12V













terzani.com







Type Suspension

Materials Stainless steel

Finishes Code




Stainless Steel 0N92S E7 C8



Gold plated 0N92S L6 C8



Black nickel 0N92S E9 C8 Body |



White canopy

Recommended Light

120V ~ 50/60Hz



HALOGEN 12 x 20W G4 12V

or

12 x 2W G4 12V

Dimmable with IGBT and TRIAC

Canopy |


















terzani.com







Type Suspension

Materials Stainless steel

Finishes Code




Stainless Steel 0N93S E7 C8



Gold plated 0N93S L6 C8

White canopy








Integrated Led 120V ~ 50/60Hz

LED integrated 12 x 2,1W 3290 lm 3000K or optional 2700K

Dimmable with 0/1-10V, PUSH and Dali systems only

Canopy |



1.6"













terzani.com







Type Suspension

Materials Stainless steel


Finishes Code



Stainless Steel 0N94S E7 C8



Gold plated 0N94S L6 C8 Body |



White canopy




Integrated Led

120V ~ 50/60Hz

LED integrated 18 x 2,1W 4930 lm 3000K or optional 2700K

Dimmable with 1-10V, PWM















terzani.com







Type Suspension

Materials Stainless steel

Finishes Code




Stainless Steel 0N95S E7 C8



Gold plated 0N95S L6 C8

White canopy








Integrated Led 120V ~ 50/60Hz

LED integrated 6 x 2,1W 1640 lm 3000K or optional 2700K

○ Dimmable with 0/1-10V and PUSH

Canopy |



1.6"











