

HIP

HIP is a new Lounge armchair suitable for office and contract areas which high and wrap-around form and a comfortable armrest with a steel support painted in black or white, make the HIP armchair ideal to create a privacy corner in waiting areas.

1



2



3




- 1 . Swivel base armchair
- 2 . 4 legs base armchair
- 3 . Ottoman

- L 95/60 P 69/57 H 110/47
- L 95/60 P 69/57 H 103/45
- L 52 P 40 H 40



DIMENSIONS



BASE

Two types of bases are available:

1. 4 legs metal tubular structure diam 16 mm painted in black or white
2. Swivel base in chromed metal

HIP

Quinti®

STRUCTURE AND FOAM

It is made up of an inner metal skeleton and polyurethane cold injected foam rubber.
The comfortable seat cushion is in 70 density rubber, 15 cm thick.
The lumbar cushion increase its comfort.

It is also available with fireproof rubber Certified 1IM.

ACCESSORIES

OTTOMAN

The Hip ottoman is a versatile multifunctional accessory that can be used as ottoman, table, or both using the extractable element.

Made up of three elements:

- “U” structure in wood and covered, on feet or castors
- Extractable inner part made with a polystyrene and foamed with rubber
- Metal plate painted in white or black.

COATINGS

BIO-EXPO

CATEGORY 2

300 gr/mt2
100% Propitex FR batteriosattico
Classe 1UNI EN ISO 354:2003
100.000 +/- 10% Maltindale rubs

EXTREME

CATEGORY 2

350 gr/mtl
100% Xtreme FR
Classe , EN 1021-1/2
100.000 +/- 10% Maltindale rubs

LASER

CATEGORY 2

560 gr/mtl
100% Poliestere FR
Classe 1
80.000+/- 10% Maltindale rubs

ECO-LEATHER

CATEGORY 2

630 gr/mt2
83% PVC, 17% Syntetic
ISO 379-DIN75200-CSERF4/83 10%
Maltindale rubs

ERA

CATEGORY 3

448 gr/mtl
100% Trevira CS
Classe 1UNI EN ISO 354:2003
100.000 +/- 10% Maltindale rubs

LASER PLUS

CATEGORY 3

630 gr/mtl
100% Poliestere FR Trevira
Classe1 , 4.000 +/- Maltindale rubs

ECO-LEATHER SOUL

CATEGORY 3

760 gr/mt2
Surface 100% POLIURETANO,
Base Poliestere 85%,17% cotton
EN1021-1/BS5852 PART 1
>100.000 EN ISO 5470-2

MELANGE

CATEGORY 3

390 g/lin.m
100% Trevira CS
Classe 1
80.000 +/- 10% Maltindale rubs

JET

CATEGORY 3

365+/- 5% g/lin.m
100% Poliestere FR
Classe 1
80.000+/- 10% Maltindale rubs

ECO-LEATHER SYSTEM PRO

CATEGORY 3

710 gr/mt2
Superficie 93% PVC
Base Poliestere 28%
CLASSE1
100.000 RUBS

WOOL

CATEGORY 5

500 gr/mt2
75% wool, 25% poliammide
Classe 1
100.000 Maltindale rubs

LEATHER

CATEGORY 5/6

620 g/lin.m
100% bovine leather
Classe 1, EN 1021-1/2

PIED POULE

CATEGORY 6

550 g/lin.m
66% cotton, 34% Poliestere
35.000 % Maltindale rubs

EUROPOST 2

CATEGORY 6

710 g/lin.m
63% PU, 16% CO, 21% PL
Ini1975 CLASSE1emme,UNI9175/FA
50.000% Maltindale rubs

MERIT

CATEGORY 7

500g/lin.m
76% Poliestere Recycled
24% Poliestere
EN 1021-1/2
85.000 % Maltindale rubs

PREMIUM /ELEGANCE

CATEGORY 7

100% bovine leather Primo fiore
thickness 1,2/1,4 mm
EN1021-1/2

STEELCUT TRIO

CATEGORY 7

770 g/lin.m
90% New wool worsted, 10% Nylon
Classe 1, EN 1021-1/2
100.000 % Maltindale rubs

REMIX

CATEGORY 7

415 g/lin.m
90% New wool worsted, 10% Nylon
Classe 1, EN 1021-1/2
100.000 % Maltindale rubs

DECONTRACTE' VELVET

CATEGORY 7

590 g/lin.m
19% CO, 61% PC,10% PL, 10%VI
40.000 % Maltindale rubs

VELVET

CATEGORY 8

600 g/lin.m
100.000 % PL Flame retardant

SOFT LEATHER

CATEGORY 8

100% Bovine leather THICKNESS 1,8-2 mm
Primo fiore CONCIA ALL'ANILINA
EN1021-1/2

USAGE AND CARE

For a proper maintenance of the products and to maintain unchanged the characteristics of the materials, we recommend to follow some very simple care instructions.

FABRICS

Cleaning: check the dedicated selection written on the color Swatch card. Usage: it is recommended to pay attention to the fabrics as they can be easily cut or ripped.

LEATHERS

Cleaning: clean with a wet white cloth with water. We recommend to use high quality products for the cleaning of the leather and to follow carefully the instructions of the manufacturer. In doubt, try out the product on a hidden part and wait at least 24 hours for the occurrence of any problems. Usage: remember that the leather is a delicate material therefore it is recommended to pay particular attention while using.

WOODS

Cleaning: clean with a soft and wet cloth with warm water. We always recommend to dry immediately after the cleaning process. All liquids or other residue must be removed in order to avoid the absorption. Usage: wooden surfaces, being a natural material, could be affected by an alteration of the color shade during time and use. We also remind that wooden surfaces cannot bear with high temperatures if placed directly on the wooden top.

METALS

Cleaning: both steel or aluminium surfaces, and painted ones, must be cleaned with a soft and wet cloth with hot water. For the most persistent stains, a small amount of liquid soap diluted in water may be used. We always recommend to dry immediately with a soft cloth or a leather one after the cleaning process. Never using cleaning products for steel, chlorine, bleach or other strong detergents. It is not recommended to use abrasive creams, score pads and abrasive sponges that can scratch the metal surfaces. Usage: pay attention to the stains of food such as coffee, coke, fruit juices that can leave indelible marks on the surface.

WARRANTY

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.