

## GLISS MASTER — VINCENT VAN DUYSSEN 2015

1—  
35



The Gliss Master series of wardrobes, designed by Vincent van Duysen in 2016, extends its possibilities, offering a wardrobe with advanced features where the main focus is on the materials. Innovative finishes for the frame (Raffia), the back panels (Fine Grain or Raffia) and the doors (Graffiato bronze or silica). Absolute novelty: an all-glass back panel that is inserted into a metal frame where a patented hinge enables it to open 180°. Thanks to Glass doors and transparent glass side panels, fully glazed wardrobes can be achieved. Wood or lacquered doors with new (Niche) handles. New design for the raised sets of drawers, also in a doubled-sided version, featuring a practical handle (Hold) with Ecopelle or Fine Grain finish front panels. New Ecopelle and glass shelves with or without LED lighting.

### DATASHEET

REGISTERED  
DESIGN

VII.2017

FINISHES

components		melamine structure	melamine front	melamine plaster silica	plaster lacquer colours	cartapaglia lacquered	plaster lacquered colours	glossy lacquer colours	woods	coloured glass/etched coloured glass/mirror	shiny aluminium/colour black chrome	pewter	Eco Skin	extraclear transparent glass/stopsol/stopsoil	fine grain	
linear module and corner module	base/lid															
	back panel														only linear	
wooden central partition																
wooden external side panel																
extension profile																
central partition or side panel frame or glass	frame															
	glass														central only transparent	
START door																
"A FILO" door																
"A FILO" glass door	profile															
	glass															
BLADE sliding door																
GRIP door																
DEEP door																
PLASTER door	profile															
	panel															
STRIP door	strip															
	panel															
NICHE door																
GLASS door	profile															
	glass															
WINDOW door	profile															
	glass															
SKIN door	profile															
	panel															

internal fittings		melamine structure	melamine structure edge	Eco Skin pewter colour edge	fine grain pewter colour edge	transparent glass	pewter colour	grey saffiano melamine	larix dark/ silver cembran	plaster lacquer colours						
shelf																
wooden drawer fronts H 126/190/382																
tray front (trouser holders/trinket trays)																
front for open drawers / pull-out trays																
glass drawer fronts	profile															
	glass															
drawer internal																
dividing partitions - grid with shirt/sweater holders																
island drawer unit																
drawer unit																

colours	Melamine structure	Matt lacquer/ Cartapaglia lacquered/ Plaster lacquered	Glossy lacquer	Coloured glass	Etched coloured glass	Woods	Eco Skin
	YB white shantung YG grey shantung YM larix dark WR raffia YA silver cembran	BC chalk white PE pearl DN dune NE black PB lead SE mustard SI silica DO dolomite grey AL clay MK moka CM caramel CZ light blue grey SA sand RU ruby CI cadmium RE rust	BC chalk white PE pearl DN dune PL platinum AT anthracite NE black PB lead SE mustard SI silica DO dolomite grey AL clay MK moka CM caramel CZ light blue grey SA sand RU ruby CI cadmium RE rust	BC chalk white PE pearl DN dune PL platinum AT anthracite NE black PB lead SE mustard SI silica DO dolomite grey AL clay MK moka CM caramel CZ light blue grey SA sand RU ruby CI cadmium RE rust	BC chalk white PE pearl DN dune PL platinum AT anthracite NE black PB lead SE mustard SI silica DO dolomite grey AL clay MK moka CM caramel CZ light blue grey SA sand RU ruby CI cadmium RE rust	EU eucalyptus RG grey oak RF graphite oak OC light elm OS dark elm	grey mink hemp ivory dark brown

DATASHEET

REGISTERED DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## TECHNICAL INFORMATION

### STRUCTURE

#### BASE

Wooden particleboard panel faced with melamine and adjustable feet in contact with the ground.

#### COVER, PARTITION AND BACK PANEL

Wooden particleboard panel faced with melamine. The partitions are provided with adjustable feet in contact with the ground.

#### FINE GRAIN BACK PANEL

Chipboard coated with cylinder etched coextruded sheet of ABS-PMMA, painted in specific Molteni finish.

#### BACK PANEL, SIDE PANEL AND CENTRAL PARTITION (GLASS)

Frame perimeter in painted extruded aluminium with 4 mm tempered glass. Available in different finishes.

#### SIDE PANEL (MELAMINE)

Wooden particleboard panel faced with melamine. Adjustable feet in contact with the ground.

#### SIDE PANEL (MATT OR GLOSSY LACQUERED IN THE COLOURS)

Wooden particleboard panel faced with melamine. Outside painted in the colours of the "Molteni Range". Adjustable feet in contact with the ground.

#### SIDE PANEL (WOOD)

Wooden particleboard panel with inner melamine facing and outer facing with sliced Oak (Quercus) or Elm (Ulmus rubra) or Eucalyptus (Eucalyptus globulus). Adjustable feet in contact with the ground.

#### CENTRAL FRAME PARTITION

Frame perimeter in painted extruded aluminium.

#### COVERING PROFILES AND RUNNERS

Extruded aluminium covered with melamine facing or painted, with dust-proof seals.

#### FRONT EDGING

Anodised extruded aluminium, lacquered in the "Molteni Range" colours or faced with sliced Oak, Elm or Eucalyptus.

### DOORS

#### MELAMINE (START - "A FILO" - BLADE - GRIP - DEEP - PLASTER)

Wooden particleboard panel faced with melamine. Cushioned hinges and sliding system. For the PLASTER model, the panel is trimmed using a painted aluminium extrusion. Handles in various materials and finishes.

#### MATT OR GLOSSY LACQUERED IN THE COLOURS (START - "A FILO" - BLADE - GRIP - DEEP - STRIP - NICHE)

Wooden particleboard panel faced with melamine, painted in the colours of the "Molteni Range". Cushioned hinges and sliding system. Handles in various materials and finishes.

#### WOOD (START - "A FILO" - BLADE - GRIP - DEEP - STRIP - NICHE)

Wooden particleboard panel faced with sliced Oak, Elm or Eucalyptus. Handles in various materials and finishes.

#### GLASS HINGED DOOR ("A FILO")

Wooden particleboard panel faced with melamine, with a 5-mm-thick glass panel or mirror applied, painted in the colours of the "Molteni Range". Outer frame profile of anodised extruded aluminium. Cushioned hinges.

#### GLASS SLIDING DOOR ("A FILO")

Frame in anodised extruded aluminium with mounted mirror or 5 mm glass, painted in "Molteni Range" colours. Sliding system with shock absorbers.

#### GLASS doors

Extruded aluminium frame with 4 mm glass available in different finishes. Recessed hinges with 180° opening.

#### WINDOW doors

Frame in painted extruded aluminium with 5 mm glass available in different finishes. Recessed soft close hinges.

#### SKIN doors

Frame in painted extruded aluminium with honeycomb panel inserted and covered in eco-leather. Recessed soft close hinges.

### DATASHEET

REGISTERED  
DESIGN

VII.2017

**TECHNICAL INFORMATION**

**INTERNAL FITTINGS**

**PULL-OUT SHIRT HOLDER**

Painted parts made using a phenolic laminated panel. Front tray made of woodchip board faced with melamine. Bottom clad in eco-leather

**DRAWER UNIT STRUCTURE FOR FRAME SIDES**

Chipboard panel with melamine facing, painted in specific Molteni finish.

**INNER SHELVES, DRAWER OR TRAY FRONT, GRID WITH SHIRT AND SWEATER HOLDERS**

Wooden particleboard panel faced with melamine.

**INNER SHELVES WITH FRONT PROFILE**

Chipboard panel covered with melamine facing, front profile in painted extruded aluminium.

**INNER SHELVES IN ECO SKIN**

Chipboard panel covered with melamine facing, front profile in painted extruded aluminium and upper covering in eco-leather.

**CLOTHES RODS**

Anodised aluminium rod. Tube support of chrome-plated plastic material.

**GLASS FRONT PANEL AND GLASS SHELVES**

In painted or extruded aluminium. 4-mm-thick tempered glass.

**FINE GRAIN FRONT**

Chipboard panel covered with cylinder etched coextruded sheet of ABS-PMMA, painted in specific Molteni finish. Perimeter profile in painted extruded aluminium.

**DRAWER AND TRAY INNER SIDES**

Wooden particleboard panel faced with melamine.

**DRAWER AND TRAY INNER BOTTOM**

Wooden particleboard panel faced with melamine.

**SHOE RACK AND TROUSER RACK PROFILES**



In anodised or painted aluminium extrusion.

**PULL-OUT MIRROR**

Metal frame with mirror 4 mm th.

**HANDLES AND VARIOUS ACCESSORIES**

In various materials and finishes.



- 1** Top
- 2** Base
- 3** Partition
- 4** Side
- 5** Extension profile
- 6** Back
- 7** Covering profile or bottom runner
- 8** Covering profile or top runner
- 9** Shelf th. 30
- 10** Clothes rails
- 11** Shoe rack shelf
- 12** Drawers
- 13** Trousler holder - trinket trays
- 14** Grid with shirt and sweater holders
- 15** Pull-out mirror
- 16** Pull-out shirt holder


- 17** Side glass panel
- 18** Central glass partition
- 19** Central frame partition
- 20** Drawer unit structure
- 21** Glass back panel

**DATASHEET**

REGISTERED  
 DESIGN

VII.2017

**DRAWER INTERIOR**



Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

**MODULARITY**

**Modularity - Structure**

The widths 492 - 656 - 820 - 984 - 1312 - 464 (term. element) mm (19 3/8" - 25 7/8" - 32 1/4" - 38 3/4" - 51 5/8" - 18 1/4") include the left side panel. The total width of the composition will include the final panel of th. 30 mm (1 1/8").

Heights:

tot. H 2343 (92 1/4"), door 2313 (91"), int.2253 (87 3/4"), sliding or flush sl. door inter. 2163 (85 1/8")  
 tot. H 2439 (96"), door 2409 (94 7/8"), int. 2349 (92 1/2"), sliding or flush sl. door inter. 2259 (88 7/8")  
 tot. H 2631 (103 5/8"), door 2601 (102 3/8"), int. 2541 (100"), sliding or flush sl. door inter. 2451 (96 1/2")  
 tot. H 2919 (114 7/8"), door 2889 (113 3/8"), interior 2829 (111 3/8"), only hinged

**Assembly instructions**

For the assembling of a sliding and a flush sliding door wardrobe a minimum space of 6 cm (2 3/8") is required considering the minimum height of the compartment.


Assembly of the corner element (for wardrobe with doors) requires a minimum extra height of 6 cm (2 3/8").

Assembly of a wardrobe in an alcove requires a minimum extra side space of 4 cm (1 5/8").

A wardrobe with hinged doors and a lighting system requires a minimum extra height of 5 cm (2").

**Molteni & C**

5—  
 35



**DATASHEET**


REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.


**DOORS**

**START hinged doors**  
applicable only on structures  
with wood sides




The pairs of hinged doors START and "A FILO" always have a handle mounted on the right door.


**"A FILO" hinged doors**  
applicable only on structures  
with wood sides




**DEEP hinged doors**  
applicable only on structures  
with wood sides



**STRIP hinged doors**  
applicable only on structures  
with wood sides




**NICHE doors**  
applicable only on structures  
with wood sides




In the pairs of hinged doors W 815, 979 and 1307, are availables 2 handles or handle only on right door.

**WINDOW - SKIN door**  
applicable on all types  
of structures




The hinged doors WINDOW and SKIN are made with recessed hinges fixed to base and top, and have a thickness of 30 mm

**GLASS doors, th 35**  
applicable on all types  
of structures




**Sliding doors**




It is possible to make sliding door wardrobes with doors of the following types:

- START
- "A FILO"
- GRIP
- DEEP
- BLADE


It is possible to make the external sliding door with two handles if using the "A FILO" or BLADE door (full-height handle) and applying the surcharge




**Detail of side panel with extension profile**



**with BLADE door**



**Flush sliding doors**



**DATASHEET**

REGISTERED  
DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## DOORS


**155° opening (only for compartments with wooden sides)**

On **START** - "A FILO" - **GRIP** - **DEEP** - **PLASTER** - **STRIP** - **NICHE** doors it is also possible to use 155° opening hinges, with an extra charge per individual door. In this case, it is necessary to take special care in inserting internal drawer units, trinket trays and devices.

It is also necessary to comply with the diagrams provided here.

Molteni & C


7—  
 35




### Hinged doors with key lock

For the hinged doors specified, a key lock can be fitted to order. Additional cost for one or two doors. It can even be fitted on a terminal element or a corner element (in compliance with the handle installation rules). For doors with a lock, the internal drawer units must be suspended. Installation of only the lock can be requested, without a handle, always considering the price of the START doors and the additional cost of the lock.


START door handle type "M"



START door handle type "E"



"A FILO" door



### DATASHEET

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## CORNER ELEMENT

### Corner element D 595 - open or with GLASS doors

The corner element is provided complete with a base, lid and backs (melamine or fine grain). Between the corner element and the adjacent modules, it is necessary to insert central partitions in melamine, frame or glass.

The corner element can also receive a side panel to close the composition.

Compartments adjacent to the closed corner element can be open or closed with GLASS doors.

#### Notes

The shelf is not included in the price of the corner element.

Shelves and lids can be fitted with LED lighting bars, as indicated in the drawing below.


#### Reductions

The corner element can be reduced in height, width and depth.

In width, the reduction can be carried out either on one side only or on both sides, up to a minimum width of 1101 mm.




Reduction in depth can be done on one or on two sides, up to a minimum of 435 mm.

If only one side is reduced, that will be the side with the longest shelves (\*).






Molteni & C

8—  
 35



The corner element can be fitted with shelves and clothes rails, or with this solution of drawer units that have a central partition H 1158 where the desired drawer unit can be inserted. The drawer unit can be with fronts W 420 or 584.



No type of drawer unit can be inserted with frame or glass sides

#### DATASHEET

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## STRUCTURE

### Structure for walk-in closet

In version **A**, the structure (base, lid, central partitions, back and side panels) is in melamine, in the same finish as the structure.

The back piece can also be provided in fine grain finish.

The side panels are always provided without extension profile (see detail).

In version **B**, the central partitions and sides are made with an aluminium frame with pewter colour finish, with or without glass.

Base, lid and back piece are in melamine, in the same finish as the structure.

The back piece can also be provided in fine grain or glass finish.


Horizontal tags on the base and lid are made in a pewter colour finish like the side frames.

In version **C**, given the presence of frame sides in pewter colour finish, the central and side partitions in melamine are also made with front tags in pewter colour, considering the specific price.


Molteni & C

9—  
 35


#### version A - Structure with wooden sides (melamine in the same colour as the structure)



#### version B - Structure with frame or glass sides (H max 2631)



#### version C - Structure with mixed sides (H max 2631)



### DATASHEET

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## STRUCTURE

### Linear modules

Linear modules are made up of a base and lid always made in melamine in the same finish as the structure.

The back is available in the three versions indicated below.

**A1** and **A2** can be reduced in height, width and depth if closed by sides and doors that are compatible with the requested reductions.

**A3** can be reduced only in height.

### Central partitions

These are available in melamine, in the same finishes as the structure, frame and glass.

The melamine version can be reduced in height and depth.

The frame and glass versions can be reduced only in height.

Compartments with frame or glass sides must always include a shelf or a drawer unit.

### Side panels

These are available in melamine, in the same finishes as the structure, frame and glass.

The melamine version can be reduced in height and depth.

The outside of the side panel is available in the matt lacquer, glossy lacquer or wooden (vertical grain) finishes.

The standard finish on side panels is an extension profile in the coloured matt lacquer or pewter colour finishes (to be specified in the Order).

The extension profiles for glossy lacquer or wood side panels always match the side panels of the same finish.


The frame and glass versions can be reduced only in height.

Compartments with frame or glass sides must always include a shelf or a drawer unit.

Molteni & C

10—  
 35


### A1 - Melamine back



#### A1

Base, lid and back made in melamine finish matching the structure

### A2 - Fine grain back




#### A2

Base and lid made in melamine finish matching the structure. Back with fine grain finish

### A3 - Glass back

(only hinged GLASS, WINDOW and closet)




#### A3

Base and lid made in melamine finish matching the structure. Back in glass, **only made with frame and glass sides**


### Central partitions, th 30

#### Warning:

frame sides and glass sides will only have holes at the position of the shelves. Complete hole series at regular intervals 96 mm will involve an extra charge per side.



### Side panels, th 30



### DATASHEET

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## WARDROBE REDUCTIONS

### Structure reductions

Type of reduction	height	width	depth
Linear modules D 595 mm melamine back or fine grain back	per millimetre	per millimetre	min -20 mm max -256 wardrobe / flush sliding ward. max -160 mm
Linear modules D 595 mm glass back	per millimetre	no reductions	no reductions
Linear elements D 435 mm	per millimetre	per millimetre	min -20 mm max -96 mm
Corner element for wardrobe with doors	per millimetre	no reductions	no reductions
Corner element open or for GLASS doors	per millimetre	1 side up to 1101 x 1282	1 side up to mm 435
		2 sides up to 1101 x 1101	2 sides up to mm 435
Terminal element	per millimetre	no reductions	no reductions
Wooden central partition or side panel	per millimetre		reductions depend on linear modules
Frame or glass side panel or central partition	per millimetre		no reductions

The retailer should remember to verify the stability of wardrobes having a depth inferior to 595 mm and arrange to have anti-tilt devices mounted if necessary.

### Door reductions

Type of reduction	height	width
Wooden hinged doors (START - "A FILO" - GRIP - DEEP - PLASTER - STRIP - NICHE)	per millimetre	per millimetre
"A FILO" glass hinged doors	per millimetre	per millimetre
Wooden sliding doors (START - "A FILO" - BLADE - GRIP - DEEP)	per millimetre	ONLY doors W 979 and 1307 mm - reducible down to W 815 mm
"A FILO" glass sliding doors	per millimetre	no reductions
Wooden flush sliding doors (START - "A FILO" - GRIP - DEEP)	per millimetre	no reductions
Flush sliding doors W 1471 mm cannot be reduced.		
"A FILO" glass flush sliding doors	per millimetre	no reductions
SKIN doors	no reductions	no reductions
WINDOW / GLASS doors	per millimetre	reducible down to W 405 mm

### Reductions of internal fittings

Type of reduction	height	width	depth
Wood shelves		per millimetre	reductions depend on linear modules
Shelves with pewter colour profile		per millimetre	reductions depend on linear modules
Eco Skin shelves		per millimetre	reductions depend on linear modules
Glass shelves		per millimetre	reductions depend on linear modules
Clothes rails		per millimetre	
Central divider pieces	32 mm intervals		reductions depend on linear modules
Internal drawers / trinket trays, trouser holders and pull-out trays / grid with shirt and sweater holders / shoe rack shelves / pull-out shirt holders / lighting shelves / islands	no reductions	no reductions	no reductions

\* If the corner shelves are reduced on two sides, consider double the cost.


Lighting bars can be reduced with a surcharge included in the fee for cutting the shelf.

### Cuts to measure

#### Diagonal cut doors (only for wardrobes with wooden sides)


When compiling the order, indicate the heights H1 and H2 and the width L as in the example. The cost of a diagonal cut for each single door is the same as that for the hinged door in the table on page of the doors.

Compositions with diagonal slant are always built with single-door compartments. Only fitted with START, "A FILO", GRIP or DEEP hinged doors. Doors must be hinged to the highest side panel. The door finish options for slanted wardrobes are restricted to cartapaglia, matt lacquer and matt lacquered cartapaglia. Structures can be either in standard sizes or customised.



#### Standard or cut-to-size doors (only for wardrobes with wooden sides)

For these solutions you can use either single or double units with hinged doors.



Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

Molteni & C

11—  
 35

DATASHEET

REGISTERED  
 DESIGN

VII.2017

CASA  
 DESIGN  
 GROUP  
 living  
 outdoor  
 contract

## START door th 25

Door with handles mounted on the front.

All the hinged doors have cushion-closing hinges.  
The sliding door have a shock absorber mechanism which allows them to open and close softly.  
**Hinges with 155° opening can be used and a key lock can be installed on hinged doors.**

### Handles

Type "E"  
Type "M"

### Notes

Sliding doors and flush sliding doors are not available in H 2889.

**With fronts in cartapaglia melamine, graffiato and lacquered cartapaglia finishes, the outside of the side panel can be made with matt lacquer finish (in the same colour as the front), or in melamine in the same finish as the inside structure (if the side panel is not visible).**

# Molteni & C

12—  
35

### START door

melamine cartapaglia  
melamine graffiato  
matt lacquer colours  
cartapaglia lacquered colours  
glossy lacquer colours  
vertical grain wood




### Type "E" standard

**Pewter colour structure with front insert:**  
pewter colour  
matt lacquer colours  
woods  
coloured glass  
etched coloured glass

**Structure and front insert:**  
shiny aluminium  
black chrome

### Type "M" surcharge each Finish

pewter colour  
shiny aluminium  
black chrome



### finishes

melamine cartapaglia or graffiato    matt lacquer colours    cartapaglia lacquered colours    vertical grain wood    glossy lacquer colours

### hinged doors

width 487 (19 1/8")					
width 651 (25 5/8")					
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
door for terminal element					

### sliding doors

width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
width 1471 (57 7/8")					

### flush sliding doors

width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
width 1471 (57 7/8")					

### DATASHEET

REGISTERED  
DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

**“A FILO” door th 25**

Door with full-height handle included in the thickness of the door.  
 The door is available in the versions wood and glass.

All the hinged doors have cushion-closing hinges.  
 The sliding door have a shock absorber mechanism which allows them to open and close softly.  
**Hinges with 155° opening can be used and a key lock can be installed on hinged doors.**

**Notes**  
 Sliding doors and flush sliding doors are not available in H 2889.  
 Glass hinged doors are not available in H 2889.  
 Flush sliding glass doors cannot be used in compositions with 3 doors.

**With fronts in cartapaglia melamine, graffiato, lacquered cartapaglia and lacquered plaster finishes, the outside of the side panel can be made with matt lacquer finish (in the same colour as the front) or in melamine in the same finish as the inside structure (if the side panel is not visible).**

**Molteni & C**

13 —  
 35


**“A FILO” wooden door**

melamine cartapaglia  
 melamine graffiato  
 matt lacquer colours  
 cartapaglia lacquered colours  
 plaster lacquered colours  
 glossy lacquer colours  
 vertical grain wood

**“A FILO” glass door**

Glass:  
 coloured  
 etched coloured  
 mirror

Profile and “a filo” handle:  
 pewter colour



**finishes**

melamine cartapaglia or graffiato    matt lacquer colours    cartapaglia lacquered colours    plaster lacquered colours    vertical grain wood    glossy lacquer colours    coloured glass/ etched coloured glass/ mirror

**hinged doors**

width 487 (19 1/8")						
width 651 (25 5/8")						
width 815 (32 1/8")						
width 979 (38 1/2")						
width 1307 (51 1/2")						
door for terminal element						

**sliding doors**

width 815 (32 1/8")						
width 979 (38 1/2")						
width 1307 (51 1/2")						
width 1471 (57 7/8")						

**flush sliding doors**

width 815 (32 1/8")						
width 979 (38 1/2")						
width 1307 (51 1/2")						
width 1471 (57 7/8")						

**DATASHEET**

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

**BLADE sliding door th 25**

Door with full-height handle.

The sliding system automatically aligns the door as it opens and closes.

**Notes**

BLADE doors are not available with H 2889.


**With fronts in cartapaglia melamine, graffiato, lacquered cartapaglia and lacquered plaster finishes, the outside of the side panel can be made with matt lacquer finish (in the same colour as the front), or in melamine in the same finish as the inside structure (if the side panel is not visible).**

**Molteni & C**

14—  
 35

**BLADE sliding door**

- melamine cartapaglia
- melamine graffiato
- matt lacquer colours
- cartapaglia lacquered colours
- plaster lacquered colours
- glossy lacquer colours
- vertical grain wood



**finishes**

sliding doors	melamine cartapaglia or graffiato	matt lacquer colours	cartapaglia lacquered colours	plaster lacquered colours	vertical grain wood	glossy lacquer colours
width 815 (32 1/8")						
width 979 (38 1/2")						
width 1307 (51 1/2")						
width 1471 (57 7/8")						

**DATASHEET**

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

**GRIP door th 25** DESIGN VINCENT VAN DUYSSEN

Door with a handle applied laterally on the edge of the door.

All the hinged doors have cushion-closing hinges.  
 The sliding door have a shock absorber mechanism which allows them to open and close softly.

**Hinges with 155° opening can be used on hinged doors.**

**Notes**

Sliding doors and flush sliding doors are not available in H 2889.

**In the pair of hinged doors, the handle is mounted on both doors in the pair.**

**With fronts in cartapaglia melamine, graffiato and lacquered cartapaglia finishes, the outside of the side panel can be made with matt lacquer finish (in the same colour as the front), or in melamine in the same finish as the inside structure (if the side panel is not visible).**

**Handles finishes**



pewter colour

pewter colour covered in Eco Skin in the colours (with surcharge per handle)

Molteni & C

15—  
 35

**GRIP door**  
 melamine cartapaglia  
 melamine graffiato  
 matt lacquer colours  
 cartapaglia lacquered colours  
 glossy lacquer colours  
 vertical grain wood



**finishes**

	melamine cartapaglia or graffiato	matt lacquer colours	cartapaglia lacquered colours	vertical grain wood	glossy lacquer colours
<b>hinged doors</b>					
width 487 (19 1/8")					
width 651 (25 5/8")					
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
door for terminal element					
<b>sliding doors</b>					
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
width 1471 (57 7/8")					
<b>flush sliding doors</b>					
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
width 1471 (57 7/8")					

**DATASHEET**

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

**DEEP door th 25** DESIGN VINCENT VAN DUYSSEN

Door with recessed handle.

All the hinged doors have cushion-closing hinges.  
 The sliding door have a shock absorber mechanism which allows them to open and close softly.

**Hinges with 155° opening can be used on hinged doors.**

**Notes**

Sliding doors and flush sliding doors are not available in H 2889.

**In the pair of hinged doors, the handle is mounted on both doors in the pair.**

**With fronts in cartapaglia melamine, graffiato and lacquered cartapaglia finishes, the outside of the side panel can be made with matt lacquer finish (in the same colour as the front) or in melamine in the same finish as the inside structure (if the side panel is not visible).**

**Handles finishes**

pewter colour


pewter colour covered in Eco Skin in the colours (with surcharge per handle)

Molteni & C

16 —

35

**DEEP door**  
 melamine cartapaglia  
 melamine graffiato  
 matt lacquer colours  
 cartapaglia lacquered colours  
 glossy lacquer colours  
 vertical grain wood



**finishes**

	melamine cartapaglia or graffiato	matt lacquer colours	cartapaglia lacquered colours	vertical grain wood	glossy lacquer colours
<b>hinged doors</b>					
width 487 (19 1/8")					
width 651 (25 5/8")					
width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					
door for terminal element					

**sliding doors**

width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					

**flush sliding doors**

width 815 (32 1/8")					
width 979 (38 1/2")					
width 1307 (51 1/2")					

**DATASHEET**

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

**PLASTER door th 25** DESIGN VINCENT VAN DUYSSEN

Door with perimeter profile in pewter colour and melamine panel with a plaster effect finish.

All the hinged doors have cushion-closing hinges.  
 The sliding door have a shock absorber mechanism which allows them to open and close softly.

**Hinges with 155° opening can be used on hinged doors.**

**Notes**

Flush sliding doors are not available in H 2889.


**In the pair of hinged doors, the handle is mounted on both doors in the pair.**

**With the PLASTER door, the exterior of the side panel can be finished in matt lacquer (in the same colour as the front) or in melamine like the internal structure (if the side panel is not visible).**

Molteni & C

**PLASTER door**  
 silica coloured melamine

17—  
 35



**finishes**

melamine  
 plaster silica

**hinged doors**

width 487 (19 1/8")	
width 651 (25 5/8")	
width 815 (32 1/8")	
width 979 (38 1/2")	
width 1307 (51 1/2")	
door for terminal element	

**flush sliding doors**

width 815 (32 1/8")	
width 979 (38 1/2")	
width 1307 (51 1/2")	

**DATASHEET**

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

**STRIP door th 25** DESIGN VINCENT VAN DUYSSEN

Door with a longitudinal Eco Skin strip with a pewter colour profile of the same width of the recessed handle, also finished in Eco Skin.  
 The pair of hinged doors always has 2 strips and 2 handles \*

**Hinges with 155° opening can be used on hinged doors.**

**Reductions**

STRIP doors can be reduced as shown on p. 20.

**Notes**

Flush sliding doors are not available in H 2889.  
 Flush sliding doors wardrobes with 3 doors cannot be made.

**Handle finishes**

pewter colour covered in Eco Skin

**Eco Skin colours for strip and handle**



- grey
- mink
- hemp
- ivory
- dark brown

Molteni & C

**STRIP door**

- matt lacquer colours
- glossy lacquer colours
- vertical grain wood

18—  
 35



**finishes**

	matt lacquer colours	vertical grain wood	glossy lacquer colours
<b>hinged doors</b>			
width 487 (19 1/8")			
width 651 (25 5/8")			
width 815 (32 1/8")			
width 979 (38 1/2")			
width 1307 (51 1/2")			
door for terminal element			

**flush sliding doors (always with 2 doors)**

width 815 (32 1/8")			
width 979 (38 1/2")			
width 1307 (51 1/2")			

**DATASHEET**

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

**NICHE door th 25** DESIGN VINCENT VAN DUYSSEN

Door with recessed handle.

All the hinged doors have cushion-closing hinges.


**Hinges with 155° opening can be used on hinged doors.**

**Handles finishes**  
 pewter colour

**Molteni & C**

**NICHE door**  
 matt lacquer colours  
 glossy lacquer colours  
 vertical grain wood

**19**—  
 35



**finishes**

matt lacquer colours      vertical grain wood      glossy lacquer colours

**hinged doors**

width 487 (19 1/8")			
width 651 (25 5/8")			
width 815 (32 1/8")			
width 979 (38 1/2")			
width 1307 (51 1/2")			
door for terminal element			

**DATASHEET**

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## GLASS door, th 35, 180° opening DESIGN VINCENT VAN DUYSSEN

Glass door characterised by 180° opening, achieved with a special hinge inserted in the profile and entirely hidden in the side (a Molteni exclusive).  
The full-height handle is designed in the profile.

### Notes

GLASS doors are not available in H 2889.


**In the pair of hinged doors, the handle is mounted on both doors in the pair.**

**The GLASS door can also be installed on the open corner module.**

# Molteni & C

### GLASS door

20—  
35



### DATASHEET

REGISTERED  
DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## WINDOW door th 30 DESIGN VINCENT VAN DUYSSEN

Glass hinged door with pewter colour finished aluminium frame and lateral handle.

The doors are fitted with recessed hinges inserted in the base and top.

### Notes

WINDOW doors are not available in H 2889.

In the pair of hinged doors, the handle is mounted on both doors in the pair.

### Handle finishes

pewter colour


pewter colour covered in Eco Skin in the colours (with surcharge per handle)

# Molteni & C

### WINDOW glass door

21—

35



### DATASHEET

REGISTERED  
DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

**SKIN hinged door th 30** DESIGN VINCENT VAN DUYSSEN

Eco Skin covered hinged door with pewter colour finished aluminium frame and lateral handle.

**The doors are fitted with recessed hinges inserted in the base and top.**

The door is always divided into 3 equal parts.

**Notes**

SKIN doors are not available in H 2889.

**In the pair of doors, the handle is mounted on both doors in the pair.**

**Handle finishes**


pewter colour

pewter colour covered in Eco Skin in the colours (with surcharge per handle)

Molteni & C

**SKIN hinged door**

22—  
 35



**DATASHEET**

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

**SPECIAL ELEMENTS**

**Column with open compartment**

- Can be inserted only in wardrobes without doors or with hinged doors.
- Central partitions and/or lateral pieces close the column and cannot be frame or glass.
- The open compartment is always in matt lacquered colours.
- Doors are always without handles because they protrude with respect to the structure.
- Drawers are fitted with the "E" handle of the START door.
- Front finish: melamine front, matt lacquered colours, glossy lacquered colours and wood.

\* **The price does not include the central partitions or side panels, nor the internal shelves.**

**Reductions**

Reductions are allowed only in height, and costs of cutting the structure and doors are applied. Open compartment and lower part cannot be reduced.



Wire passage **EPA1** Ø 60 chrome on request on back.

**Notes**

The back of the open compartment cannot hold a mounted TV.

Molteni & C

23—  
 35



**DATASHEET**

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

**SPECIAL ELEMENTS**

**Column with external drawers**

- Can be inserted only in wardrobes with hinged doors.
- Central partitions and/or lateral pieces close the column and cannot be frame or glass.
- Pairs of doors always have only one handle mounted on the right door.
- Drawers are fitted with the "E" handle of the START door.
- Front finish: melamine front, matt lacquered colours, glossy lacquered colours and wood.

**Reductions**


Reductions are allowed only in height, and costs of cutting the structure and doors are applied.

\* The price does not include the central partitions or side panels, nor the internal shelves.


**Molteni & C**

24 —  
 35

**Doors with  
 type "E" handle**



**Doors with  
 "A FILO" handle**



**DATASHEET**

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## FILLERS AND OPENING SIDE TRIMS

### Horizontal filler

The filler is supplied in two parts, one part to be fixed to the ceiling to which the other will be hooked on (see diagram below).  
 The distance of the filler from the door is the client's decision.  
 In the cartapaglia finish, the grain direction is always vertical.  
 In the wood and graffiato finish, the grain direction is always horizontal.

### Vertical filler

The vertical filler can be placed flush with the structure or the door.  
 This detail must be specified in the order to prepare the side panel (see example).  
 If this detail is not specified when placing the order, the filler will automatically be placed flush with the structure and the side panel will have the extension profile.



### Opening fillers

Can be made with START and "A FILO" door. For handles, see surcharge.  
 Always have the 155° hinges.  
 Are the same height as the other doors in the composition.  
 Have a closing strip on their lower part.  
 In the wood finish, the grain direction is always vertical.




Molteni & C

25—  
 35


Horizontal filler side sections



Vertical filler horizontal sections



Opening filler horizontal sections



**DATASHEET**

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## LIGHTING SYSTEM

### Lighting bars with front LEDs

Internal compartments of Gliss Master wardrobes can be equipped with front LED lighting. The lighting bar can be applied to lids or to wooden, transparent glass and Eco Skin shelves. Using the electrified wire strip installed on the side (wood, frame or glass), the shelf can be moved. For each compartment length, we have made specific lighting bars with wiring compliant with European safety standards.

A wire strip is not needed if the compartment only has lighting on the top piece.

**Lighting bars can be reduced with a surcharge for the shelf cutting.**

### Lighting shelves

It is possible to insert one or more lighting shelves in Gliss Master compartments. Using the electrified wire strip mounted on the side panel, the lighting shelf can be moved.

**Lighting shelves can be connected to the wire strip on the left side panel or can be mounted without wire strip.**

### Notes

When placing the order, the customer must indicate how many shelves with lighting bars or lighting shelves are required. Lighting bars or lighting shelves can be placed in the same compartment. **For assembly: a lighting system on wardrobe with hinged doors requires a minimum extra height of 5 cm (2").**

**Individual wire strip is always installed on the left side panel of the compartment, with the exception of corner units for walk-in wardrobes and of the compartment next to the corner unit.**

**When ordering, indicate compartments with wire strip.**

Molteni & C

26—  
35

### lighting bars 3000 K

W 462  
6 watt

W 626  
8 watt

W 790  
10 watt

W 954  
12 watt

W 1282  
16 watt

open corner element  
20 watt

EBI4C

EBI6C

EBI8C

EBI9C

EBI13C

EBA13C

### lighting shelves D 538 th 30 3000 K

W 626  
12 watt

W 790  
15 watt

W 954  
18 watt

W 1282  
30 watt

RSL/6C

RSL/8C

RSL/9C

RSL/13C

### components per system

(see the diagram for component use and to calculate system cost)


power supply  
unit 100W or  
max 6 lighting  
bars

sensor


electrified wire strip

connector


radio remote control kit



EAL1




ESE1



ECA1




ECO1




EKRA1

### position of bar and wire strip on wooden partitions



### position of bar and wire strip on glass partitions



### DATASHEET

REGISTERED  
DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## LIGHTING SYSTEM



### System construction diagram

A composition (wardrobe) can be equipped with more than one system and more than one power supply unit. The system with sensor must be autonomous from the system with remote controlled electrical socket.

#### types of systems with sensors

#### system with sensor + wire strip suggested for wardrobes with doors

#### system with sensor (not for use with glass backs) suggested for wardrobes with doors and bars positioned only on the top piece



\* each power supply unit can power a max. of 100W or:  
 max 6 sensors  
 max 6 wire strip or 6 LED lights



sensor (1 per compartments)	●	●
power supply unit (per composition *)	●	●
wire strips on lateral pieces (per compartment)	●	
connector (for compositions of 4 power supply units max.)	●	●

#### types of systems with remote control electrical socket or radio remote control

one radio remote control unit can control systems with 2 power supply units max. Otherwise, more radio remote control units must be used.

#### system with wire strip for remote control electrical socket suggested for wardrobes without doors (walk-in wardrobes) and glass doors

#### system with remote control electrical socket (not for use with glass backs) suggested for wardrobes without doors (walk-in wardrobes) and glass doors



\* each power supply unit can power a max. of 100W or:  
 max 6 wire strips or 6 LED lights

power supply unit (per composition *)	●	●
wire strips on lateral pieces (per compartment)	●	
connector (for compositions of 4 power supply units max.)	●	●
radio remote control (optional)	● (optional)	● (optional)


### DATASHEET

REGISTERED  
 DESIGN


VII.2017

## INTERNAL FITTINGS

Internal fittings  
 with wooden sides



Internal fittings  
 with frame or glass sides



Molteni & C

28—  
 35

**1** Shelf th 30 mm  
 (wood, glass, Eco Skin)

**2** Clothes rail

**3** Modular drawer unit  
 only for wooden sides

**4** Trousler holder

**5** Central divider piece  
 th mm 30 only for compart.  
 with wooden sides

**6** Swivel pull-out  
 mirror only for compart.  
 with wooden sides

**7** Shirt and sweater holder grid  
 only for wood sides

**8A** Inclined shoe rack shelf  
 only for wooden sides

**8B** Horizontal shoe rack shelf  
 only for frame or glass sides


**9** Pull-out shirt holder  
 only for wooden sides

**10** Floor standing drawer unit only for compart.  
 with frame or glass sides


**11** Suspended drawer unit only for compart.  
 with frame or glass sides

### Section of internal fittings

595 - 23 3/8"  
 575 - 22 5/8"  
 266-10 1/2" - 309-12 1/8"



435 - 17 1/8"  
 for use  
 only with wooden sides



### DATASHEET

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## INTERNAL FITTINGS - SHOE RACK SHELVES

Molteni & C

29—  
35

### wood shelves - top shelves (only D 538)

D 538 th 30  
D 378 th 30



W 298	W 462	W 626	W 790	W 954	W 1282
RI/3	RI/4	RI/6	RI/8	RI/9	RI/13

glass shelves can be fitted with front LED light bars and comply with the wiring standards specified

### transparent glass shelves

D 538 th 30  
D 378 th 30

not for use in compartments adjacent to the corner element in wardrobes with doors




W 462	W 626	W 790	W 954	W 1282
RV/4	RV/6	RV/8	RV/9	RV/13

Eco Skin shelves can be fitted with front LED light bars and comply with the wiring standards specified

### Eco Skin shelves - shelves with Eco Skin cover (only D 538)


D 538 th 30  
D 378 th 30

### shelf for open corner element th 30




1081x1081	1262x1262
RIA/11	RIA/13

### Eco Skin shelf for open corner element th 30



1081x1081	1262x1262
REA/11	REA/13

When ordering, specify the finish Eco Skin



W 298	W 462	W 626	W 790	W 954	W 1282
RE/3	RE/4	RE/6	RE/8	RE/9	RE/13


### Shoe rack shelves

Shoe rack shelves can be used with wood sides and with frame or glass sides. When inserted between wood sides, this part will always be inclined (example 1). When there are frame or glass sides, this part will always be horizontal (example 2).

### Notes

To hook to the frame or glass sides, add the price of the relative metal profiles.

#### example 1




### shoe rack shelves

D 538 th 30




W 462	W 626	W 790	W 954	W 1282
RSP/4	RSP/6	RSP/8	RSP/9	RSP/13

#### example 2



#### example 1



### shoe rack shelves

D 368 th 30



W 462	W 626	W 790	W 954	W 1282
RQP/4	RQP/6	RQP/8	RQP/9	RQP/13

### metal profile for attaching shelves to frame side



PST

### metal profile for attaching shelves to glass side



PSV

### metal profile for attaching shelves with LEDs to frame side (always on the left, except in corner shelves)



PSE

### DATASHEET

REGISTERED  
DESIGN

VII.2017

**INTERNAL FITTINGS - PULL-OUT SHIRT HOLDER - GRID WITH SHIRT AND SWEATER HOLDERS**


**Internal fittings - pull-out shirt holder**  
 only for use in compartments with wooden sides

These units can be positioned on the floor-standing drawer units or suspended over a drawer H 190 of the same dimensions as the shirt unit (see example).

**Finishes**

The tray set on top of the shelf is always finished in melamine in the same finish as the structure with Eco Skin bottom grey finish. The shirt holder grid is always dolomite lacquered.

**example**




**Molteni & C**

30 —  
 35


When ordering, specify the finishes of the trays set on shelves and the shirt holder grid

for compartment  
 W 954  
 including resting shelf

for compartment  
 W 1282  
 including resting shelf



**BPC9/03/1**




**BPC13/03/1**

**Grid with shirt and sweater holders**

These elements are fixed and to be used set on shelves or on drawer units. Only in compartments with wood sides.

**grid with shirt and sweater holders**  
 W 626 D 378 H 480




**BGR6/05/1**

W 790 D 378 H 480




**BGR8/05/1**

W 954 D 378 H 480




**BGR9/05/1**

W 1282 D 378 H 480



**BGR13/05/1**

**Examples of use**




**DATASHEET**

REGISTERED  
 DESIGN

VII.2017

**INTERNAL FITTINGS - MIRRORS**

**Procedure for using the swivel pull-out mirror**




**Molteni & C**


**31**—  
 35

**mirror**  
 applied to inside of  
 hinged door  
 W 315 H 1600 th 4




**swivel pull-out mirror**  
 to be applied onto the side,  
 partition or central divider pieces  
 D 555 H 1443 th 90



**SPECH**



**SPECS/17**



**DATASHEET**

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## INTERNAL FITTINGS - MODULAR DRAWERS AND TRAYS

### Notes

The parts of this internal fittings are produced with width and height dimensions corresponding to the modular compartments. This makes it possible to organise the internal spaces in a number of ways. To correctly and quickly determine the internal fittings, some of the possible compositions are in the following pages.

The pairs of side panels suspended or resting on the floor are essential for inserting all the elements.

Compositions must be completed with a top shelf.  
 The handle is always pewter colour finish.

**No reductions of any kind can be made on drawers, trays and pairs of side panels.**

**Warnings on using compartments adjacent to the corner element**  
 It is impossible to use trouser or trinket trays (used individually).

### Wooden drawer finishes

melamine front in structure finish  
 fine grain finish front with pewter colour profile

drawer inside in grey saffiano melamine

### Glass drawer finishes

transparent glass front with pewter colour frame  
 inside in grey saffiano melamine

### Open drawer finishes


melamine front in structure finish  
 inside in grey saffiano melamine

# Molteni & C


### Items available

#### Wooden drawers (melamine or fine grain)



##### STANDARD handle (pewter colour or Eco Skin finish)






##### HOLD handle (pewter colour finish)



#### Glass drawers



#### Open drawers



### DATASHEET

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

**INTERNAL FITTINGS - MODULAR DRAWERS AND TRAYS**

**Trouser holder finishes**

melamine front in the same finish as the structure or fine grain with pewter colour profile  
 inner frame in grey saffiano melamine with trouser holder  
 in grey saffiano embossed


**Trinket tray finishes**

melamine front in the same finish as the structure or fine grain with pewter colour profile  
 inner frame, bottom and grid in grey saffiano melamine


**Pull-out trays finishes**

melamine front in structure finish  
 with shelf and back in grey saffiano melamine

**STANDARD handle  
 (pewter colour or Eco Skin finish)**



**HOLD handle  
 (pewter colour finish)**





**Notes**

Prices of drawers, trays and pull-out trays include the cost of the pewter colour finish STANDARD handle. For the STANDARD handle covered in Eco Skin, add a supplementary charge each.

**Molteni & C**



**33**—  
 35

**Trouser holder**




N.B.: usable only with suspended side panels as the bottom piece

**Trinket trays (tie and belt)  
 with internal grid**



internal tray dividers

**Pull-out trays**



**DATASHEET**

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

**INTERNAL FITTINGS - DRAWER ACCESSORIES**

**Leather trays**

Handmade leather trays with Alcantara bottom.  
 The version for men is brown (cat. P col. D533),  
 The version for women is powder pink (cat. P col. D524).

**Eco Skin bottoms**

Made with grey coloured Eco Skin.

**Molteni & C**


34—  
 35

**leather trays**

**men's drawers**


W 206 D 430 H 58 (A)  
 W 206 D 215 H 58 (B)

**watch holder  
 (A)**



**CEV/MA1**

**watch/  
 bracelet holder  
 (A)**




**CEV/MA2**

**jewellery holder  
 with movable dividers  
 (B)**



**CEV/MB1**

**complete men's  
 drawer offer**




**CVM1**

**leather trays**

**women's drawers**


W 206 D 430 H 58 (A)  
 W 206 D 215 H 58 (B)

**watch holder  
 (A)**



**CEV/WA1**

**watch/  
 bracelet holder  
 (A)**



**CEV/WA2**

**jewellery holder  
 with movable  
 dividers  
 (B)**



**CEV/WB1**

**ring holder  
 (B)**




**CEV/WB2**

**earring holder  
 (B)**



**CEV/WB3**


**complete women's  
 drawer offer**



**CVW1**


**Modularity drawings  
 for inserting trays into  
 drawers**

drawer W 416




1 tray (A)  
 or 2 trays (B)

drawer W 580




2 trays (A)  
 or 4 trays (B)

drawer W 716




3 trays (A)  
 or 6 trays (B)

drawer W 880



4 trays (A)  
 or 8 trays (B)

drawer W 1208



5 trays (A)  
 or 10 trays (B)

**Eco Skin bottoms  
 for drawers**

D 432



W 366  
**CEQ/F4**

W 530  
**CEQ/F6**

W 666  
**CEQ/F8**

W 830  
**CEQ/F9**

W 1158  
**CEQ/F13**

**DATASHEET**

REGISTERED  
 DESIGN

VII.2017

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.

## ISLAND DRAWER UNIT - DRAWER UNIT

Made completely in larix dark or silver cembran melamine and available in two versions: with or without trinket trays in dolomite lacquer. Shelves in Eco Skin are available in colours in the catalogue. Standard handles are mounted, in pewter colour finish. It is possible to make STANDARD handles covered in Eco Skin with a supplemental charge for each.

### version with trinket trays

- Side A has 6 drawers H 190 and 2 extractable trinket tray blocks.
- Side B has 4 drawers H 190 and and lower open compartments.

### version without trinket trays

- Side A has 6 drawers H 190 and upper open compartment.
- Side B has 4 drawers H 190 and and lower open compartments.

**Dimensions of the island cannot be reduced, and the composition cannot be modified.**

It is possible to substitute the melamine drawers with glass drawers by adding the difference in price from **CLN8/19** and **CVN8/19**.



It is possible to substitute the melamine drawers with drawers with fine grain fronts by adding the difference in price of the finishes of the code **CLN8/19**.

Molteni & C

35—  
 35

### island drawer unit with trinket trays

W 1518 D 1022 H 897  
 W 59 3/4" D 40 1/4" H 35 3/8"





larix dark/silver cembran:  
 STANDARD handle  
 HOLD handle

**ISC15/09/1**

### island drawer unit without trinket trays

W 1518 D 1022 H 897  
 W 59 3/4" D 40 1/4" H 35 3/8"



larix dark/silver cembran:  
 STANDARD handle  
 HOLD handle

**ISC15/09/2**


### Drawer unit

Made in larix dark, silver cembran or matt lacquer in Molteni range colours. Standard handles are mounted, in pewter colour finish.

It is possible to make STANDARD handles covered in Eco Skin with a supplemental charge for each.

### drawer unit

W 1292 D 527 H 897  
 W 50 7/8" D 20 3/4" H 35 3/8"



STANDARD handle      HOLD handle  
**ISC13/09/1**

### DATASHEET

REGISTERED  
 DESIGN

VII.2017

# Molteni & C

## FINISHES MOLTENI&C RANGE

IX.2017


	MATT LACQUER	GLOSSY LACQUER	COLOURED GLASS	ETCHED COLOURED GLASS	PLASTER LACQUERED CARTAPAGLIA LACQUERED <i>only Gliss Master</i>	STOPSOL GLASS TRANSPARENT STOPSOL GLASS
CHALK WHITE	•	•	•	•	•	
IVORY	•				•	
PEARL	•	•	•	•	•	
SILICA	•	•	•	•	•	
SAND	•	•	•	•	•	
PLATINUM	•	•	•	•	•	
DUNE	•	•	•	•	•	
CLAY	•	•	•	•	•	
DOLOMITE GREY	•	•	•	•	•	
RUST	•	•	•	•	•	
RUBY	•	•	•	•	•	
CARAMEL	•	•	•	•	•	
MOKA	•	•	•	•	•	
MUSTARD	•	•	•	•	•	
CADMIUM	•	•	•	•	•	
LIGHT BLUE GREY	•	•	•	•	•	
LEAD	•	•	•	•	•	
ANTHRACITE	•	•	•	•	•	
BLACK	•	•	•	•	•	
STOPSOL						•
LESSLESS RED <i>only matt lacquer</i>	•					

# Molteni & C




## FINISHES MOLTENI&C RANGE

IX.2017


### WOODS



### MARBLES



### METAL PARTS



DWELL  
DOOR FRAME, TRACK COVERING PROFILES



The finishes shown are indicative and refer to the entire production range. We recommend that you consult the "Colour Range" samples which shown the complete range of finishes, including those not shown here. Molteni&C reserves the right to modify the range without warning.

# Molteni & C

## FINISHES MOLTENI&C RANGE

IX.2017

### MELAMINE FRONT GLISS MASTER


CARTAPAGLIA WHITE



CARTAPAGLIA ANTHRACITE



CARTAPAGLIA SILICA



GRAFFIATO SILICA



GRAFFIATO BRONZE



### MELAMINE STRUCTURE GLISS MASTER

WHITE SHANTUNG



GREY SHANTUNG



### MELAMINE STRUCTURE GLISS MASTER, MASTER DRESSING, GLISS WALK-IN

SILVER CEMBRAN



LARIX DARK



### ECO SKIN GLISS MASTER, MASTER DRESSING

IVORY



HEMP



MINK



DARK BROWN



GREY



### PLASTER GLISS MASTER FRONT

SILICA



### MELAMINE STRUCTURE GLISS MASTER, MASTER DRESSING

RAFFIA



### FINE GRAIN GLISS MASTER, MASTER DRESSING

FINE GRAIN

