GLISS WALK-IN— MDT 2013

1—



Gliss Walk-In is a system of walk-in closets allowing to design made to measure compositions, with both linear and corner solutions. Compositions can be wall-mounted with or without back panels (cartapaglia white and anthracite melamine, larix dark, lacquered, glass or mirror finish). The equipment can be freely positioned in height, thanks to a system of concealed, self-locking brackets. A simple design and the wide customisation of the equipment allow solutions for any need.

DATASHEET

REGISTERED DESIGN

IX.2015





FINISHES

finishes	natural anodised	black anodised	cartapaglia melamine colours	matt lacquer colours	woods	coloured glass/ etched coloured	mirror/ Kyoto glass	shiny chrome
components						glass		
wall profile								
lateral finishing profile								
back panels								
base								
plinth on base								
shelves								
clothes rails								
structure of trays/drawer units								
fronts of wood drawer units								
drawer units finishing tops								

Molteni & C

2-12

colours	Matt lacquer BC chalk white AV ivory PE pearl DN dune PL platinum PB lead NE black BO bordeaux AT anthracite SE mustard SI silica DO dolomite grey AL clay MK moka	Woods EU eucalyptus RG grey oak RN black oak OC light elm OS dark elm	Coloured glass BC chalk white PE pearl DN dune PL platinum PB lead NE black BO bordeaux AT anthracite SE mustard SI silica DO dolomite grey AL clay MK moka CM caramel	Etched coloured glass BC chalk white PE pearl DN dune PL platinum PB lead NE black BO bordeaux AT anthracite SE mustard SI sillica DO dolomite grey AL clay MK moka CM caramel	Cartapaglia melamine KB white KA anthracite
			,	,	
	MK moka CM caramel		CM caramel CZ light blue grey	CM caramel CZ light blue grey	
	CZ light blue grey		SA sand	SA sand	
	SA sand RU ruby		RU ruby CI cadmium	RU ruby CI cadmium	

RU ruby Cl cadmium

DATASHEET

REGISTERED DESIGN

IX.2015





TECHNICAL INFORMATION

WALL PROFILE

Extruded anodised aluminium.

MELAMINE FACED SHELF/BASE

Wooden particleboard panel faced with melamine. Metal brackets to fasten the shelf to the wall profile. Adjustable feet for the base.

LACQUERED SHELF/BASE

Wooden particleboard panel faced with melamine, painted in the colours of the "Molteni Range". Metal brackets to fasten the shelf to the wall profile. Adjustable feet for the base.

Molteni & C

3-

12

WOOD SHELF/BASE

Wooden particleboard panel faced with wood veneer in Oak (Quercus), Elm (Ulmus rubra) or Eucalyptus (Eucalyptus globulus). Metal brackets to fasten the shelf to the wall profile. Adjustable feet for the base.

BACK PANEL, DRAWER UNIT STRUCTURE, DRAWER AND TRAY FRONTS, DRAWER SIDES AND BOTTOM (MELAMINE FACED)

Wooden particleboard panel faced with melamine.

BACK PANEL, DRAWER UNIT STRUCTURE, DRAWER AND TRAY FRONTS (LACQUER) Wooden particleboard panel faced with melamine, painted in the colours of the "Molteni Range".

BACK PANEL (GLASS VERSIONS)

Wooden particleboard panel faced with melamine, with applied mirror or tempered glass (th. 5 mm), transparent or etched, painted in the colours of the "Molteni Range".

GLASS DRAWER FRONT

Wooden particleboard panel faced with melamine or painted in the colours of the "Molteni Range". Tempered glass th. 4 mm.

CLOTHES RAILS


Tube in chrome plated steel. Tube support in chromed plastic.

LATERAL FINISHING PROFILE

Medium density fibre panels faced with melamine paper, painted in the colours of the "Molteni Range".


SHOE RACK ROD OR TROUSER ROD

In anodised extruded aluminium with plastic insert.



- 1 LATERAL FINISHING PROFILE
- 2 FRONT OF WOOD DRAWER
- 3 STRUCTURE OF DRAWER UNIT
- 4 TRAYS
- 5 BASE
- 6 WALL PROFILE
- 7 SERVETTO PULL-OUT CLOTH RAIL
- 8 CLOTH RAIL
- 9 SHFLE
- 10 BACK PANEL

DRAWER INTERIOR



DATASHEET

Dimensions in millimeters and inches. The right to discontinue and make changes is reserved. This information is based on the latest product information available at the time of printing.



REGISTERED DESIGN

IX.2015

GLISS WALK-IN-

MODULARITY

Methods of executing custom cuttings

In height:


- all vertical profiles (wall-mounted, spacers, finishing profiles) can be reduced to the desired size
- the height of the back panels is custom cut

In width:


- custom reduction up to -614 mm (24 1/8") is available **only on 1** module
- the minimum possible width for a module is 328 mm
- the size of trays and modular drawer units cannot be reduced
- hanging structures can be fastened only to standard compartments with W 942 (37 $^{1/8}{}^{\prime\prime})$
- if a wider shelf is placed on top of any drawer unit (either freestanding, suspended or resting on the base), the drawer unit must be of standard width 942 (37 1/s").
- two drawer units are available for compartments cut to measure (suspended, standing on base or floor standing).

Molteni & C






module with or without back panel



without base

corner element with or without back panel

with base



DATASHEET


REGISTERED DESIGN

IX.2015



MODULARITY

Linear composition with or without back panels




Molteni & C

5-


12

Corner composition with or without back panels



C-shaped corner composition with or without back panels

C-shaped corner composition without back panels on corners



DATASHEET

REGISTERED DESIGN

IX.2015




NOTES

- hanging structures with H 110 can contain any tray
- hanging structures with H 206 can contain trays and also a pull-out tray or a H 190 drawer
- drawers, pull-out trays and trinket trays can be freely installed on all other structures, according to the height of the module
- the interiors of the drawers have always a grey saffiano melamine finish
- in case there is no shelf placed over the drawer unit, a 10 mm thick finishing top is always needed
- no shelves can be positioned in the modules adjacent to a drawer unit.

Molteni & C





Handle in pewter colour finish



Notes

Prices of drawers, trays and pull-out trays include the cost of the pewter colour finish handle. For the handle covered in Eco Skin, add a supplementary charge.

Reductions

- the size of trays and drawer units cannot be reduced
- hanging structures can be fastened only to standard compartments with W 942
- if a shelf is placed on top of a drawer unit (either freestanding or resting on the base) the drawer unit must occupy a standard W 942 module.

Drawer units for width custom compartments


To enhance the functional features and adaptability of Gliss Walk-In to all situations, two drawer units H 417/439 with reduced width are available (W 614 for modules cut to measure up to W 642, and W 450 for modules cut to measure up to W 478). These drawer units can be used suspended above the shelf, either supported by the base or floor standing.

Notes

Besides the instructions concerning the drawer units 942 W, we add following:

- Drawer units always have two wooden drawers H 190
- The suspended drawer unit can be positioned either on the left or right part of the reduced module.

example of drawer unit suspended on the left



DATASHEET

REGISTERED DESIGN

IX.2015



FITTINGS

Base D 505 th 83 3 1/4" with adjustable feet

W 1012 39 7/8" (1 module)

W 1954 76 7/8" (2 modules)

W 2896 114" (3 modules)

BA5/10

BA5/20

BA5/29

Molteni & C

Shelf D 505 th 40 1 5/8" with mounting brackets


7—

12


W 1012 39 7/8" (1 module) 2 brackets

W 1954 76 7/8" (2 modules) 3 brackets

W 2896 114" (3 modules) 4 brackets







Jointed shelf D 505 th 40 1 5/8" with mounting brackets

W from 2897 to 3838 W from 114" to 151 1/8"

(4 modules) 5 brackets

cloth rails

module W 942 37 1/8"


W from 3839 to 4780 W from 151 1/8" to 188 1/4"

(5 modules) 6 brackets

W from 4781 to 5722 W from 188 1/4" to 225 1/4"

(6 modules) 7 brackets


RG5/57



servetto pull-out cloth rail can be used on W 942 (37 1/8") to W 670 mm (26 3/8") modules

pull-out coat hanger







DATASHEET

REGISTERED DESIGN

IX.2015



FITTINGS


pull-out tray W 884 D 468 W 34 3/4" D 18 3/8" H 57 2 1/4" (front)

trays W 884 D 468 W 34 3/4" D 18 3/8"


trouser holder tray

H 57 2 1/4" n. **11** bars max trinket tray (ties and belts) H 57 2 1/4" additional trouser holder bar (grey saffiano embossed finish)

Molteni & C









8—


drawers


W 884 D 468 H 190 W 34 3/4" D 18 3/8" H 7 1/2" usable spaces W 834 D 435 H 106 wooden drawer


open drawer

glass drawer

in transparent glass serigraphed in Molteni colour range or in the colour of the cartapaglia melamine finish










drawers W 884 D 468 H 382 W 34 3/4" D 18 3/8" H 15" usable spaces W 834 D 435 H 298




open drawer





shoe racks W 884 D 468 H 382 W 34 3/4" D 18 3/8 " H 15" n. 3 shoe racks shoe rack with wooden front panel

open shoe rack





DATASHEET

REGISTERED DESIGN

IX.2015




Internal fittings - drawer accessories

Drawer interiors can be equipped with bottoms and trays in grey Eco Skin. Trays are inserted inside drawers following the modularity shown in the diagram.

Eco Skin trays


W 150 D 432 H 50 (A)




Molteni & C

9—

Eco Skin trays W 365 D 432 H 50 (B)




Modularity drawings for inserting trays into drawers



drawer W 584



drawer W 884



Eco Skin bottoms for drawers D 432

W 366 W 530 W 830 CEQ/F4 CEQ/F6 CEQ/F9

DATASHEET

REGISTERED DESIGN

IX.2015



FITTINGS

Recessed LED spotlight for shelves

Features


The spotlight is powered by No. 3 AA batteries (inclusive) and does not need a connection to the electrical system. Lighting is automatic thanks to a volumetric sensor-controlled system. The spotlight has an ON/OFF switch allowing to turn it off when not in use for long periods.

Notes

Tests performed with high quality, non-rechargeable batteries (as the ones supplied with) report a duration of about 1 year when the spotlight is operated for 30 seconds 4 times a day. The use of rechargeable batteries reduces the light intensity of the spotlight.

Molteni & C

recessed LED spotlight (batteriers included) W 184 D 40 W 7 1/4" D 1 5/8" centrally positioned in the module, even in small module, up to 328 mm



10—



HF1

Led lighting

Shelves can be accessorised with LED lighting. Lighting systems are conformant with European safety standards.

for shelves

up to W 1012 - 39 7/8"

Notes


for shelves

At the moment of the order, the customer must always indicate on the drawing the shelf or the shelves where the lighting bars should be installed. The bars will always follow the width of the shelf. If the shelf is jointed, two bars will be made, one for each part of the shelf.

for shelves

lighting bars for shelves consider two singles bars for jointed shelves each power supply kit





each power supply kit can turn on max 6 bars that do not go over 100 W.

If this wattage is surpassed, two or more kits must be purchased.

power supply kit for system turned on through remote control



DATASHEET

REGISTERED DESIGN

IX.2015




SAMPLE COMPOSITIONS

composition 1

backs: cartapaglia melamine/larix dark shelves: cartapaglia melamine/larix dark fittings: cartapaglia melamine/larix dark


Molteni & C

11—



composition 2

backs: cartapaglia melamine/larix dark shelves: cartapaglia melamine/larix dark fittings: cartapaglia melamine/larix dark



DATASHEET

REGISTERED DESIGN

IX.2015




SAMPLE COMPOSITIONS

composition 3

backs: cartapaglia melamine/larix dark shelves: cartapaglia melamine/larix dark fittings: cartapaglia melamine/larix dark


Molteni & C

12—



composition 4

backs: cartapaglia melamine/larix dark shelves: cartapaglia melamine/larix dark fittings: cartapaglia melamine/larix dark



DATASHEET

REGISTERED DESIGN

IX.2015



FINISHES MOLTENI&C RANGE	MATT LACQUER OPEN GRAIN LACQUER	GLOSSY LACQUER	COLOURED GLASS	ETCHED COLOURED GLASS	PLASTER LACQUERED CARTAPAGLIA LACQUERED only Gliss Master
CHALK WHITE	•	•	•	•	•
IVORY	•				•
PEARL	•	•	•	•	•
SILICA	•	•	•	•	•
SAND	•	•	•	•	•
PLATINUM	•	•	•	•	•
DUNE	•	•	•	•	•
CLAY	•	•	•	•	•
DOLOMITE GREY	•	•	•	•	•
BORDEAUX	•	•	•	•	•
RUBY	•	•	•	•	•
CARAMEL	•	•	•	•	•
мока	•	•	•	•	•
MUSTARD	•	•	•	•	•
CADMIUM	•	•	•	•	•
LIGHT BLUE GREY	•	•	•	•	•
LEAD	•	•	•	•	•
ANTHRACITE	•	•	•	•	•
BLACK	•	•	•	•	•
LESSLESS RED only matt lacquer	•				

FINISHES MOLTENI&C RANGE

WOODS MARBLES METAL PARTS WHITE CARRARA BLACK CHROME **EUCALYPTUS** AMERICAN WALNUT RED LAGUNA GREY OAK PEWTER COLOUR **EMPERADOR DARK** BLACK OAK BLACK MARQUINA DWELL DOOR FRAME, TRACK COVERING PROFILES DARK ELM ANODISED ALUMINIUM GRES LIGHT ELM WHITE **BROWN ALUMINIUM** ANTHRACITE

The finishes shown are indicative and refer to the entire production range. We recommend that you consult the "Colour Range" samples which shown the complete range of finishes, including those not shown here. Molteni&C reserves the right to modify the range without warning.



FINISHES MOLTENI&C RANGE

IX 2015

