Molteni & C

HORIZONS — DANTE BONUCCELLI 2020

1-



With Horizons, a cupboard for the daytime area, Dante Bonuccelli proposes a different way of storing, and at the same time displaying much-loved objects. Two tip-up doors, which, when closed, reveal the contents thanks to both the transparent stopsol glass and the internal LED lighting, and when open, folded back against the side of the piece for full access to the internal space, transform the sideboard like a chameleon. Inside the exquisitely detailed graphite oak structure, the two suspended drawers and the top shelf, which re-divides the space, are enhanced with calacatta gold marble or glossy lacquered back panels in the colours of the Molteni range. The pewter colour framed and transparent stopsol glass doors are available with or without the graphite oak cross pieces. The former feature asymmetrically placed horizontal profiles, reminiscent of a shed that only partially reveals the inside, increasing curiosity about its contents. Designed as a cupboard for the dining area, thanks also to useful accessories such as the cutlery holder and the Eco Skin drawer bottom, or as a vitrine for precious objects.

DATASHEET

REGISTERED

IX.2020



HORIZONS-DANTE BONUCCELLI

FINISHES

finishes		graphite oak	calacatta gold marble	glossy lacquered colours	pewter colour	transparent stopsol glass	ivory Eco Skin
structure/drawers/pull-out shelf							
additional back panel			**	*			
internal support shelf		*	**				
door	frame						
	horizontal slats						
	glass						
base							
drawer bottom Eco Skin (optional)							
internal drawer dividers							

Molteni & C


2-4

- With the additional back panel in glossy lacquered colours, the internal support shelf is always in wood
- $\star\star$ With the additional back in marble, the internal support shelf is always in marble

NOTES

- ▶ No reductions are available, and no modifications can be made with respect to types in the price list.
- ▶ The unit always includes 2 drawers and a lighting system with a remote controlled socket.
- ▶ The lighting system can have two other switch systems (optional): a wireless radio-controlled dimmer unit or a Casambi control unit.
- ▶ The version with the additional back in marble always has the internal support shelf in marble.
- ▶ The version with the additional back in glossy lacquer always has the internal support shelf in the same wood as the structure.
- ► The base is equipped with a patented mechanism for opening doors, and a tray that contains the electrical system.

 Internal drawer measurements: W 108,8-42 7/8° D 37,75-14 7/8° H 9,9-3 7/8°.
- ▶ The internal support shelf is always equipped with a schuko socket positioned as described on p. 4.



DATASHEET

REGISTERED DESIGN

IX.2020



HORIZONS— DANTE BONUCCELLI 2020

TECHNICAL INFORMATION

STRUCTURE AND DRAWERS

Chipboard panel covered with sliced wood veneer.

INTERNAL ADDITIONAL BACK PANEL

In marble or chipboard panel finished in glossy paint in colours from the Molteni range.

SHELF

In marble or chipboard panel covered with sliced wood veneer.

GLASS DOOR

Molteni & C

Frame in painted extruded aluminium, with horizontal slats in extruded aluminium covered with sliced wood veneer. Tempered transparent stopsol glass.

BASE WITH MECHANISM

In painted metal with parts for mechanisms in other materials.

3-

4

DATASHEET

REGISTERED

IX.2020




HORIZONS-DANTE BONUCCELLI 2020


DIMENSIONS

Cupboard with glossy lacquered additional back

MH15/13A



MH15/13B




Molteni & C




Cupboard with additional back and support shelf in marble

MH15/13C



MH15/13D



Drawer accessories

Drawer bottom in Eco Skin W 108,8 D 37,7 W 42 7/8" D 14 7/8"

Internal drawer divider

Type **A** W 54 D 37,1 H 9 W 21 1/4" D 14 7/8" H 3 1/2"

Internal drawer divider

Type **B** W 54 D 37,1 H 9 W 21 1/4" D 14 7/8" H 3 1/2"





Casambi control unit

CDI15/13A

(optional)



Accessories

Radio control kit with brightness setting (optional)

9

EKRR2

...

ECC1

Electrical socket positioning

The internal support shelf is always equipped with a schuko socket (220V CE certification) (pewter colour finish)





For countries that use 110V current or where certifications other than CE certification are required, the shelf will be supplied without electrical socket and without processing

DATASHEET

REGISTERED DESIGN

IX.2020