



P: 1300 688 522
 E: info@nutripath.com.au
 A: PO Box 442 Ashburton VIC 3142

TEST PATIENT

GUa d'Y'HYghBUa Y
 Sex : :
 DUHy Collected : 00-00-0000
 111 H9GH'ROAD TEST SUBURB
@AB =8: 0000000 UR#:0000000

TEST PHYSICIAN

DR JOHN DOE
 111 CLINIC STF 99H
 7@B=7'GI 6I F 6'J =7' \$\$\$

GENOMIC_ASSESSMENTS

BLOOD - EDTA

Result Range Units

MTHFR Gene Mutation

MethyleneTetraHydroFolate Reductase (MTHFR) Gene Mutation.

MTHFR Gene Mutation (C677T): Heterozygous for the mutation.

MTHFR Gene Mutation (A1298C): Heterozygous for the mutation.

Comment:

The patient has one copy of the MTHFR C677T mutation and one copy of the A1298C mutation.

This is associated with increased in plasma homocysteine levels.

MethyleneTetraHydroFolate Reductase (MTHFR) is a regulatory enzyme in folate-dependent homocysteine remethylation.

A common polymorphism in the MTHFR gene at position 677 is associated with a thermolabile enzyme with decreased activity. The prevalence of the homozygous mutation ranges from 8- 18% in various populations.

Clinically, homozygotes for the mutation have an increased risk of thromboembolism as well as premature vascular disease.

A second mutation (A1298C) has also been described. This mutation is associated with an increased risk of thromboembolism, when only found together with the C677T mutation.

Tests ordered: IMPEI,CFee,MTHFR