

d-Limonene

Revision Date: 09/01/2019 Version 1.4

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : d-Limonene

Recommended use of the chemical and restrictions on use

Recommended use Solvent.

> Cleaner. Degreaser

Manufacturer or supplier's details

Voyageur Soap & Candle Co. LTD Company

Unit 14 - 19257 Enterprise **Address**

Way, Surrey BC V3S 6J8

Emergency telephone number: (1-800-424-9300) CHEMTREC

Additional Information: Website: www.voyageursoapandcandle.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3

Skin irritation : Category 2

Eye irritation : Category 2B

Skin sensitisation : Category 1

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms







Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways. H315 + H320 Causes skin and eye irritation. H317 May cause an allergic skin reaction.

Precautionary statements : Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces.



d-Limonene

Version 1.4 Revision Date: 09/01/2019

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting equipment

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components

CAS-No.	Chemical name	Weight percent
5989-27-5	d-Limonene	90 - 100

Any Concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.



d-Limonene

Version 1.4 Revision Date: 09/01/2019

Symptoms of poisoning may appear several hours later.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire-

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

: Carbon oxides

Acrid smoke and fumes

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

For safety reasons in case of fire, cans should be stored sepa-

rately in closed containments.

Use a water spray to cool fully closed containers.

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if nec-

essary.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES



Safety Data Sheet d-Limonene

Version 1.4 Revision Date: 09/01/2019

Personal precautions, protective equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

: Do not spray on a naked flame or any incandescent material.

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling

: Avoid formation of aerosol.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.
Open drum carefully as content may be under pressure.
Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Conditions for safe storage

: No smoking.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.



d-Limonene

Version 1.4 Revision Date: 09/01/2019

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

In the case of vapour formation use a respirator with an ap-

proved filter.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : clear, light yellow

Odour : Citrus

Odour Threshold : No data available

pH : No data available

Freezing Point (Melting

point/range)

:

Boiling Point (Boiling point/boiling range)

: 176 °C (349 °F)

Flash point : $46 \,^{\circ}\text{C} \, (115 \,^{\circ}\text{F})$

Evaporation rate : No data available

Flammability (solid, gas) : No data available



d-Limonene

Version 1.4 Revision Date: 09/01/2019

Upper explosion limit : 6.1 %(V)

Lower explosion limit : 0.7 %(V)

Vapour pressure : 2 mmHg @ 20 °C (68 °F)

Relative vapour density : No data available

Relative density : 0.84 @ 20 - 25 °C (68 - 77 °F)

Reference substance: (water = 1)

Density : 0.84 g/cm3 @ 20 - 25 °C (68 - 77 °F)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : 237 °C

Thermal decomposition : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

: Vapours may form explosive mixture with air.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition

sources.

Incompatible materials : Strong acids

Strong oxidizing agents

Hazardous decomposition

products

: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:



d-Limonene

Version 1.4 Revision Date: 09/01/2019

Acute oral toxicity : Acute toxicity estimate: 4,444 mg/kg

Components:

5989-27-5:

Acute oral toxicity : LD50 (Rat): 4,400 mg/kg

Assessment: The component/mixture is minimally toxic after

single ingestion.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Components:

5989-27-5: Species: Rabbit

Result: Irritating to skin.

Serious eye damage/eye irritation

Components:

5989-27-5: Species: Rabbit

Result: No eye irritation

Respiratory or skin sensitisation

Components:

5989-27-5:

Test Type: lymph node assay

Species: Mouse

Result: May cause sensitisation by skin contact.

Germ cell mutagenicity

Components:

5989-27-5:

Genotoxicity in vitro : Test Type: Mammalian cell gene mutation assay

Species: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo : Test Type: DNA damage and/or repair

Species: Rat

Cell type: Kidney cells Application Route: Oral Result: negative

Germ cell mutagenicity - : Tests on bacterial or mammalian cell cultures did not show



d-Limonene

Version 1.4 Revision Date: 09/01/2019

Assessment mutagenic effects.

Carcinogenicity

Components:

5989-27-5:

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHANo component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by ACGIH.

Reproductive toxicity

Components:

5989-27-5:

Reproductive toxicity - As-

sessment

Fertility classification not possible from current data.

Teratogenicity - Assessment : Embryotoxicity classification not possible from current data.

Aspiration toxicity

Components:

5989-27-5:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:



d-Limonene

Version 1.4 Revision Date: 09/01/2019

5989-27-5:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.702 mg/l

Exposure time: 96 h

Test Type: flow-through test

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 0.36 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 150 mg/l

Exposure time: 72 h Test Type: static test

M-Factor (Acute aquatic tox-

icity)

: 1

Toxicity to fish (Chronic tox-

icity)

: NOEC: 0.19 mg/l

Exposure time: 8 d

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

: NOEC (Daphnia magna (Water flea)): 0.08 mg/l

Exposure time: 21 d

Acute aquatic toxicity- As-

sessment

: Very toxic to aquatic life.

Chronic aquatic toxicity- As-

sessment

: Very toxic to aquatic life with long lasting effects.

Persistence and degradability

No data available

Bioaccumulative potential

Components:

5989-27-5:

Bioaccumulation : Bioconcentration factor (BCF): 908.5

Partition coefficient: n-

octanol/water

: log Pow: 4.57

log Pow: 4.38 (37 °C)

pH: 7.2

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances



d-Limonene

Version 1.4 Revision Date: 09/01/2019

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

DOT (Department of Transportation):

UN1197, Extracts, flavoring, liquid, 3, III

IATA (International Air Transport Association):

UN1197, EXTRACTS, FLAVOURING, LIQUID, 3, III

IMDG (International Maritime Dangerous Goods):

UN1197, EXTRACTS, FLAVOURING, LIQUID, 3, III, Marine Pollutant (D-LIMONENE) , Flash Point:46 °C(115 °F)

Special Notes: : The flash point for this material is greater than 100 F (38 C).

Therefore, in accordance with 49 CFR 173.150(f) non-bulk containers (<450L or <119 gallon capacity) of this material may be shipped as non-regulated when transported solely by land, as long as the material is not a hazardous waste, a marine pollutant, or specifically listed as a hazardous substance.

SECTION 15. REGULATORY INFORMATION

WHMIS Classification : B3: Combustible Liquid

D2B: Toxic Material Causing Other Toxic Effects

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard



d-Limonene

Version 1.4 Revision Date: 09/01/2019

SARA 302 : No chemicals in this material are subject to the reporting re-

quirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to

Know Act.

Pennsylvania Right To Know

5989-27-5 d-Limonene 90 - 100 %

New Jersey Right To Know

5989-27-5 d-Limonene 90 - 100 %

California Prop 65 : This product does not contain any chemicals known to State

of California to cause cancer, birth defects, or any other re-

productive harm.

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PHIL : On the inventory, or in compliance with the inventory




d-Limonene

Version 1.4 Revision Date: 09/01/2019

IECSC : On the inventory, or in compliance with the inventory

SECTION16. OTHER INFORMATION

NFPA:



Special hazard.

HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 =Extreme, * = Chronic

The information provided in this Material Safety Data Sheet is based on current available data and knowledge and is believed to be accurate and given in good faith. Voyageur Soap & Candle Co. LTD and its subsidiaries however assume no liability and make no warranty, either expressed or implied, pertaining to the accuracy and completeness of the information contained herein including in regards to fitness and merchantability. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and therefore should not be construed as guaranteeing any specific property. The information herein relates only to the specific designated material and may not be valid for such material used in combination with any other materials, or in any process not specified in the text. Users should therefore consider this data only as a supplement to other information available from all other sources, and should incorporate this information into programs for the proper use and disposal of their materials and the health and safety of employees and customers.

Revision Date : 09/01/2019

Material number:

16133660, 16122015, 16120696, 16062075, 16056042, 16056014, 16056013, 16056012, 16056011, 16037740, 16013558, 763681, 728284, 554323, 554287, 554254, 554210, 554139, 508584, 504369, 139240, 104220, 103451, 103445, 103335, 102799, 87227, 87063, 86953, 86747, 70685, 70604, 70040, 69374, 55064, 54193, 20823, 20822

Key or legend to abbreviations and acronyms used in the safety data sheet					
ACGIH	American Conference of Govern-	LD50	Lethal Dose 50%		
	ment Industrial Hygienists				
AICS	Australia, Inventory of Chemical	LOAEL	Lowest Observed Adverse Effect		
	Substances		Level		
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency		
NDSL	Canada, Non-Domestic Substanc-	NIOSH	National Institute for Occupational		
	es List		Safety & Health		
CNS	Central Nervous System	NTP	National Toxicology Program		
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemi-		



Safety Data Sheet d-Limonene

Version 1.4 Revision Date: 09/01/2019

	T		· .
			cals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect
			Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenar-	OSHA	Occupational Safety & Health
	io Tool		Administration
EOSCA	European Oilfield Specialty Chem-	PEL	Permissible Exposure Limit
	icals Association		·
EINECS	European Inventory of Existing	PICCS	Philippines Inventory of Commer-
	Chemical Substances		cial Chemical Substances
MAK	Germany Maximum Concentration	PRNT	Presumed Not Toxic
	Values		
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery
	, ,		Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and
			Reauthorization Act.
IARC	International Agency for Research	TLV	Threshold Limit Value
	on Cancer		
IECSC	Inventory of Existing Chemical	TWA	Time Weighted Average
	Substances in China		
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act
	New Chemical Substances		
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composi-
			tion, Complex Reaction Products,
			and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials
	·		Information System
LC50	Lethal Concentration 50%		