

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 04/28/2021 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: DARK CHERRY PRESERVE
Product code	: Mixture
1.2. Recommended use and restrictions	s on use
No additional information available	
1.3. Supplier	
Voyageur Soap & Candle Company Ltd.	
14 - 19257 Enterprise Way Surrey, B.C Canada T 800-758-7773	
1.4. Emergency telephone number	
Emergency number	: INFOTRAC (US & Canada) 1-800-535-5053 (International) 1-352-323-3500
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or r	
GHS US classification	
Flammable liquids Category 4 Serious eye damage/eye irritation Category 2 Skin sensitization, Category 1 Specific target organ toxicity — Single exposure Full text of H- and EUH-statements: see section	
2.2. GHS Label elements, including pre-	cautionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Warning
Hazard statements (GHS US)	: H227 - Combustible liquid H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H335 - May cause respiratory irritation
Precautionary statements (GHS US)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a poison center or doctor if you feel unwell. P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P363 - Wash contaminated clothing before reuse. P370+P378 - In case of fire: Use media other than water to extinguish. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up. P501 - Dispose of contents/container to hazardous or special waste collection point, in

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
BENZALDEHYDE	(CAS-No.) 100-52-7	10 – 30	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2, H319 STOT SE 3, H335
ALDEHYDE C 16	(CAS-No.) 77-83-8	1 – 5	Skin Sens. 1B, H317
EUGENOL	(CAS-No.) 97-53-0	1 – 5	Eye Irrit. 2, H319 Skin Sens. 1B, H317
2-ethyl-3-hydroxypyran-4-one	(CAS-No.) 4940-11-8	1 – 5	Acute Tox. 4 (Oral), H302
CARYOPHELLENE BETA	(CAS-No.) 87-44-5	1 – 5	Skin Sens. 1B, H317 Asp. Tox. 1, H304
D-LIMONENE	(CAS-No.) 5989-27-5	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Linalool	(CAS-No.) 78-70-6	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
CITRAL	(CAS-No.) 5392-40-5	0.5 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Full text of hazard classes, H- and EUH-statements: see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effects	s (acute and delayed)
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	Eye irritation.
4.3. Immediate medical attention and spec	cial treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishin	ng media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the che	mical
Fire hazard	Combustible liquid.

Safety Data Sheet

5.3. Special protective equipment and precautions for fire-fighters		
Protection during firefighting		suitable protective equipment. Self-contained breathing
	apparatus. Complete protective cloth	ing.
SECTION 6: Accidental 	release measures	
6.1. Personal precautions	s, protective equipment and emergency procedures	
6.1.1. For non-emergency		
Emergency procedures	: Ventilate spillage area. No open flam dust/fume/gas/mist/vapors/spray. Ave	es, no sparks, and no smoking. Avoid breathing oid contact with skin and eyes.
6.1.2. For emergency respo		
Protective equipment	: Do not attempt to take action without refer to section 8: "Exposure controls	suitable protective equipment. For further information protection".
6.2. Environmental preca		
Avoid release to the environmen	ıt.	
	al for containment and cleaning up	
Methods for cleaning up	: Take up liquid spill into absorbent ma waters.	aterial. Notify authorities if product enters sewers or public
Other information	: Dispose of materials or solid residues	s at an authorized site.
6.4. Reference to other se	ections	
For further information refer to se	ection 13.	
SECTION 7: Handling an	nd storage	
7.1. Precautions for safe	handling	
Precautions for safe handling	smoking. Wear personal protective e	sparks, open flames and other ignition sources. No quipment. Use only outdoors or in a well-ventilated area. /apors/spray. Avoid contact with skin and eyes.
Hygiene measures		not be allowed out of the workplace. Wash contaminated nk or smoke when using this product. Always wash hands
7.2. Conditions for safe s	storage, including any incompatibilities	
Storage conditions	: Store in a well-ventilated place. Keep	o cool. Store locked up. Keep container tightly closed.
SECTION 8: Exposure c	ontrols/personal protection	
8.1. Control parameters		
ALDEHYDE C 16 (77-83-8)		
Not applicable		
ETHYL MALTOL (4940-11-8)		
Not applicable		
Linalool (78-70-6)		
Not applicable		
BENZALDEHYDE (100-52-7) Not applicable		
CARYOPHELLENE BETA (87	7-44-5)	
Not applicable	-++-5)	
CITRAL (5392-40-5)		
ACGIH	Local name	Citral
ACGIH	ACGIH TWA (ppm)	5 ppm (IFV - Inhalable fraction and vapor)
ACGIH	Remark (ACGIH)	TLV® Basis: Body weight eff; URT irr; eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen)
ACGIH	Regulatory reference	ACGIH 2018
EUGENOL (97-53-0)		·
Not applicable		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

D-LIMONENE (5989-27-5)

Not applicable

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and o	hemical properties
Physical state	: Liquid
Color	: Mixture contains one or more component(s) which have the following colour(s): Colourless to light yellow Light yellow to colourless Colourless White On exposure to air: yellow On exposure to air: yellow-brown Colourless to yellow Colourless to light amber
Odor	 There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Fruity odour Irritating/pungent odour Strong odour Characteristic odour Floral odour Sweet odour Pleasant odour Odourless Mild odour Aromatic odour Almost odourless Alcohol odour Lemon odour Almond odour
Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: ≈70 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

Safety Data Sheet

ccording to Federal Register / Vol. 77, No. 58 / Mond	
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	ty
10.1. Reactivity	
The product is non-reactive under normal con-	ditions of use, storage and transport.
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No dangerous reactions known under normal	conditions of use.
10.4. Conditions to avoid	
Avoid contact with hot surfaces. Heat. No flam	nes, no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition produc	
Under normal conditions of storage and use, h	nazardous decomposition products should not be produced.
SECTION 11: Toxicological inform	ation
11.1. Information on toxicological effect	ts
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
ALDEHYDE C 16 (77-83-8)	
LD50 oral rat	5470 mg/kg (Rat, Male/female, Weight of evidence, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal)
ATE US (oral)	5470 mg/kg body weight
ETHYL MALTOL (4940-11-8)	
LD50 oral rat	1150 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Dermal)
ATE US (oral)	1150 mg/kg body weight
Linalool (78-70-6)	
LD50 oral rat	2790 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	5610 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
BENZALDEHYDE (100-52-7)	
LD50 oral rat	1300 mg/kg (Rat, Oral)
LD50 dermal rat	> 1250 mg/kg (Rat, Dermal)
LD50 dermal rabbit	5000 mg/kg (Rabbit, Dermal)
ATE US (oral)	1300 mg/kg body weight
ATE US (dermal)	1100 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
CITRAL (5392-40-5)	
ATE US (dermal)	2250 mg/kg body weight

Safety Data Sheet

EUGENOL (97-53-0)	
ATE US (oral)	2500 mg/kg body weight
D-LIMONENE (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

EUGENOL (97-53-0)	
IARC group	3 - Not classifiable
D-LIMONENE (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	Not classified
STOT-single exposure	: May cause respiratory irritation.

BENZALDEHYDE (100-52-7)	
STOT-single exposure May cause respiratory irritation.	

STOT-repeated exposure	: Not classified
------------------------	------------------

Linalool (78-70-6)		
NOAEL (dermal,rat/rabbit,90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)	
Aspiration hazard	: Not classified	
/iscosity, kinematic	: No data available	
Symptoms/effects after inhalation	: May cause respiratory irritation.	
Symptoms/effects after skin contact	: May cause an allergic skin reaction.	
Symptoms/effects after eye contact	: Eve irritation.	

SECTION 12: Ecological informatio	n .
I2.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
ALDEHYDE C 16 (77-83-8)	
LC50 fish 1	4.2 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	36 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
Linalool (78-70-6)	
LC50 fish 1	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
BENZALDEHYDE (100-52-7)	
LC50 fish 1	11.2 mg/l (96 h, Salmo gairdneri, Flow-through system)
EC50 Daphnia 1	50 mg/l (24 h, Daphnia magna)
5/10/2021	EN (English US) 6/11

Safety Data Sheet

system, Fresh water, Experimental value, Lethai) C50 Daphnia 1 0.36 mg/ (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) 2. Persistence and degradability Not readily biodegradable in water. THYL MALTOL (4940-11-8) ersistence and degradability Biodegradability Biodegradability in water. no data available. inalool (78-70-6) ersistence and degradability Persistence and degradability Biodegradabile in water. ENZALDEHYDE (100-52-7) ersistence and degradability Biodegradable in the soil. Readily biodegradable in water. in the soil. Readily biodegradable in water. ENZALDEHYDE (100-52-7) ersistence and degradability Biodegradability Biodegradable in the soil. Readily biodegradable in water. iochemical oxygen demand (BOD) 1.52 g O_y g substance hOD 0.47 g O_y g substance OD (% of ThOD) 0.67 Evisition coefficient n-octanol/water (Log Pow) 2.42 g O_y g substance hDD 3.29 g O_y g substance ialoaccumulative potential Low potential to bioaccumulation (Log Kow < 4). EVEHYDE C 16 (77-83-8) eradity biodegradable in water. ialoaccumulative potential No bioaccu	-LIMONENE (5989-27-5)	
system, Fresh water, Experimental value, GLP) service and degradability Not readily biodegradable in water. ersistence and degradability Not readily biodegradable in water. ETHYL MALTOL (4940-11-8) Persistence and degradability Biodegradability in water: no data available. Inaloot (78-70-6) Persistence and degradability Biodegradable in the soil. Readily biodegradable in water. Biodegradable in the soil. Readily biodegradable in water. Optimize and degradability Biodegradable in the soil. Readily biodegradable in water. Schemical avygen demand (BOD) 1.62 g O_y'g substance Colspan="2">Colspan="2" Colspan="2" </th <th>LC50 fish 1</th> <th></th>	LC50 fish 1	
ALDEHYDE C 16 (77-83-8) Persistence and degradability Not readily biodegradable in water. ETHYL MALTOL (4940-11-8) Persistence and degradability Biodegradability in water: no data available. Inalaol (78-70-6) Persistence and degradability Biodegradable in water. EENZALDEHYDE (100-52-7) Persistence and degradability Biodegradable in the soil. Readily biodegradable in water. Biochemical oxygen demand (BOD) 1.62 g O_/g substance Chemical oxygen demand (COD) 1.98 g O_/g substance Dhort 2.42 g O_/g substance Solo (% of Th-OD) 0.67 D-LIMONENE (5989-27-5) Persistence and degradability Readily biodegradable in water. 3.29 g O_/g substance Solo (% of Th-OD) 0.67 D-LIMONENE (5989-27-5) Persistence and degradability Persistence and degradability Readily biodegradable in water. Size Bioaccumulative potential LubertyDE C 16 (77-83-8) Partition coefficient n-octanol/water (Log Pow) Sideaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
Persistence and degradability Not readily biodegradable in water. ETHYL MALTOL (4940-11-8) Biodegradability in water: no data available. Persistence and degradability Readily biodegradable in water. Persistence and degradability Readily biodegradable in water. Stochemical oxygen demand (BOD) 1.62 g O ₂ /g substance Chemical oxygen demand (COD) 1.98 g O ₂ /g substance Chemical oxygen demand (COD) 1.98 g O ₂ /g substance Stochemical oxygen demand (COD) 1.98 g O ₂ /g substance Stochemical oxygen demand (COD) 0.67 D-IMONENE (5989-27-5)	2.2. Persistence and degradability	
THYL MALTOL (4940-11-8) Persistence and degradability Biodegradability in water: no data available. Persistence and degradability Readily biodegradable in water. SENAL DEHYDE (100-52-7) Persistence and degradability Persistence and degradability Biodegradable in the soil. Readily biodegradable in water. Demical oxygen demand (BOD) 1.62 g O ₂ /g substance ThoD 2.42 g O ₂ /g substance ThOD 2.42 g O ₂ /g substance ThOD 2.42 g O ₂ /g substance SOD (% of ThOD) 0.67 D-LIMONENE (5989-27-5) Persistence and degradability Persistence and degradability Readily biodegradable in water. ThOD 3.29 g O ₂ /g substance 3.3 Bioaccumulative potential ALDEHYDE C 16 (77-83-8) Persistence and degradability Partition coefficient n-octanol/water (Log Pow) 2.4 – 2.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	ALDEHYDE C 16 (77-83-8)	
Parsistence and degradability Biodegradability in water: no data available. Linalod (78-70-6) Persistence and degradability Readily biodegradable in water. SENZALDEHYDE (100-52-7) Persistence and degradability Biodegradable in the soil. Readily biodegradable in water. Biochemical oxygen demand (BOD) 1.62 g O_/g substance Chemical oxygen demand (BOD) 1.82 g O_/g substance Chemical oxygen demand (COD) 1.98 g O_/g substance Chemical oxygen demand (BOD) 2.42 g O_/g substance SOD (% of ThOD) 0.67 Chemical oxygen demand (BOD) 3.29 g O_/g substance P-LIMONENE (5989-27-5) Persistence and degradability Readily biodegradable in water. PhOD 3.29 g O_/g substance Chemical oxygen demand (COD) 3.29 g O_/g substance Partisiton coefficient n-octanol/water (Log Pow) 2.4 – 2.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC methial C5 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	Persistence and degradability	Not readily biodegradable in water.
Inalaol (78-70-6) Readily biodegradable in water. Persistence and degradability Biodegradable in the soil. Readily biodegradable in water. Sicchemical oxygen demand (BOD) 1.62 g O ₂ /g substance Chemical oxygen demand (BOD) 1.82 g O ₂ /g substance Chemical oxygen demand (COD) 1.98 g O ₂ /g substance Chemical oxygen demand (COD) 1.98 g O ₂ /g substance Chemical oxygen demand (COD) 1.98 g O ₂ /g substance Chemical oxygen demand (COD) 1.98 g O ₂ /g substance Chemical oxygen demand (COD) 1.98 g O ₂ /g substance Chemical oxygen demand (COD) 0.67 D-LIMONENE (5989-27-5) Persistence and degradability Readily biodegradable in water. Persistence and degradability Persistence and degradability Readily biodegradable in water. ThOD 3.29 g O ₂ /g substance 2.3. Bioaccumulative potential ALDEHYDE C 16 (77-83-8) Partition coefficient n-octanol/water (Log Pow) 2.4 - 2.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential No bioaccumulation dta available. Linabol (78-70-6) Imabol (78-70-6) Partition coefficient n-octanol/water (Log Pow	ETHYL MALTOL (4940-11-8)	1
Parenistence and degradability Readily biodegradable in water. BENZALDEHYDE (100-52-7) Biodegradable in the soil. Readily biodegradable in water. Persistence and degradability Biodegradable in the soil. Readily biodegradable in water. Biochemical oxygen demand (COD) 1.62 g 0_2/g substance Themical oxygen demand (COD) 1.98 g 0_2/g substance ThOD 2.42 g 0_2/g substance 30D (% of ThOD) 0.67 Persistence and degradability Readily biodegradable in water. PLIMONENE (5989-27-5) Persistence and degradability Persistence and degradability Readily biodegradable in water. PhOD 3.29 g 0_2/g substance Partision coefficient n-octanol/water (Log Pow) 2.4 – 2.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	Persistence and degradability	Biodegradability in water: no data available.
Parenistence and degradability Readily biodegradable in water. BENZALDEHYDE (100-52-7) Biodegradable in the soil. Readily biodegradable in water. Persistence and degradability Biodegradable in the soil. Readily biodegradable in water. Biochemical oxygen demand (COD) 1.62 g 0_2/g substance Themical oxygen demand (COD) 1.98 g 0_2/g substance ThOD 2.42 g 0_2/g substance 30D (% of ThOD) 0.67 Persistence and degradability Readily biodegradable in water. PLIMONENE (5989-27-5) Persistence and degradability Persistence and degradability Readily biodegradable in water. PhOD 3.29 g 0_2/g substance Partision coefficient n-octanol/water (Log Pow) 2.4 – 2.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	Linalool (78-70-6)	
Persistence and degradability Biodegradable in the soil. Readily biodegradable in water. Biochemical oxygen demand (BOD) 1.62 g O_2/g substance Chemical oxygen demand (COD) 1.98 g O_2/g substance ChOD 2.42 g O_2/g substance BOD (% of ThOD) 0.67 D-LIMONENE (5989-27-5)	Persistence and degradability	Readily biodegradable in water.
Persistence and degradability Biodegradable in the soil. Readily biodegradable in water. Biochemical oxygen demand (BOD) 1.62 g O_2/g substance Chemical oxygen demand (COD) 1.98 g O_2/g substance ChOD 2.42 g O_2/g substance BOD (% of ThOD) 0.67 D-LIMONENE (5989-27-5)	BENZALDEHYDE (100-52-7)	
Biochemical oxygen demand (BOD) 1.62 g O ₂ /g substance Chemical oxygen demand (COD) 1.98 g O ₂ /g substance ThOD 2.42 g O ₂ /g substance 3OD (% of ThOD) 0.67 P-LIMONENE (5989-27-5) Persistence and degradability Resadily biodegradable in water. ThOD 3.00 (% of ThOD) 3.29 g O ₂ /g substance 2.3. Bioaccumulative potential Example ALDEHYDE C 16 (77-83-8) Partition coefficient n-octanol/water (Log Pow) 2.4 – 2.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Chemical oxygen demand (COD) 1.98 g O ₂ /g substance ThOD 2.42 g O ₂ /g substance 3GD (% of ThOD) 0.67 OLIMONENE (5989-27-5) Persistence and degradability Readily biodegradable in water. ThOD 3.29 g O ₂ /g substance Colspan="2">Colspan="2"Colspan="2">Colspan="2"Colspan="2">Colspan="2"Colspan="2">Colspan="2"Colspan="2"Colspan="2">Colspan="2"Colspan="2"Colspan="2">Colspan="2"Co	Biochemical oxygen demand (BOD)	
ThOD 2.42 g O ₂ /g substance 3OD (% of ThOD) 0.67 D-LIMONENE (5989-27-5) Persistence and degradability Readily biodegradable in water. 3.29 g O ₂ /g substance 2.3. Bioaccumulative potential ALDEHYDE C 16 (77-83-8) 2.4 – 2.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	Chemical oxygen demand (COD)	
D-LIMONENE (5989-27-5) Persistence and degradability Readily biodegradable in water. ThOD 3.29 g O₂/g substance 2.3. Bioaccumulative potential ALDEHYDE C 16 (77-83-8) Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) 2.4 – 2.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	ThOD	
Persistence and degradability Readily biodegradable in water. ThOD 3.29 g O ₂ /g substance 2.3. Bioaccumulative potential ALDEHYDE C 16 (77-83-8) ************************************	BOD (% of ThOD)	0.67
Persistence and degradability Readily biodegradable in water. ThOD 3.29 g O ₂ /g substance 2.3. Bioaccumulative potential ALDEHYDE C 16 (77-83-8) ************************************		
ThOD 3.29 g O ₂ /g substance 2.3. Bioaccumulative potential ALDEHYDE C 16 (77-83-8) 2.4 – 2.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).		Des d'us blands and debte la sustant
ALDEHYDE C 16 (77-83-8) Partition coefficient n-octanol/water (Log Pow) 2.4 – 2.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).		
ALDEHYDE C 16 (77-83-8) Partition coefficient n-octanol/water (Log Pow) 2.4 – 2.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	INOD	3.29 g O ₂ /g substance
Partition coefficient n-octanol/water (Log Pow) 2.4 – 2.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	2.3. Bioaccumulative potential	
method, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	ALDEHYDE C 16 (77-83-8)	
ETHYL MALTOL (4940-11-8) Bioaccumulative potential No bioaccumulation data available. Linalool (78-70-6) Partition coefficient n-octanol/water (Log Pow) 2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	Partition coefficient n-octanol/water (Log Pow)	
Bioaccumulative potential No bioaccumulation data available. Linalool (78-70-6) Partition coefficient n-octanol/water (Log Pow) 2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Linalool (78-70-6) Partition coefficient n-octanol/water (Log Pow) 2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	ETHYL MALTOL (4940-11-8)	
Partition coefficient n-octanol/water (Log Pow) 2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	Bioaccumulative potential	No bioaccumulation data available.
Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	Linalool (78-70-6)	
BENZALDEHYDE (100-52-7) 3CF other aquatic organisms 1 Partition coefficient n-octanol/water (Log Pow) 1.48 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	Partition coefficient n-octanol/water (Log Pow)	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
BCF other aquatic organisms 1 4.2 – 7.8 (Estimated value) Partition coefficient n-octanol/water (Log Pow) 1.48 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Partition coefficient n-octanol/water (Log Pow) 1.48 (Experimental value) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	BENZALDEHYDE (100-52-7)	
Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). D-LIMONENE (5989-27-5) B64.8 – 1022 (Pisces, QSAR, Fresh weight) Back fish 1 864.8 – 1022 (Pisces, QSAR, Fresh weight) Partition coefficient n-octanol/water (Log Pow) 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method 37 °C)	BCF other aquatic organisms 1	
D-LIMONENE (5989-27-5) BCF fish 1 Partition coefficient n-octanol/water (Log Pow) 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method 37 °C)	Partition coefficient n-octanol/water (Log Pow)	1.48 (Experimental value)
BCF fish 1 864.8 – 1022 (Pisces, QSAR, Fresh weight) Partition coefficient n-octanol/water (Log Pow) 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method 37 °C)	Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
BCF fish 1 864.8 – 1022 (Pisces, QSAR, Fresh weight) Partition coefficient n-octanol/water (Log Pow) 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method 37 °C)	D-LIMONENE (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow) 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method 37 °C)	BCF fish 1	864.8 - 1022 (Pisces, QSAR, Fresh weight)
	Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method,
	Bioaccumulative potential	

ALDEHYDE C 16 (77-83-8)	
Surface tension	59 N/m (19.6 °C, 0.79 g/l, OECD 115: Surface Tension of Aqueous Solutions)
Partition coefficient n-octanol/water (Log Koc)	2.34 – 2.74 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Ecology - soil	Low potential for adsorption in soil.
Linalool (78-70-6)	
Surface tension	8.3 mN/m (20 °C, ISO 9101: Surface active agents - Determination of interfacial tension)
Ecology - soil	No (test)data on mobility of the substance available.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BENZ	ALDEHYDE (100-52-7)		
Surfac	e tension	0.04 N/m (20 °C)	
D-LIMONENE (5989-27-5)			
Ecolo	gy - soil	Adsorbs into the soil.	
	Other adverse effects		

No additional information available

SECTION 13: Disposal consideration	S
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Not regulated	
Transportation of Dangerous Goods	
Not applicable	
Transport by sea	
Not regulated	
Air transport	

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed as Active, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA	
ALDEHYDE C 16 (77-83-8)	
Listed on the Canadian DSL (Domestic Substances List)	
ETHYL MALTOL (4940-11-8)	
Listed on the Canadian DSL (Domestic Substances List)	
Linalool (78-70-6)	
Listed on the Canadian DSL (Domestic Substances List)	
BENZALDEHYDE (100-52-7)	
Listed on the Canadian DSL (Domestic Substances List)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CARYOPHELLENE BETA (87-44-5)	
Listed on the Canadian DSL (Domestic Substances List)	
CITRAL (5392-40-5)	
Listed on the Canadian DSL (Domestic Substances List)	
EUGENOL (97-53-0)	
Listed on the Canadian DSL (Domestic Substances List)	
D-LIMONENE (5989-27-5)	
Listed on the Canadian DSL (Domestic Substances List)	

EU-Regulations

No additional information available

National regulations

ALDEHYDE C 16 (77-83-8)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on KECI (Korean Existing Chemicals Inventory) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) EC_INVENTORY Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the AICS (Australian Inventory of Chemical Substances)

ETHYL MALTOL (4940-11-8)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on KECI (Korean Existing Chemicals Inventory) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) EC_INVENTORY Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the AICS (Australian Inventory of Chemical Substances) Listed on the AICS (Inventory of Existing Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) EC_INVENTORY Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the AICS (Australian Inventory of Chemical Substances)

BENZALDEHYDE (100-52-7)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on KECI (Korean Existing Chemicals Inventory) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) EC_INVENTORY Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the Australian HSIS Consolidated List Listed on the AICS (Australian Inventory of Chemical Substances)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CARYOPHELLENE BETA (87-44-5)

CARYOPHELLENE BETA (87-44-5)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on KECI (Korean Existing Chemicals Inventory) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) EC_INVENTORY Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the AICS (Australian Inventory of Chemical Substances)
CITRAL (5392-40-5)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on KECI (Korean Existing Chemicals Inventory) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) EC_INVENTORY Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the Australian HSIS Consolidated List Listed on the AICS (Australian Inventory of Chemical Substances)
EUGENOL (97-53-0)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on KECI (Korean Existing Chemicals Inventory) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) EC_INVENTORY Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the AICS (Australian Inventory of Chemical Substances)
D-LIMONENE (5989-27-5)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on KECI (Korean Existing Chemicals Inventory) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) EC_INVENTORY Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the Australian HSIS Consolidated List Listed on the AICS (Australian Inventory of Chemical Substances)

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

SDS

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.