

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 8/27/2015 Revision date: 4/27/2021 Supersedes: 6/8/2017

SECTION 1: Identification

SECTION 1: Identification	
1.1. Identification	
Product form Trade name	: Mixture : Grandmas Kitchen
1.2. Recommended use and restriction	s on use
Use of the substance/mixture Recommended use	: Perfumes, fragrances : Perfumes, fragrances
1.3. Supplier	
Voyageur Soap & Candle Company Ltd. 14 - 19257 Enterprise Way Surrey, B.C Canada T 800-758-7773	
1.4. Emergency telephone number	
Emergency number	: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086
SECTION 2: Hazard(s) identification	า
2.1. Classification of the substance or r	nixture

GHS-US classification


Acute toxicity (oral), Category 4	H302	Harmful if swallowed.
Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
Serious eye damage/eye irritation, Category 2	H319	Causes serious eye irritation.
Skin sensitisation, Category 1	H317	May cause an allergic skin reaction.

Full text of H- and EUH-statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US)



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Benzyl benzoate	CAS-No.: 120-51-4	12.021 – 24.042	Acute Tox. 4 (Oral), H302
Eugenol	CAS-No.: 97-53-0	7.65 – 15.3	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
Cinnamic aldehyde	CAS-No.: 104-55-2	7.65 – 15.3	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
Ethyl vanillin crystals	CAS-No.: 121-32-4	3.1505 – 6.301	Acute Tox. 4 (Oral), H302
Phenylmethanol	CAS-No.: 100-51-6	1.35 – 2.7	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332
Anisic aldehyde	CAS-No.: 123-11-5	0.65 – 1.3	Acute Tox. 4 (Oral), H302

SECTION 4: First-aid measures

4.1. Description of first aid measures	
First-aid measures general	: Call a poison center or a doctor if you feel unwell. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting. Obtain emergency medical attention.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effect	cts (acute and delayed)
Potential adverse human health effects and symptoms	: Harmful if swallowed. Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction. Causes skin irritation.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.		
5.2. Specific hazards arising from the chemical			
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		
5.3. Special protective equipment and precautions for fire-fighters			
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.		

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective	e equipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.	
Emergency procedures	: Ventilate area.	
6.2 Environmental procautions		

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13. See Heading 8. Exposure controls and personal protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
-	 Ensure good ventilation of the work station. Avoid breathing fume, mist, spray. Avoid contact with skin and eyes. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. 	
Hygiene measures	: Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Always wash hands after handling the product. Wash hands thoroughly after handling.	
7.2. Conditions for safe storage, including an	ny incompatibilities	
Storage conditions	Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use.	
Incompatible products	Strong bases. Strong acids.	
Incompatible materials	: Sources of ignition. Direct sunlight.	
Storage temperature	: 25 °C	
Storage area	: Store in a well-ventilated place. Store away from heat.	
Special rules on packaging	: Store in a closed container.	
Packaging materials	: Do not store in corrodable metal.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Grandmas Kitchen #8939F	
No additional information available	
Anisic aldehyde (123-11-5)	
No additional information available	
Phenylmethanol (100-51-6)	
USA - AIHA - Occupational Exposure Limits	
WEEL TWA [ppm]	10 ppm
Benzyl benzoate (120-51-4)	
No additional information available	
Ethyl vanillin crystals (121-32-4)	
No additional information available	
Eugenol (97-53-0)	
No additional information available	
Cinnamic aldehyde (104-55-2)	
No additional information available	
8.2. Appropriate engineering controls	
Appropriate engineering controls Environmental exposure controls	Ensure good ventilation of the work station.Avoid release to the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:
Wear protective gloves.
Eye protection:
Safety glasses. Chemical goggles or safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
Wear appropriate mask

Personal protective equipment symbol(s):



Other information: Do not eat, drink or smoke during use.

SECTION 9: Physi	cal and chemical	properties
-------------------------	------------------	------------

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow amber
Odour	: characteristic
Odour threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 94 °C (closed cup) ASTM D7094
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: ≈ 1.05
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. Other information

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects		
Acute toxicity (dermal)	Harmful if swallowed. Not classified Not classified	
Grandmas Kitchen #8939F		
ATE US (oral)	1368.195 mg/kg bodyweight	
Anisic aldehyde (123-11-5)		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
LC50 Inhalation - Rat	> 0.32 mg/l (Exposure time: 7 h)	
ATE US (oral)	500 mg/kg bodyweight	
Phenylmethanol (100-51-6)		
LD50 oral rat	1230 mg/kg	
ATE US (oral)	1230 mg/kg bodyweight	
ATE US (gases)	4500 ppmv/4h	
ATE US (vapours)	11 mg/l/4h	
ATE US (dust,mist)	1.5 mg/l/4h	
Benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg	
LD50 dermal rabbit	4000 mg/kg	
ATE US (oral)	500 mg/kg bodyweight	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Benzyl benzoate (120-51-4)		
ATE US (dermal) 4000 mg/kg bodyweight		
Ethyl vanillin crystals (121-32-4)		
LD50 oral rat	1590 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
ATE US (oral)	1590 mg/kg bodyweight	
Eugenol (97-53-0)		
LD50 oral rat	1930 mg/kg	
ATE US (oral)	1930 mg/kg bodyweight	
Cinnamic aldehyde (104-55-2)		
LD50 oral rat	2220 mg/kg	
LD50 dermal rabbit	1260 mg/kg	
ATE US (oral)	2220 mg/kg bodyweight	
ATE US (dermal)	1260 mg/kg bodyweight	
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Not classified Not classified 	
Eugenol (97-53-0)		
IARC group	3 - Not classifiable	
Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard Viscosity, kinematic Potential adverse human health effects and symptoms Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact	 Not classified Not classified Not classified Not classified Not classified No data available Harmful if swallowed. Based on available data, the classification criteria are not met. Not expected to present a significant hazard under anticipated conditions of normal use. May cause an allergic skin reaction. Irritation. May cause an allergic skin reaction. Causes skin irritation. Eye irritation. 	
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.	

SECTION 12: Ecological information

12.1. Toxicity	
	Harmful to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.
Phenylmethanol (100-51-6)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
NOEC (chronic)	0.168 mg/l	
Ethyl vanillin crystals (121-32-4)		
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
Eugenol (97-53-0)	40 mm// (Emergency time, 60 h., Oscalar, Destinguis francis francisciation)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
12.2. Persistence and degradability		
Grandmas Kitchen #8939F		
Persistence and degradability	May cause long-term adverse effects in the environment. Not established.	
Benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential		
Grandmas Kitchen #8939F		
Bioaccumulative potential	Not established.	
Phenylmethanol (100-51-6)		
Partition coefficient n-octanol/water (Log Pow)	1.1	
Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	4	
Bioaccumulative potential	Not established.	
Cinnamic aldehyde (104-55-2)		
Partition coefficient n-octanol/water (Log Pow)	2.22 (at 18 °C)	
12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects		
Other information :	Avoid release to the environment.	

SECTION 13: Disposal considerations

13.1. Disposal methods	
Waste treatment methods Product/Packaging disposal recommendations	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with Department of Transport

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.1. UN number		
Not regulated for transport		
14.2. UN proper shipping name		
Proper Shipping Name (DOT)	: Not applicable	
14.3. Transport hazard class(es)		
DOT Transport hazard class(es) (DOT)	: Not applicable	
14.4. Packing group		
Packing group (DOT)	: Not applicable	
14.5. Environmental hazards		
Other information	: No supplementary information available.	
14.6. Special precautions for user		
DOT No data available		
14.7. Transport in bulk according to An	nex II of MARPOL 73/78 and the IBC Code	

Not applicable

SECTION	15: Requ	latory in	formation
	10111090		

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

Anisic aldehyde (123-11-5)

Listed on the Canadian DSL (Domestic Substances List)

Phenylmethanol (100-51-6)

Listed on the Canadian DSL (Domestic Substances List)

Benzyl benzoate (120-51-4)

Listed on the Canadian DSL (Domestic Substances List)

Ethyl vanillin crystals (121-32-4)

Listed on the Canadian DSL (Domestic Substances List)

Eugenol (97-53-0)

Listed on the Canadian DSL (Domestic Substances List)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Cinnamic aldehyde (104-55-2)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Anisic aldehyde (123-11-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Phenylmethanol (100-51-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Benzyl benzoate (120-51-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Ethyl vanillin crystals (121-32-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Eugenol (97-53-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Cinnamic aldehyde (104-55-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Anisic aldehyde (123-11-5)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (National Chemicals Inventory)

Phenylmethanol (100-51-6)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (National Chemicals Inventory)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Benzyl benzoate (120-51-4)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (National Chemicals Inventory)

Ethyl vanillin crystals (121-32-4)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (National Chemicals Inventory)

Eugenol (97-53-0)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (National Chemicals Inventory)

Cinnamic aldehyde (104-55-2)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (National Chemicals Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
Phenylmethanol(100-51-6)	U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
Ethyl butyrate(105-54-4)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
Methyl salicylate(119-36-8)	U.S Pennsylvania - RTK (Right to Know) List
Refined Soybean oil, USP(8001-22-7)	U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / I	Monday, March 26, 2012 / Rules and Regulations
Revision date	: 04/27/2021
Other information	: None.

Full text of H-statements	
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

NFPA health hazard

: 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard NFPA reactivity

- : 1 Materials that must be preheated before ignition can occur.
- : 0 Material that in themselves are normally stable, even under fire conditions.



The data contained in this Safety Data Sheet is accurate to the best knowledge of Voyageur Soap & Candle Company Ltd., applies to the product as supplied by Voyageur Soap & Candle Company Ltd., and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Voyageur Soap & Candle Company Ltd., assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body.