

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 04/13/2020 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: HOLIDAY HERITAGE
CAS-No.	: MIXTURE
Product code	: Mixture
1.2. Recommended use and restriction	s on use
No additional information available	
1.3. Supplier	
Voyageur Soap & Candle Company Ltd. 14 - 19257 Enterprise Way Surrey, B.C Canada T 800-758-7773	
1.4. Emergency telephone number	
Emergency number	: INFOTRAC (US & Canada) 1-800-535-5053 (International) 1-352-323-3500
SECTION 2: Hazard(s) identification	1
2.1. Classification of the substance or	mixture
GHS US classification	
Flammable liquids Category 4	H227 Combustible liquid
Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2	H315 Causes skin irritation H319 Causes serious eve irritation
Skin sensitization, Category 1	H317 May cause an allergic skin reaction
Full text of H statements : see section 16	
2.2. GHS Label elements, including pre	acautionary statements
GHS US labeling	counterly statements
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Warning
Hazard statements (GHS US)	: H227 - Combustible liquid
	H315 - Causes skin irritation H317 - May cause an allergic skin reaction
	H319 - Causes serious eye irritation
Precautionary statements (GHS US)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment (see supplemental first aid instruction on this label). P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P364 - Take off contaminated clothing and wash it before reuse. P363 - Wash contaminated clothing before reuse. P3704+P378 - In case of fire: Use media other than water to extinguish. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
BENZYL BENZOATE	(CAS-No.) 120-51-4	30 - 70	Acute Tox. 4 (Oral), H302
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2- naphthalenyl)ethanone	(CAS-No.) 54464-57-2	5 - 10	Skin Irrit. 2, H315 Skin Sens. 1B, H317
LINALYL ACETATE	(CAS-No.) 115-95-7	5 - 10	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
D-LIMONENE	(CAS-No.) 5989-27-5	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
BACDANOL	(CAS-No.) 28219-61-6	1 - 5	Eye Irrit. 2, H319
Linalool	(CAS-No.) 78-70-6	1 - 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
DIHYDRO MYRCENOL	(CAS-No.) 18479-58-8	1 - 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319
ISOBORNYL CYCLOHEXANOL	(CAS-No.) 3407-42-9	1 - 5	Skin Irrit. 2, H315
d-Limonene	(CAS-No.) 5989-27-5	< 0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
GERANIOL	(CAS-No.) 106-24-1	< 0.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4	: First-aid measures		
4.1. Desc	cription of first aid measures		
First-aid measu	ures after inhalation :	Remove person to fresh air and keep comfortable for breathing.	
First-aid measu	ures after skin contact :	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.	
First-aid measu	ures after eye contact :	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
First-aid measu	ures after ingestion :	Call a poison center/doctor/physician if you feel unwell.	
4.2. Most	t important symptoms and effects	(acute and delayed)	
Symptoms/effe	cts after skin contact :	Irritation. May cause an allergic skin reaction.	
Symptoms/effe	cts after eye contact :	Eye irritation.	
4.3. Imme	4.3. Immediate medical attention and special treatment, if necessary		
Treat symptom	atically.		
SECTION 5	: Fire-fighting measures		
5.1. Suita	able (and unsuitable) extinguishin	g media	
Suitable exting	uishing media :	Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Spec	cific hazards arising from the cher	nical	
Fire hazard	:	Combustible liquid.	
5.3. Spec	cial protective equipment and pred	cautions for fire-fighters	
Protection durir	ng firefighting :	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures			
	ipment and emergency procedures		
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.		
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment	nt and cleaning up		
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			
For further information refer to section 13.			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.		
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including	g any incompatibilities		
Storage conditions	: Store in a well-ventilated place. Keep cool.		
SECTION 8: Exposure controls/perso 8.1. Control parameters	inal protection		
•			
GERANIOL (106-24-1) Not applicable			
d-Limonene (5989-27-5) Not applicable			
D-LIMONENE (5989-27-5) Not applicable			
Linalool (78-70-6)			
Not applicable			
LINALYL ACETATE (115-95-7)			
Not applicable			
BENZYL BENZOATE (120-51-4)			
Not applicable			
ISOBORNYL CYCLOHEXANOL (3407-42-9)			
Not applicable			
BACDANOL (28219-61-6)			
Not applicable			
DIHYDRO MYRCENOL (18479-58-8)			
Not applicable			
iter applicable			
TIMBERSILK (54464-57-2)			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemical p	roperties
9.1. Information on basic physical and cl	nemical properties
Physical state	: Liquid
Color	: Mixture contains one or more component(s) which have the following colour(s): Colourless Colourless to light yellow Light yellow to colourless On exposure to air: yellow- brown Colourless to white On exposure to light: turns yellow On exposure to air: turns yellow White Light yellow White to off-white Colourless to yellow White to light yellow On exposure to light: discolours
Odor	 There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Floral odour Fruity odour Sweet odour Lemon odour Mild odour Characteristic odour Almond odour Pleasant odour Aromatic odour Odourless Pine odour Unpleasant odour Irritating/pungent odour Strong odour
Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: ≈ 89 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2 Other information	

9.2. Other information

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and react	ivity
10.1. Reactivity	ponditions of use storage and transport
The product is non-reactive under normal of	conditions of use, storage and transport.
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reacti	
No dangerous reactions known under norm	nal conditions of use.
0.4. Conditions to avoid	
void contact with hot surfaces. Heat. No f	lames, no sparks. Eliminate all sources of ignition.
0.5. Incompatible materials	
No additional information available	
0.6. Hazardous decomposition pro	ducts
Jnder normal conditions of storage and us	e, hazardous decomposition products should not be produced.
SECTION 11: Toxicological info	rmation
1.1. Information on toxicological ef	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
GERANIOL (106-24-1)	3600 mg/kg body weight (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	 Sooo mg/kg body weight (Kat, Male / Ternale, Experimental value, Oral, 14 day(s)) > 5000 mg/kg (Rabbit, Experimental value, Dermal)
ATE US (oral)	3600 mg/kg body weight
d-Limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat,
	Female, Read-across, Oral)
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)
D-LIMONENE (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat,
	Female, Read-across, Oral)
LD50 dermal rabbit	 > 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)
Linalool (78-70-6)	
LD50 oral rat	2790 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental
	value, Oral, 14 day(s))
LD50 dermal rabbit	5610 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
BENZYL BENZOATE (120-51-4)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)
ATE US (oral)	1500 mg/kg body weight
ATE US (dermal)	4000 mg/kg body weight
BACDANOL (28219-61-6)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, 2 week(s), Rat, Male/female, Experimental value, Oral)
LD50 dermal rat	> 5 ml/kg (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal)
DIHYDRO MYRCENOL (18479-58-8)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TIMBERSILK (54464-57-2)	
LD50 oral rat	>= 5000 mg/kg
LD50 dermal rat	>= 5000 mg/kg
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
D-LIMONENE (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-single exposure	. Not classified
CTOT represented our course	Net class field
STOT-repeated exposure	: Not classified
Linalool (78-70-6)	
NOAEL (dermal,rat/rabbit,90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal
NOALE (definial, raviabbli, 30 days)	Toxicity: 90-Day Study)
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
SECTION 12: Ecological information	
12.1. Toxicity	
	: The product is not considered harmful to aquatic organisms or to cause long-term adverse
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Ecology - general	
	effects in the environment.
Ecology - general GERANIOL (106-24-1)	
Ecology - general GERANIOL (106-24-1)	effects in the environment. 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP) 10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static
Ecology - general GERANIOL (106-24-1) LC50 fish 1 EC50 Daphnia 1	effects in the environment. 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP) 10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
Ecology - general GERANIOL (106-24-1) LC50 fish 1	effects in the environment. 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP) 10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static
Ecology - general GERANIOL (106-24-1) LC50 fish 1 EC50 Daphnia 1	effects in the environment. 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP) 10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) 13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static
Ecology - general GERANIOL (106-24-1) LC50 fish 1 EC50 Daphnia 1 ErC50 (algae)	 effects in the environment. 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP) 10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) 13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP) 720 μg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through
Ecology - general GERANIOL (106-24-1) LC50 fish 1 EC50 Daphnia 1 ErC50 (algae) d-Limonene (5989-27-5)	effects in the environment. 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP) 10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) 13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
Ecology - general GERANIOL (106-24-1) LC50 fish 1 EC50 Daphnia 1 ErC50 (algae) d-Limonene (5989-27-5) LC50 fish 1	 effects in the environment. 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP) 10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) 13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP) 720 μg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through
Ecology - general GERANIOL (106-24-1) LC50 fish 1 EC50 Daphnia 1 ErC50 (algae) d-Limonene (5989-27-5) LC50 fish 1	effects in the environment. 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP) 10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) 13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP) 720 μg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal) 0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static
Ecology - general GERANIOL (106-24-1) LC50 fish 1 EC50 Daphnia 1 ErC50 (algae) d-Limonene (5989-27-5) LC50 fish 1 EC50 Daphnia 1	 effects in the environment. 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP) 10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) 13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal) 0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Lethal) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP)
Ecology - general GERANIOL (106-24-1) LC50 fish 1 EC50 Daphnia 1 ErC50 (algae) d-Limonene (5989-27-5) LC50 fish 1 EC50 Daphnia 1 D-LIMONENE (5989-27-5)	 effects in the environment. 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP) 10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) 13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal) 0.36 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal) 0.36 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal) 0.36 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal) 0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static
Ecology - general GERANIOL (106-24-1) LC50 fish 1 EC50 Daphnia 1 ErC50 (algae) d-Limonene (5989-27-5) LC50 fish 1 EC50 Daphnia 1 D-LIMONENE (5989-27-5) LC50 fish 1 EC50 Daphnia 1	effects in the environment. 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP) 10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) 13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal) 0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP)
Ecology - general GERANIOL (106-24-1) LC50 fish 1 EC50 Daphnia 1 ErC50 (algae) d-Limonene (5989-27-5) LC50 fish 1 EC50 Daphnia 1 D-LIMONENE (5989-27-5) LC50 fish 1 EC50 Daphnia 1 EC50 Daphnia 1	 effects in the environment. 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP) 10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) 13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal) 0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP)
Ecology - general GERANIOL (106-24-1) LC50 fish 1 EC50 Daphnia 1 ErC50 (algae) d-Limonene (5989-27-5) LC50 fish 1 EC50 Daphnia 1 D-LIMONENE (5989-27-5) LC50 fish 1 EC50 Daphnia 1	 effects in the environment. 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP) 10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) 13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal) 0.36 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal) 0.36 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal) 0.36 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal) 0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static
Ecology - general GERANIOL (106-24-1) LC50 fish 1 EC50 Daphnia 1 ErC50 (algae) d-Limonene (5989-27-5) LC50 fish 1 EC50 Daphnia 1 D-LIMONENE (5989-27-5) LC50 fish 1 EC50 Daphnia 1 EC50 Daphnia 1	 effects in the environment. 22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP) 10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) 13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal) 0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP) 720 µg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Linalool (78-70-6)	
ErC50 (algae)	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
LINALYL ACETATE (115-95-7)	
LC50 fish 1	11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio)
EC50 Daphnia 1	15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna)
BENZYL BENZOATE (120-51-4)	
LC50 fish 1	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
BACDANOL (28219-61-6)	
LC50 fish 1	1.1 mg/l (US EPA, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, GLP)
ErC50 (algae)	2.5 mg/l (US EPA, 96 h, Selenastrum capricornutum, Static system, Fresh water, Experimental value, GLP)
TIMBERSILK (54464-57-2)	
LC50 fish 1	≈ 1.3 mg/l Bluegill Sunfish
EC50 Daphnia 1	≈ 1.38 mg/l Water Flea
ErC50 (algae)	≈ 2.6 mg/l Green Algae
12.2. Persistence and degradability	
GERANIOL (106-24-1)	
Persistence and degradability	Readily biodegradable in water.
d-Limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O ₂ /g substance
D-LIMONENE (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	$3.29 \text{ g } \text{O}_2/\text{g}$ substance
Linalool (78-70-6)	
Persistence and degradability	Readily biodegradable in water.
LINALYL ACETATE (115-95-7)	
Persistence and degradability	Readily biodegradable in water.
BENZYL BENZOATE (120-51-4)	
Persistence and degradability	Readily biodegradable in water.
BACDANOL (28219-61-6)	
Persistence and degradability	Not readily biodegradable in water.
ThOD	3 g O ₂ /g substance
DIHYDRO MYRCENOL (18479-58-8)	
Persistence and degradability	Biodegradability in water: no data available.

12.3. Bioaccumulative potential

GERANIOL (106-24-1)	
Log Pow	2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
d-Limonene (5989-27-5)	
BCF fish 1	864.8 - 1022 (Pisces, QSAR, Fresh weight)
Log Pow	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation ($4 \ge Log$ Kow ≤ 5).
D-LIMONENE (5989-27-5)	
BCF fish 1	864.8 - 1022 (Pisces, QSAR, Fresh weight)
04/13/2020	EN (English US) 7/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

D-LIMONENE (5989-27-5)		
Log Pow	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)	
Bioaccumulative potential	Potential for bioaccumulation ($4 \ge Log$ Kow ≤ 5).	
Linalool (78-70-6)		
Log Pow	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
LINALYL ACETATE (115-95-7)		
Log Pow	3.93 (Experimental value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
BENZYL BENZOATE (120-51-4)		
BCF fish 1	2.286 (BCFBAF v3.00, Pisces, QSAR)	
Log Pow	3.97 (Experimental value, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
BACDANOL (28219-61-6)		
BCF other aquatic organisms 1	667 (Other, QSAR)	
Log Pow	4.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)	
Bioaccumulative potential	Potential for bioaccumulation ($500 \le BCF \le 5000$).	
DIHYDRO MYRCENOL (18479-58-8)		
Log Pow	3.47 (Estimated value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

12.4. Mobility in soil

GERANIOL (106-24-1)		
Log Koc	1.85 (log Koc, PCKOCWIN v1.66, Calculated value)	
Ecology - soil	Highly mobile in soil.	
d-Limonene (5989-27-5)		
Ecology - soil	Adsorbs into the soil.	
D-LIMONENE (5989-27-5)		
Ecology - soil	Adsorbs into the soil.	
Linalool (78-70-6)		
Surface tension	8.3 mN/m (20 °C, ISO 9101: Surface active agents - Determination of interfacial tension)	
Ecology - soil	No (test)data on mobility of the substance available.	
LINALYL ACETATE (115-95-7)		
Ecology - soil	Adsorbs into the soil.	
BENZYL BENZOATE (120-51-4)		
Surface tension	0.027 N/m (210 °C)	
Log Koc	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)	
Ecology - soil	Low potential for mobility in soil.	
BACDANOL (28219-61-6)		
Log Koc	2.57 (log Koc, Other, QSAR)	
Ecology - soil	Low potential for adsorption in soil.	
DIHYDRO MYRCENOL (18479-58-8)		
Ecology - soil	No (test)data on mobility of the substance available.	

12.5. Other adverse effects

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description UN-No.(DOT) Proper Shipping Name (DOT)

Class (DOT) Packing group (DOT) Hazard labels (DOT) : Environmentally hazardous substances, liquid, n.o.s.

: UN3082 Environmentally hazardous substances, liquid, n.o.s. (BENZYL BENZOATE), 9, III

BENZYL BENZOATE

: UN3082

- : 9 Class 9 Miscellaneous hazardous material 49 CFR 173.140
- : III Minor Danger
- : 9 Class 9 (Miscellaneous dangerous materials)



DOT Packaging Non Bulk (49	CFR 173.xxx)
----------------------------	--------------

DOT Packaging Bulk (49 CFR 173.xxx)

DOT Symbols

- DOT Special Provisions (49 CFR 172.102)
- : 203
- 241
- : G Identifies PSN requiring a technical name
- : 8 A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies.

146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination.

173 - An appropriate generic entry may be used for this material.

335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T4 - 2.65 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx)	:	155
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	•	No limit
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	No limit
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	:	171
Other information	:	No supplementary information available.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transportation of Dangerous Goods

Not applicable

Transport by sea

Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE), 9, III
UN-No. (IMDG)	: 3082
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class (IMDG)	: 9 - Miscellaneous dangerous substances and articles
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5 L
Air transport	
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (BENZYL BENZOATE), 9, III
UN-No. (IATA)	: 3082
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Class (IATA)	: 9 - Miscellaneous Dangerous Goods

SECTION 15: Regulatory information

15.1. US Federal regulations

Packing group (IATA)

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

: III - Minor Danger

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA
GERANIOL (106-24-1)
Listed on the Canadian DSL (Domestic Substances List)
d-Limonene (5989-27-5)
Listed on the Canadian DSL (Domestic Substances List)
D-LIMONENE (5989-27-5)
Listed on the Canadian DSL (Domestic Substances List)
Linalool (78-70-6)
Listed on the Canadian DSL (Domestic Substances List)
LINALYL ACETATE (115-95-7)
Listed on the Canadian DSL (Domestic Substances List)
BENZYL BENZOATE (120-51-4)
Listed on the Canadian DSL (Domestic Substances List)
ISOBORNYL CYCLOHEXANOL (3407-42-9)
Listed on the Canadian DSL (Domestic Substances List)
BACDANOL (28219-61-6)
Listed on the Canadian DSL (Domestic Substances List)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DIHYDRO MYRCENOL (18479-58-8)

Listed on the Canadian DSL (Domestic Substances List)

TIMBERSILK (54464-57-2)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations No additional information available

National regulations

No additional information available

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation

SDS US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.