

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 7/11/2023 Revision date: 7/11/2023 Supersedes: 4/28/2021 Version: 1.0

# **SECTION 1: Identification**

## 1.1. Identification

Product form : Mixture

Trade name : Pomegranate Fragrance Oil

Product code : Mixture

### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Perfumes, Fragrances Recommended use : Perfumes, Fragrances

### 1.3. Supplier

Voyageur Soap & Candle Company Ltd. Unit 14 - 19257 Enterprise Way Surrey, BC V3S6J8 Canada 1(800) 758-7773 sales@voyageursoapandcandle.com

### 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil:

+0-800-591-6042; India: +000-800-100-4086

# **SECTION 2: Hazard(s) identification**

## 2.1. Classification of the substance or mixture

#### **GHS US classification**

Flammable liquids Category 3 H226 Flammable liquid and vapor
Skin sensitization, Category 1 H317 May cause an allergic skin reaction

Full text of H statements : see section 16

# 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)





Signal word (GHS US) : Warning

Hazard statements (GHS US) : H226 - Flammable liquid and vapor

H317 - May cause an allergic skin reaction

Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment.

P241 - Use explosion-proof electrical, lighting, ventilating equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

#### 2.3. Other hazards which do not result in classification

## No additional information available

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2.4. Unknown acute toxicity (GHS US)

No additional information available

# **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Benzaldehyde	CAS-No.: 100-52-7	3.4 – 6.8	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302
Linalool	CAS-No.: 78-70-6	1.2 – 2.4	Flam. Liq. 4, H227 Skin Sens. 1, H317 Aquatic Acute 3, H402
Allyl caproate	CAS-No.: 123-68-2	0.6 – 1.2	Flam. Liq. 4, H227 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Aquatic Acute 2, H401

Full text of hazard classes and H-statements : see section 16

# **SECTION 4: First-aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs:

Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). If skin irritation or rash occurs: Get immediate medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

# 4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and : Based on available data, the classification criteria are not met. symptoms

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation.

# 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

7/11/2023 (Revision date) EN (English US) 2/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapor.

Explosion hazard : May form flammable/explosive vapor-air mixture.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No

smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling : No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing fume, spray, mist. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide

good ventilation in process area to prevent formation of vapor.

Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of

the workplace. Wash contaminated clothing before reuse.

7/11/2023 (Revision date) EN (English US) 3/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.

Storage conditions : Keep container tightly closed. Keep only in the original container in a cool, well ventilated place

away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Heat sources. Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

### Benzaldehyde (100-52-7)

# **USA - AIHA - Occupational Exposure Limits**

WEEL TWA [ppm]	2 ppm
WEEL STEL [ppm]	4 ppm (15-min. STEL)
AIHA chemical category	Skin sensitizer

#### Linalool (78-70-6)

No additional information available

# Allyl caproate (123-68-2)

No additional information available

### 8.2. Appropriate engineering controls

No additional information available

# 8.3. Individual protection measures/Personal protective equipment

## Personal protective equipment:

Avoid all unnecessary exposure.

Hand	protection:

Wear protective gloves.

# Eye protection:

Chemical goggles or safety glasses

# Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

Wear appropriate mask

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Personal protective equipment symbol(s):





#### Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : light yellow amber Odor : characteristic Odor threshold : No data available pH : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Boiling point : No data available

Flash point : 52 °C

Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : Not applicable. Flammable liquid and vapor.

Vapor pressure : No data available Relative vapor density at 20°C : No data available

Relative density : ≈ 0.93

: No data available Solubility Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available No data available Viscosity, kinematic Viscosity, dynamic No data available No data available **Explosion limits** Explosive properties No data available Oxidizing properties No data available

# 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Flammable liquid and vapor. May form flammable/explosive vapor-air mixture. Not established.

# 10.3. Possibility of hazardous reactions

Not established.

# 10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks. Extremely high or low temperatures.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.5. Incompatible materials

Strong acids. Strong bases.

# 10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Benzaldehyde (100-52-7)		
LD50 oral rat	1292 mg/kg	
LD50 dermal rabbit	> 1250 mg/kg	
ATE US (oral)	1292 mg/kg body weight	
Linalool (78-70-6)		

Allyl caproate (123-68-2)		
LD50 oral	300 mg/kg body weight	
LD50 dermal rabbit	820 mg/kg	
LD50 dermal	300 mg/kg body weight	
LC50 Inhalation - Rat (Vapours)	3 mg/l/4h	
ATE US (oral)	100 mg/kg body weight	
ATE US (dermal)	300 mg/kg body weight	
ATE US (vapors)	3 mg/l/4h	

Skin corrosion/irritation	:	Not classified
Serious eye damage/irritation	:	Not classified

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation.

7/11/2023 (Revision date) EN (English US) 6/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Benzaldehyde (100-52-7)		
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])	
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
Linalool (78-70-6)		
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	
Allyl caproate (123-68-2)		
LC50 - Fish [1]	0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	

# 12.2. Persistence and degradability

Pomegranate #992F	
Persistence and degradability	Not established.

# 12.3. Bioaccumulative potential

Pomegranate #992F		
Bioaccumulative potential	Not established.	
Benzaldehyde (100-52-7)		
BCF - Fish [1]	(no significant bioaccumulation)	
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)	
Allyl caproate (123-68-2)		
Partition coefficient n-octanol/water (Log Pow)	3.191 (at 20 °C (at pH 5)	

# 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with local/national laws and regulations. Dispose in

a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with DOT

7/11/2023 (Revision date) EN (English US) 7/11

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **14.1. UN number**

DOT NA No : UN1993

# 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Flammable liquids, n.o.s. (d-LIMONENE)

### 14.3. Transport hazard class(es)

#### DOT

Transport hazard class(es) (DOT) Hazard labels (DOT) 3



#### 14.4. Packing group

Packing group (DOT) : 111

#### 14.5. Environmental hazards

Other information : No supplementary information available.

#### 14.6. Special precautions for user

#### DOT

UN-No.(DOT) : UN1993

DOT Special Provisions (49 CFR 172.102)

: B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T4 - 2.65 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) 150 DOT Packaging Non Bulk (49 CFR 173.xxx) 203 DOT Packaging Bulk (49 CFR 173.xxx) 242 DOT Quantity Limitations Passenger aircraft/rail (49 : 60 L CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

: 220 L

**DOT Vessel Stowage Location** : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

### 15.2. International regulations

#### **CANADA**

# Benzaldehyde (100-52-7)

Listed on the Canadian DSL (Domestic Substances List)

### Linalool (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

### Allyl caproate (123-68-2)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

## Benzaldehyde (100-52-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Linalool (78-70-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

# Allyl caproate (123-68-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### National regulations

### Benzaldehyde (100-52-7)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on TECI (Thailand Existing Chemicals Inventory)

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Linalool (78-70-6)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on TECI (Thailand Existing Chemicals Inventory)

## Allyl caproate (123-68-2)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on TECI (Thailand Existing Chemicals Inventory)

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Refined Soybean oil(8001-22-7)	U.S Pennsylvania - RTK (Right to Know) List
Benzaldehyde(100-52-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
Ethyl butyrate(105-54-4)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
Isoamyl acetate(123-92-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List
Benzyl acetate(140-11-4)	U.S New Jersey - Right to Know Hazardous Substance List

### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 7/11/2023 Other information : None.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations


Full text of H-phrases	
H226	Flammable liquid and vapor
H227	Combustible liquid
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H317	May cause an allergic skin reaction
H401	Toxic to aquatic life
H402	Harmful to aquatic life

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire

conditions.



Safety Data Sheet (SDS), USA

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact sales@voyageursoapandcandle.com