



# PURPLE THYME

## Safety Data Sheet

according to the Hazardous Substance SDS Notice 2017 (EPA)

Issue date: 15/03/2022

Revision date:

Supersedes:

Version: 1.0

### SECTION 1: Identification of the hazardous chemical and of the supplier

#### 1.1 Product identifier

Product name : PURPLE THYME  
Product form : Mixture  
Product code : Mixture

#### 1.2 Other means of identification

No additional information available

#### 1.3 Relevant identified uses of the substance or mixture and uses advised against

No additional information available

#### 1.4 Supplier's details

Voyageur Soap & Candle Company Ltd.  
14 - 19257 Enterprise Way  
Surrey, BC Canada  
T 1(800) 758-7773  
[sales@voyageursoapandcandle.com](mailto:sales@voyageursoapandcandle.com)

#### 1.5 Emergency phone number

Emergency number : INFOTRAC (US & Canada) 1-800-535-5053 | (International) 1-352-323-3500

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

6.3B	Flammable liquids Not classified
6.4A	Skin corrosion/irritation, Category 3
6.5B	Serious eye damage/eye irritation, Category 2
9.1D	Skin sensitisation, Category 1
9.1C	Hazardous to the aquatic environment — Acute Hazard, Category 2
	Hazardous to the aquatic environment — Chronic Hazard, Category 3

#### 2.2 Label elements

##### GHS NZ labelling

Hazard pictograms (GHS NZ) :



GHS07

Signal word (GHS NZ) : Warning

Contains : D-LIMONENE (1 – 5 %); GERANIOL (< 0.5 %)

Hazard statements (GHS NZ) : H316 - Causes mild skin irritation  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H401 - Toxic to aquatic life  
H412 - Harmful to aquatic life with long lasting effects.

Prevention : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response : P302+P352 - IF ON SKIN: Wash with plenty of water/...  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321 - Specific treatment (see supplemental first aid instruction on this label).  
P332+P313 - If skin irritation occurs: Get medical advice/attention.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P363 - Wash contaminated clothing before reuse.

Disposal : P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3 Other hazards not contributing to the classification

No additional information available

# PURPLE THYME

## Safety Data Sheet

### SECTION 3: Composition and information of the ingredients of the hazardous chemical

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
METHYL DIHYDRO JASMONATE	(CAS-No.) 24851-98-7	5 – 10	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) 9.1D: Aquatic Acute 3, H402 9.1C: Aquatic Chronic 3, H412
ALPHA-ISOMETHYL IONONE	(CAS-No.) 127-51-5	1 – 5	Flam. Liq. Not classified 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 9.1B: Aquatic Chronic 2, H411
LINALOOL	(CAS-No.) 78-70-6	1 – 5	3.1D: Flam. Liq. 4, H227 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.4A: Eye Irrit. 2, H319 STOT RE Not classified 9.1D: Aquatic Acute 3, H402
LIMONENE	(CAS-No.) 5989-27-5	1 – 5	3.1C: Flam. Liq. 3, H226 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 6.5B: Skin Sens. 1, H317 6.1E: Asp. Tox. 1, H304 9.1A: Aquatic Acute 1, H400 9.1A: Aquatic Chronic 1, H410
BENZYL BENZOATE	(CAS-No.) 120-51-4	1 – 5	Flam. Liq. Not classified 6.1D: Acute Tox. 4 (Oral), H302 6.1E: Acute Tox. 5 (Dermal), H313 9.1A: Aquatic Acute 1, H400 9.1B: Aquatic Chronic 2, H411
CIS-3-HEXENYL SALICYLATE	(CAS-No.) 65405-77-8	0.5 – 1	Flam. Liq. Not classified 9.1A: Aquatic Acute 1, H400 9.1A: Aquatic Chronic 1, H410
OXACYCLOHEXADEC-12-EN-2-ONE, (12E)-	(CAS-No.) 111879-80-2	< 0.5	Flam. Liq. Not classified 9.1A: Aquatic Acute 1, H400 9.1B: Aquatic Chronic 2, H411
GERANIOL	(CAS-No.) 106-24-1	< 0.5	Flam. Liq. Not classified 6.1E: Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) 6.3A: Skin Irrit. 2, H315 8.3A: Eye Dam. 1, H318 6.5B: Skin Sens. 1, H317 9.1D: Aquatic Acute 3, H402
CYCLOGALBONATE	(CAS-No.) 68901-15-5	< 0.5	Flam. Liq. Not classified 6.1D: Acute Tox. 4 (Oral), H302 9.1A: Aquatic Acute 1, H400 9.1A: Aquatic Chronic 1, H410

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

No additional information available

#### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

No additional information available

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Special protective equipment and precautions for fire-fighters

No additional information available

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

# PURPLE THYME

## Safety Data Sheet

### 6.1.1. For non-emergency personnel

No additional information available

### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

No additional information available

### 6.3. Methods and material for containment and cleaning up

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

No additional information available

### 7.2. Conditions for safe storage, including any incompatibilities

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### Exposure limit values for the other components

No additional information available

### 8.2. Monitoring

No additional information available

### 8.3. Appropriate engineering controls

No additional information available

### 8.4. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment symbol(s)



## SECTION 9: Physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Colour	: Mixture contains one or more component(s) which have the following colour(s): White Colourless Colourless to light yellow On exposure to air: yellow White to light yellow On exposure to light: discolours Colourless to brown Dark brown Light yellow to colourless On exposure to air: yellow-brown Colourless to white On exposure to light: turns yellow On exposure to air: turns yellow Colourless to light amber Colourless to yellow
Odour	: There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Mild odour Pleasant odour Aromatic odour Floral odour Lemon odour Pine odour Characteristic odour Fruity odour Sweet odour Almost odourless Alcohol odour Strong odour Almond odour Camphor odour Odourless
Odour threshold	: No data available
pH	: No data available
Evaporation rate	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 100 °C
Auto-ignition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Density	: No data available
Solubility	: No data available

# PURPLE THYME

## Safety Data Sheet

Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Explosive limits	: No data available
Minimum ignition energy	: No data available

### SECTION 10: Stability and reactivity

No data available

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

<b>BENZYL BENZOATE (120-51-4)</b>	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	> 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)
LD50 dermal	4000 mg/kg bodyweight

<b>LIMONENE (5989-27-5)</b>	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)

<b>GERANIOL (106-24-1)</b>	
LD50 oral rat	3600 mg/kg bodyweight (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	3600 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Experimental value, Dermal)

<b>LINALOOL (78-70-6)</b>	
LD50 oral rat	2790 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	2790 mg/kg bodyweight
LD50 dermal rabbit	5610 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))

<b>CYCLOGALBONATE (68901-15-5)</b>	
LD50 oral	682 mg/kg bodyweight

<b>METHYL DIHYDRO JASMONATE (24851-98-7)</b>	
LD50 oral rat	> 5000 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Dermal)

Skin corrosion/irritation	: Causes mild skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

<b>LINALOOL (78-70-6)</b>	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

Aspiration hazard	: Not classified
-------------------	------------------

<b>PURPLE THYME</b>	
Viscosity, kinematic	

# PURPLE THYME

## Safety Data Sheet

### SECTION 12: Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.
Soil toxicity	: Not classified
Terrestrial vertebrate toxicity	: Not classified
Terrestrial invertebrate toxicity	: Not classified

<b>BENZYL BENZOATE (120-51-4)</b>	
LC50 - Fish [1]	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	0.475 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)
BCF - Fish [1]	2.286 (BCFBAF v3.00, Pisces, QSAR)
Partition coefficient n-octanol/water (Log Pow)	3.97 (Experimental value, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
LD50 dermal rabbit	> 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))

<b>LIMONENE (5989-27-5)</b>	
LC50 - Fish [1]	720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	150 mg/l (OECD 201: Alga, Growth Inhibition Test, Desmodesmus subspicatus, Static system, Fresh water, Read-across, GLP)
BCF - Fish [1]	864.8 – 1022 (Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)

<b>GERANIOL (106-24-1)</b>	
LC50 - Fish [1]	22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, PCKOCWIN v1.66, Calculated value)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Experimental value, Dermal)
LD50 oral rat	3600 mg/kg bodyweight (Rat, Male / female, Experimental value, Oral, 14 day(s))

<b>LINALOOL (78-70-6)</b>	
LC50 - Fish [1]	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
ErC50 algae	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
Partition coefficient n-octanol/water (Log Pow)	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
LD50 dermal rabbit	5610 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))

# PURPLE THYME

## Safety Data Sheet

<b>LINALOOL (78-70-6)</b>	
LD50 oral rat	2790 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
<b>METHYL DIHYDRO JASMONATE (24851-98-7)</b>	
EC50 - Crustacea [1]	> 16.1 mg/l
Partition coefficient n-octanol/water (Log Pow)	3 (Estimated value)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Dermal)
LD50 oral rat	> 5000 mg/kg (Rat, Oral)
<b>12.2. Persistence and degradability</b>	
<b>PURPLE THYME</b>	
Persistence and degradability	No additional information available
<b>BENZYL BENZOATE (120-51-4)</b>	
Persistence and degradability	Readily biodegradable in water.
<b>LIMONENE (5989-27-5)</b>	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O <sub>2</sub> /g substance
<b>GERANIOL (106-24-1)</b>	
Persistence and degradability	Readily biodegradable in water.
<b>LINALOOL (78-70-6)</b>	
Persistence and degradability	Readily biodegradable in water.
<b>METHYL DIHYDRO JASMONATE (24851-98-7)</b>	
Not rapidly degradable	
Persistence and degradability	Readily biodegradable in water.
<b>12.3. Bioaccumulative potential</b>	
<b>PURPLE THYME</b>	
Bioaccumulative potential	No additional information available
<b>BENZYL BENZOATE (120-51-4)</b>	
BCF - Fish [1]	See section 12.1 on ecotoxicology
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	See section 12.1 on ecotoxicology
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
<b>LIMONENE (5989-27-5)</b>	
BCF - Fish [1]	See section 12.1 on ecotoxicology
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).
<b>GERANIOL (106-24-1)</b>	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	See section 12.1 on ecotoxicology
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
<b>LINALOOL (78-70-6)</b>	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
<b>METHYL DIHYDRO JASMONATE (24851-98-7)</b>	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
<b>12.4. Mobility in soil</b>	
<b>PURPLE THYME</b>	
Mobility in soil	No additional information available
<b>BENZYL BENZOATE (120-51-4)</b>	
Surface tension	0.027 N/m (210 °C)
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	See section 12.1 on ecotoxicology
Ecology - soil	Low potential for mobility in soil.
<b>LIMONENE (5989-27-5)</b>	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Ecology - soil	Adsorbs into the soil.

# PURPLE THYME

## Safety Data Sheet

<b>GERANIOL (106-24-1)</b>	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	See section 12.1 on ecotoxicology
Ecology - soil	Highly mobile in soil.
<b>LINALOOL (78-70-6)</b>	
Surface tension	8.3 mN/m (20 °C, ISO 9101: Surface active agents - Determination of interfacial tension)
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Ecology - soil	No (test)data on mobility of the substance available.
<b>METHYL DIHYDRO JASMONATE (24851-98-7)</b>	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

### 12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

## SECTION 13: Disposal considerations

No additional information available

## SECTION 14: Transport information

IMDG	IATA	UNRTDG
<b>14.1. UN number</b>		
Not regulated for transport		
<b>14.2. Proper Shipping Name</b>		
Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>		
Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>		
Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>		
Not regulated	Not regulated	Not regulated
No supplementary information available		

### 14.6. Special precautions for user

#### UN RTDG

No data available

#### IMDG

No data available

#### IATA

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### 14.8. Hazchem or Emergency Action Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health, and environmental national regulations specific for the product

#### BENZYL BENZOATE (120-51-4)

##### Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003504

#### GERANIOL (106-24-1)

##### Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003176

# PURPLE THYME

## Safety Data Sheet

### Linalool (78-70-6)

#### Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003500

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Issue date : 15/03/2022

Full text of H-statements:

3.1C: Flam. Liq. 3	3.1C: Flammable liquids, Category 3
3.1D: Flam. Liq. 4	3.1D: Flammable liquids, Category 4
6.1D: Acute Tox. 4 (Oral)	6.1D: Acute toxicity (oral), Category 4
6.1E: Acute Tox. 5 (Dermal)	6.1E: Acute toxicity (dermal), Category 5
6.1E: Acute Tox. 5 (Oral)	6.1E: Acute toxicity (oral), Category 5
6.1E: Asp. Tox. 1	6.1E: Aspiration hazard, Category 1
6.3A: Skin Irrit. 2	6.3A: Skin corrosion/irritation, Category 2
6.3B: Skin Irrit. 3	6.3B: Skin corrosion/irritation, Category 3
6.4A: Eye Irrit. 2	6.4A: Serious eye damage/eye irritation, Category 2
6.5B: Skin Sens. 1	6.5B: Skin sensitisation, Category 1
8.3A: Eye Dam. 1	8.3A: Serious eye damage/eye irritation, Category 1
9.1A: Aquatic Acute 1	9.1A: Hazardous to the aquatic environment — Acute Hazard, Category 1
9.1A: Aquatic Chronic 1	9.1A: Hazardous to the aquatic environment — Chronic Hazard, Category 1
9.1B: Aquatic Chronic 2	9.1B: Hazardous to the aquatic environment — Chronic Hazard, Category 2
9.1C: Aquatic Chronic 3	9.1C: Hazardous to the aquatic environment — Chronic Hazard, Category 3
9.1D: Aquatic Acute 2	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 2
9.1D: Aquatic Acute 3	9.1D: Hazardous to the aquatic environment — Acute Hazard, Category 3
Acute Tox. Not classified (Dermal)	Acute toxicity (dermal) Not classified
Acute Tox. Not classified (Oral)	Acute toxicity (oral) Not classified
Flam. Liq. Not classified	Flammable liquids Not classified
STOT RE Not classified	Specific target organ toxicity (repeated exposure) Not classified
H226	Flammable liquid and vapour.
H227	Combustible liquid
H302	Harmful if swallowed.
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways.
H313	May be harmful in contact with skin
H315	Causes skin irritation.
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.



# PURPLE THYME

## Safety Data Sheet

H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS New Zealand

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*