

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 03/02/2020 Version: 1.0

#### **SECTION 1: Identification**

#### 1.1. Identification

Product form : Mixture
Product name : SWEET PEA
Product code : Sweet Pea

#### 1.2. Recommended use and restrictions on use

No additional information available

#### 1.3. Supplier

Voyageur Soap & Candle Company Ltd. 14 - 19257 Enterprise Way Surrey, B.C. - Canada T 800-758-7773

#### 1.4. Emergency telephone number

Emergency number : INFOTRAC (US & Canada) 1-800-535-5053 | (International) 1-352-323-3500

#### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2

Skin sensitization, Category 1

H315 Causes skin irritation H319 Causes serious eye irritation

H317 May cause an allergic skin reaction

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning

Hazard statements (GHS US) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

Precautionary statements (GHS US) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P332+P313 - If skin irritation occurs: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse. P363 - Wash contaminated clothing before reuse.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

## 2.3. Other hazards which do not result in classification

No additional information available

# 2.4. Unknown acute toxicity (GHS US)

Not applicable

03/02/2020 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification	
BENZYL BENZOATE	(CAS-No.) 120-51-4	10 - 30	Acute Tox. 4 (Oral), H302	
LINALYL ACETATE	(CAS-No.) 115-95-7	5 - 10	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317	
Linalool	(CAS-No.) 78-70-6	5 - 10	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317	
FLOROL	(CAS-No.) 63500-71-0	1 - 5	Eye Irrit. 2, H319	
HEXYL SALICYLATE	(CAS-No.) 6259-76-3	1 - 5	Skin Irrit. 2, H315 Skin Sens. 1, H317	
ALPHA-ISOMETHYL IONONE	(CAS-No.) 127-51-5	1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317	
CITRONELLOL	(CAS-No.) 106-22-9	1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317	
CYCLAMEN ALDEHYDE	(CAS-No.) 103-95-7	1 - 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Skin Sens. 1B, H317	
HYDROXY CITRONELLAL	(CAS-No.) 107-75-5	1 - 5	Eye Irrit. 2, H319 Skin Sens. 1B, H317	
BENZYL SALICYLATE	(CAS-No.) 118-58-1	1 - 5	Eye Irrit. 2, H319 Skin Sens. 1B, H317	
ALLYL CYCLO HEXYL PROPIONATE	(CAS-No.) 2705-87-5	< 0.5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1, H317	
DAMASCONE DELTA	(CAS-No.) 57378-68-4	< 0.5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1A, H317	

Full text of hazard classes and H-statements : see section 16

# **SECTION 4: First-aid measures**

# 4.1. Description of first aid measures

No additional information available

## 4.2. Most important symptoms and effects (acute and delayed)

No additional information available

# 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

# **SECTION 5: Fire-fighting measures**

# 5.1. Suitable (and unsuitable) extinguishing media

No additional information available

## 5.2. Specific hazards arising from the chemical

No additional information available

# 5.3. Special protective equipment and precautions for fire-fighters

No additional information available

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

03/02/2020 EN (English US) 2/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 6.2. Environmental precautions

No additional information available

#### 6.3. Methods and material for containment and cleaning up

No additional information available

#### 6.4. Reference to other sections

No additional information available

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

No additional information available

# 7.2. Conditions for safe storage, including any incompatibilities

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **CYCLAMEN ALDEHYDE (103-95-7)**

Not applicable

#### **HYDROXY CITRONELLAL (107-75-5)**

Not applicable

#### **BENZYL BENZOATE (120-51-4)**

Not applicable

#### FLOROL (63500-71-0)

Not applicable

## **ALLYL CYCLO HEXYL PROPIONATE (2705-87-5)**

Not applicable

#### **BENZYL SALICYLATE (118-58-1)**

Not applicable

## **CITRONELLOL (106-22-9)**

Not applicable

#### **DAMASCONE DELTA (57378-68-4)**

Not applicable

# **HEXYL SALICYLATE (6259-76-3)**

Not applicable

#### Linalool (78-70-6)

Not applicable

## LINALYL ACETATE (115-95-7)

Not applicable

#### **METHYL IONONE GAMMA (127-51-5)**

Not applicable

## 8.2. Appropriate engineering controls

No additional information available

# 8.3. Individual protection measures/Personal protective equipment

No additional information available

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

03/02/2020 EN (English US) 3/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Color : Mixture contains one or more component(s) which have the following colour(s):

Colourless to light yellow Colourless White Light yellow Light yellow to colourless On exposure

to air: yellow-brown

Odor : There may be no odour warning properties, odour is subjective and inadequate to warn of

overexposure.

Mixture contains one or more component(s) which have the following odour:

Floral odour Almost odourless Alcohol odour Sweet odour Strong odour Characteristic odour

Mild odour Pleasant odour Aromatic odour Fruity odour Almond odour

Odor threshold : No data available pH : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point : > 100 °C

Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) : No data available : No data available Vapor pressure Relative vapor density at 20 °C No data available Relative density : No data available Solubility No data available Log Pow No data available Auto-ignition temperature : No data available Decomposition temperature No data available Viscosity, kinematic : No data available No data available Viscosity, dynamic **Explosion limits** No data available Explosive properties No data available No data available Oxidizing properties

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

No additional information available

#### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

No additional information available

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

## CYCLAMEN ALDEHYDE (103-95-7)

ATE US (oral) 3810 mg/kg body weight

03/02/2020 EN (English US) 4/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HYDROXY CITRONELLAL (107-75-5)	
LD50 oral rat	> 6400 mg/kg body weight (Equivalent or similar to OECD 401, 7 day(s), Rat, Male / female, Experimental value, Oral, 7 day(s))
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Experimental value, Dermal, 14 day(s))
BENZYL BENZOATE (120-51-4)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)
ATE US (oral)	1500 mg/kg body weight
ATE US (dermal)	4000 mg/kg body weight
ALLYL CYCLO HEXYL PROPIONATE (27	705-87-5)
ATE US (oral)	480 mg/kg body weight
ATE US (dermal)	1600 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
BENZYL SALICYLATE (118-58-1)	
LD50 oral rat	3031 - 3339 mg/kg body weight (EU Method B.1: Acute Toxicity (Oral), Rat, Male/female, Read-across, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg body weight (EU Method B.3: Acute toxicity (dermal), 24 h, Rabbit, Male/female, Read-across, Dermal, 14 day(s))
ATE US (oral)	2200 mg/kg body weight
CITRONELLOL (106-22-9)	
ATE US (oral)	3450 mg/kg body weight
ATE US (dermal)	2650 mg/kg body weight
DAMASCONE DELTA (57378-68-4)	
ATE US (oral)	1400 mg/kg body weight
Linalool (78-70-6)	
LD50 oral rat	2790 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	5610 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Carcinogenicity	. Not diassified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

Linalool (78-70-6)	
NOAEL (dermal,rat/rabbit,90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Aspiration hazard :	Not classified

03/02/2020 EN (English US) 5/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Viscosity, kinematic : No data available

# **SECTION 12: Ecological information**

# 12.1. Toxicity

HYDROXY CITRONELLAL (107-75-5)	
LC50 fish 1	31.6 mg/l (DIN 38412: German standard methods for the examination of water, waste water and sludge, 96 h, Leuciscus idus, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 Daphnia 1	410 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 (algae)	123.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
BENZYL BENZOATE (120-51-4)	
LC50 fish 1	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
BENZYL SALICYLATE (118-58-1)	
LC50 fish 1	1.03 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	1.16 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
Linalool (78-70-6)	
LC50 fish 1	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
LINALYL ACETATE (115-95-7)	
LC50 fish 1	11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio)
EC50 Daphnia 1	15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna)

# 12.2. Persistence and degradability

12.2. Persistence and degradability	
CYCLAMEN ALDEHYDE (103-95-7)	
Persistence and degradability	Biodegradability in water: no data available.
HYDROXY CITRONELLAL (107-75-5)	
Persistence and degradability	Readily biodegradable in water.
BENZYL BENZOATE (120-51-4)	
Persistence and degradability	Readily biodegradable in water.
FLOROL (63500-71-0)	
Persistence and degradability	Biodegradability in water: no data available.
BENZYL SALICYLATE (118-58-1)	
Persistence and degradability	Readily biodegradable in water.
CITRONELLOL (106-22-9)	
Persistence and degradability	Readily biodegradable in water.
Chemical oxygen demand (COD)	2.05 g O₂/g substance
ThOD	2.961 g O <sub>2</sub> /g substance
Linalool (78-70-6)	
Persistence and degradability	Readily biodegradable in water.
LINALYL ACETATE (115-95-7)	
Persistence and degradability	Readily biodegradable in water.

03/02/2020 EN (English US) 6/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# 12.3. Bioaccumulative potential

CYCLAMEN ALDEHYDE (103-95-7)	
Log Kow	≈ 3.91
Bioaccumulative potential	No bioaccumulation data available.
HYDROXY CITRONELLAL (107-75-5)	
BCF fish 1	11.52 l/kg (BCFBAF v3.01, Estimated value, Fresh weight)
Log Pow	1.68 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
BENZYL BENZOATE (120-51-4)	
BCF fish 1	2.286 (BCFBAF v3.00, Pisces, QSAR)
Log Pow	3.97 (Experimental value, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
FLOROL (63500-71-0)	
Bioaccumulative potential	No bioaccumulation data available.
BENZYL SALICYLATE (118-58-1)	
BCF fish 1	1170 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Danio rerio, Flow-through system, Fresh water, Read-across, GLP)
Log Pow	4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).
CITRONELLOL (106-22-9)	
Log Pow	3.41 - 3.91
Linalool (78-70-6)	
Log Pow	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
LINALYL ACETATE (115-95-7)	
Log Pow	3.93 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

# 12.4. Mobility in soil

HYDROXY CITRONELLAL (107-75-5)	
Log Koc	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.
BENZYL BENZOATE (120-51-4)	
Surface tension	0.027 N/m (210 °C)
Log Koc	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for mobility in soil.
FLOROL (63500-71-0)	
Ecology - soil	No (test)data on mobility of the substance available.
BENZYL SALICYLATE (118-58-1)	
Surface tension	69 mN/m (20 °C, 0.004 g/l, EU Method A.5: Surface tension)
Log Koc	3.75 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for mobility in soil.
Linalool (78-70-6)	
Surface tension	8.3 mN/m (20 °C, ISO 9101: Surface active agents - Determination of interfacial tension)
Ecology - soil	No (test)data on mobility of the substance available.
LINALYL ACETATE (115-95-7)	
Ecology - soil	Adsorbs into the soil.

03/02/2020 EN (English US) 7/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.5. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

13.1. Disposal methods

No additional information available

## **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT

Transport document description : UN3082 Environmentally hazardous substances, liquid, n.o.s. (BENZYL BENZOATE (120-51-

4); 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA[G]-2-BENZOPYRAN

(1222-05-5)), 9, III

UN-No.(DOT) : UN3082

Proper Shipping Name (DOT) : Environmentally hazardous substances, liquid, n.o.s.

BENZYL BENZOATE (120-51-4); 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-

HEXAMETHYLCYCLOPENTA[G]-2-BENZOPYRAN (1222-05-5)

Class (DOT) : 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140

Packing group (DOT) : III - Minor Danger

Hazard labels (DOT) : 9 - Class 9 (Miscellaneous dangerous materials)



DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx)

**DOT Symbols** 

DOT Special Provisions (49 CFR 172.102)

: 203

: 241

: G - Identifies PSN requiring a technical name

: 8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies.

146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination.

173 - An appropriate generic entry may be used for this material.

335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T4 - 2.65 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 155

03/02/2020 EN (English US) 8/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Passenger aircraft/rail : No limit

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : No limit

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Emergency Response Guide (ERG) Number : 171

Other information : No supplementary information available.

#### **Transportation of Dangerous Goods**

Not applicable

#### Transport by sea

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL

BENZOATE (120-51-4); 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-

HEXAMETHYLCYCLOPENTA[G]-2-BENZOPYRAN (1222-05-5) ), 9, III

UN-No. (IMDG) : 3082

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Class (IMDG) : 9 - Miscellaneous dangerous substances and articles

Packing group (IMDG) : III - substances presenting low danger

Limited quantities (IMDG) : 5 L

#### Air transport

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (BENZYL BENZOATE (120-51-4)

; 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLCYCLOPENTA[G]-2-BENZOPYRAN

(1222-05-5)), 9, III

UN-No. (IATA) : 3082

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Class (IATA) : 9 - Miscellaneous Dangerous Goods

Packing group (IATA) : III - Minor Danger

# **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

## 15.2. International regulations

## CANADA

## **CYCLAMEN ALDEHYDE (103-95-7)**

Listed on the Canadian DSL (Domestic Substances List)

#### **HYDROXY CITRONELLAL (107-75-5)**

Listed on the Canadian DSL (Domestic Substances List)

#### **BENZYL BENZOATE (120-51-4)**

Listed on the Canadian DSL (Domestic Substances List)

03/02/2020 EN (English US) 9/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### FLOROL (63500-71-0)

Listed on the Canadian DSL (Domestic Substances List)

#### **ALLYL CYCLO HEXYL PROPIONATE (2705-87-5)**

Listed on the Canadian DSL (Domestic Substances List)

#### **BENZYL SALICYLATE (118-58-1)**

Listed on the Canadian DSL (Domestic Substances List)

#### **CITRONELLOL (106-22-9)**

Listed on the Canadian DSL (Domestic Substances List)

# **DAMASCONE DELTA (57378-68-4)**

Listed on the Canadian DSL (Domestic Substances List)

#### **HEXYL SALICYLATE (6259-76-3)**

Listed on the Canadian DSL (Domestic Substances List)

#### Linalool (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

# **LINALYL ACETATE (115-95-7)**

Listed on the Canadian DSL (Domestic Substances List)

# **METHYL IONONE GAMMA (127-51-5)**

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

No additional information available

## **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Full text of H-phrases:

tox of 11 philades.	
H227	Combustible liquid
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled

#### SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

03/02/2020 EN (English US) 10/10