

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 04/30/2019 Version: 2.0

#### **SECTION 1: Identification**

#### 1.1. Identification

Product form : Mixture

Product name : Bubble Gum Fragrance Oil

CAS-No. : MIXTURE Product code : #10045

#### 1.2. Recommended use and restrictions on use

No additional information available

#### 1.3. Supplier

Voyageur Soap & Candle Co. LTD Unit 14 - 19257 Enterprise Way, Surrey, B.C., V3S 6J8 1(800) 758-7773 www.voyageursoapandcandle.com

#### 1.4. Emergency telephone number

Emergency number : INFOTRAC (US & Canada) 1-800-535-5053 | (International) 1-352-323-3500

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS-US** classification

Flammable liquids Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2

Skin sensitization, Category 1

Full text of H statements : see section 16

H226 Flammable liquid and vapour

H315 Causes skin irritation

H319 Causes serious eye irritation

H317 May cause an allergic skin reaction

#### 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)





Signal word (GHS US) : Warning

Hazard statements (GHS US) : H226 - Flammable liquid and vapour

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/lighting equipment

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing must not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - If on skin: Wash with plenty of water

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P321 - Specific treatment (see supplemental first aid instruction on this label)

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

04/30/2019 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P362+P364 - Take off contaminated clothing and wash it before reuse.

P363 - Wash contaminated clothing before reuse.

P370+P378 - In case of fire: Use media other than water to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
METHYL SALICYLATE	(CAS-No.) 119-36-8	10 - 30	Acute Tox. 4 (Oral), H302
ORANGE TERPS	(CAS-No.) 68647-72-3	10 - 30	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
CINNAMIC ALDEHYDE	(CAS-No.) 104-55-2	10 - 30	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317
VANILLIN	(CAS-No.) 121-33-5	1 - 5	Eye Irrit. 2, H319
BENZALDEHYDE USP	(CAS-No.) 100-52-7	1 - 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2, H319 STOT SE 3, H335
ETHYL ACETATE	(CAS-No.) 141-78-6	1 - 5	Flam. Liq. 1, H224 Eye Irrit. 2, H319 STOT SE 3, H336
EUGENOL	(CAS-No.) 97-53-0	1 - 5	Eye Irrit. 2, H319 Skin Sens. 1B, H317
ALLYL CAPROATE / ALLYL HEXANOATE	(CAS-No.) 123-68-2	1 - 5	Flam. Liq. 4, H227 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 2 (Inhalation:dust,mist), H330

Full text of hazard classes and H-statements : see section 16

# **SECTION 4: First-aid measures**

First-aid measures after eye contact

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Wash skin with plenty of water. Take off contaminated clothing.

Remove/Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

action attention. I skill initiation of rash booking. Set initiation actions attention.

Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists:

Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

04/30/2019 EN (English US) 2/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapour.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin

and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid

breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### **ALLYL CAPROATE / ALLYL HEXANOATE (123-68-2)**

Not applicable

#### **BENZALDEHYDE USP (100-52-7)**

Not applicable

# **CINNAMIC ALDEHYDE (104-55-2)**

Not applicable

ETHYL ACETATE (141-78-6)		
ACGIH	Local name	Ethyl acetate
ACGIH	ACGIH TWA (ppm)	400 ppm
ACGIH	Remark (ACGIH)	TLV® Basis: LIRT & eve irr

04/30/2019 EN (English US) 3/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ETHYL ACETATE	(141-78-6)	
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m³)	1400 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	400 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
EUGENOL (97-53-0)		

Not applicable

#### **METHYL SALICYLATE (119-36-8)**

Not applicable

#### **ORANGE TERPS (68647-72-3)**

Not applicable

#### **VANILLIN (121-33-5)**

Not applicable

## 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

## Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Mixture contains one or more component(s) which have the following colour(s):

Liquid: colourless Solid: white to brown Colourless White Colourless to light yellow Light yellow to colourless On exposure to air: yellow-brown White to light yellow On exposure to light:

discolours

Odor : There may be no odour warning properties, odour is subjective and inadequate to warn of

overexposure.

Mixture contains one or more component(s) which have the following odour:

Sweet odour Almond odour Floral odour Irritating/pungent odour Vinegar odour Mild odour

Pleasant odour Aromatic odour Fruity odour Strong odour

Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : 45.1 °C

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available

04/30/2019 EN (English US) 4/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density : No data available Solubility : No data available Log Pow No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion limits** : No data available Explosive properties : No data available Oxidizing properties : No data available

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Flammable liquid and vapour.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION** 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

ALLYL CAPROATE / ALLYL HEXANOATE (123-68-2)		
LD50 oral rat	218 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male/female, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	820 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Experimental value, Dermal, 14 day(s))	
LC50 inhalation rat (mg/l)	0.297 mg/l (1 - 8 h, Rat, Male, Experimental value, Inhalation (vapours), 10 day(s))	
ATE US (oral)	218 mg/kg body weight	
ATE US (dermal)	300 mg/kg body weight	
ATE US (gases)	700 ppmV/4h	
ATE US (vapors)	0.297 mg/l/4h	
ATE US (dust, mist)	0.297 mg/l/4h	
BENZALDEHYDE USP (100-52-7)		
LD50 oral rat	1300 mg/kg (Rat, Oral)	
LD50 dermal rat	> 1250 mg/kg (Rat, Dermal)	
LD50 dermal rabbit	5000 mg/kg (Rabbit, Dermal)	
ATE US (oral)	1300 mg/kg body weight	
ATE US (dermal)	1100 mg/kg body weight	
ATE US (gases)	4500 ppmV/4h	
ATE US (vapors)	11 mg/l/4h	
ATE US (dust, mist)	1.5 mg/l/4h	

04/30/2019 EN (English US) 5/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3 ·- · · · · · 3 · · · · · · · · ·		
CINNAMIC ALDEHYDE (104-55-2)		
ATE US (oral)	2500 mg/kg body weight	
ATE US (dermal)	1100 mg/kg body weight	
EUGENOL (97-53-0)		
ATE US (oral)	2300 mg/kg body weight	
METHYL SALICYLATE (119-36-8)		
ATE US (oral)	890 mg/kg body weight	
VANILLIN (121-33-5)		
LD50 oral rat	3300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))	
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))	
ATE US (oral)	3300 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
EUGENOL (97-53-0)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified	
Specific target organ toxicity – single exposure	: Not classified	
BENZALDEHYDE USP (100-52-7)		
Specific target organ toxicity – single exposure	May cause respiratory irritation.	
ETHYL ACETATE (141-78-6)		

Specific target organ toxicity – repeated

Specific target organ toxicity - single exposure

exposure

: Not classified

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

May cause drowsiness or dizziness.

ALLYL CAPROATE / ALLYL HEXANOATE (123-68-2)		
LC50 fish 1	0.117 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)	
EC50 Daphnia 1	2 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)	
ErC50 (algae)	> 4.6 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)	
BENZALDEHYDE USP (100-52-7)		
LC50 fish 1	11.2 mg/l (96 h, Salmo gairdneri, Flow-through system)	
EC50 Daphnia 1	50 mg/l (24 h, Daphnia magna)	

04/30/2019 EN (English US) 6/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

VANILLIN (121-33-5)	
LC50 fish 1	57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 Daphnia 1	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

#### 12.2. Persistence and degradability

ALLYL CAPROATE / ALLYL HEXANOATE (123-68-2)		
Persistence and degradability	Readily biodegradable in water.	
ThOD	2.05 g O₂/g substance	
BENZALDEHYDE USP (100-52-7)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	1.62 g O₂/g substance	
Chemical oxygen demand (COD)	1.98 g O₂/g substance	
ThOD	2.42 g O₂/g substance	
BOD (% of ThOD)	0.67	

VANILLIN (121-33-5)	
Persistence and degradability	Readily biodegradable in water.

# 12.3. Bioaccumulative potential

ALLYL CAPROATE / ALLYL HEXANOATE (123-68-2)		
BCF fish 1	59.2 - 102.3 I/kg (BCFBAF v3.01, Pisces, QSAR)	
Log Pow	3.191 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
BENZALDEHYDE USP (100-52-7)		
BCF other aquatic organisms 1	4.2 - 7.8 (Estimated value)	
Log Pow	1.48 (Experimental value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

VANILLIN (121-33-5)	
Log Pow	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

## 12.4. Mobility in soil

ALLYL CAPROATE / ALLYL HEXANOATE (123-68-2)		
Ecology - soil	No (test)data on mobility of the substance available.	
BENZALDEHYDE USP (100-52-7)		
Surface tension	0.04 N/m (20 °C)	

VANILLIN (121-33-5)	
Log Koc	3.438 (log Koc, Experimental value)
Ecology - soil	Low potential for mobility in soil.

#### 12.5. Other adverse effects

No additional information available

04/30/2019 EN (English US) 7/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### SECTION 13: Disposal considerations

**Disposal methods** 

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapors may accumulate in the container.

# **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT

Transport document description : UN1169 Extracts, aromatic, liquid, 3, III

UN-No.(DOT) : UN1169

Proper Shipping Name (DOT) : Extracts, aromatic, liquid

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Packing group (DOT) : III - Minor Danger Hazard labels (DOT) : 3 - Flammable liquid



: 203 DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) : 242

DOT Special Provisions (49 CFR 172.102) : B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the

bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this

subchapter are applicable.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table

2 for UN2672).

T2 - 1.5 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

**DOT Vessel Stowage Location** 

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Emergency Response Guide (ERG) Number

Other information

: No supplementary information available.

#### **Transportation of Dangerous Goods**

Not applicable

### Transport by sea

: UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III Transport document description (IMDG)

UN-No. (IMDG)

Proper Shipping Name (IMDG) : EXTRACTS, AROMATIC, LIQUID

Class (IMDG) : 3 - Flammable liquids

Packing group (IMDG) : III - substances presenting low danger

Limited quantities (IMDG) : 5 L

#### Air transport

Transport document description (IATA) : UN 1169 Extracts, aromatic, liquid, 3, III

04/30/2019 EN (English US) 8/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

UN-No. (IATA) : 1169

Proper Shipping Name (IATA) : Extracts, aromatic, liquid Class (IATA) : 3 - Flammable Liquids Packing group (IATA) : III - Minor Danger

# **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

ETHYL ACETATE (141-78-6)	
CERCLA RQ	5000 lb

#### 15.2. International regulations

#### **CANADA**

#### ALLYL CAPROATE / ALLYL HEXANOATE (123-68-2)

Listed on the Canadian DSL (Domestic Substances List)

# **BENZALDEHYDE USP (100-52-7)**

Listed on the Canadian DSL (Domestic Substances List)

#### **CINNAMIC ALDEHYDE (104-55-2)**

Listed on the Canadian DSL (Domestic Substances List)

### ETHYL ACETATE (141-78-6)

Listed on the Canadian DSL (Domestic Substances List)

#### **EUGENOL (97-53-0)**

Listed on the Canadian DSL (Domestic Substances List)

### **METHYL SALICYLATE (119-36-8)**

Listed on the Canadian DSL (Domestic Substances List)

#### **ORANGE TERPS (68647-72-3)**

Listed on the Canadian DSL (Domestic Substances List)

#### VANILLIN (121-33-5)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

04/30/2019 EN (English US) 9/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Full text of H-phrases:

Extremely flammable liquid and vapour
Flammable liquid and vapour
Combustible liquid
Toxic if swallowed
Harmful if swallowed
May be fatal if swallowed and enters airways
Toxic in contact with skin
Harmful in contact with skin
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation
Fatal if inhaled
Toxic if inhaled
Harmful if inhaled
May cause respiratory irritation
May cause drowsiness or dizziness

The information and recommendations contained herein are based on current available data and knowledge and are believed to be accurate and given in good faith. Voyageur Soap & Candle Co. LTD and its subsidiaries however assume no liability and make no warranty, either express or implied, pertaining to the accuracy or completeness of the information contained herein including in regards to fitness and merchantability. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release, and therefore should not be construed as guaranteeing any specific property of the product. This information relates only to the specific designated material and may not be valid for such material used in combination with any other material or process not specified in the text. Final determination of suitability of any material is the sole responsibility of the user. Users should therefore consider this data only as a supplement to other information available from all other sources, and should incorporate this information into programs for the proper use and disposal of their materials and the health and safety of employees and customers.

04/30/2019 EN (English US) 10/10