

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 03/27/2020 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: COFFEE CAKE & SPICE
CAS-No.	: MIXTURE
Product code	: #10131
1.2. Recommended use and restriction	is on use
No additional information available	
1.3. Supplier	
Voyageur Soap & Candle Company Ltd. 14 - 19257 Enterprise Way Surrey, B.C Canada T 800-758-7773	
1.4. Emergency telephone number	
Emergency number	: INFOTRAC (US & Canada) 1-800-535-5053 (International) 1-352-323-3500
SECTION 2: Horord(a) identification	
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or	
	mixture
GHS US classification	
Acute toxicity (oral) Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Skin sensitization, Category 1	 H302 Harmful if swallowed H315 Causes skin irritation H319 Causes serious eye irritation H317 May cause an allergic skin reaction
Full text of H statements : see section 16	
2.2. GHS Label elements, including pre	ecautionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Warning
Hazard statements (GHS US)	: H302 - Harmful if swallowed H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation
Precautionary statements (GHS US)	 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell. P302+P352 - If on skin: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment (see supplemental first aid instruction on this label). P330 - Rinse mouth. P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3.	Other	hazards	which	do not	result	in classi	fication
------	-------	---------	-------	--------	--------	-----------	----------

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
BENZYL BENZOATE	(CAS-No.) 120-51-4	30 - 70	Acute Tox. 4 (Oral), H302
CINNAMIC ALDEHYDE	(CAS-No.) 104-55-2	10 - 30	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317
COUMARIN	(CAS-No.) 91-64-5	1 - 5	Acute Tox. 3 (Oral), H301 Skin Sens. 1B, H317
VANILLIN	(CAS-No.) 121-33-5	1 - 5	Eye Irrit. 2, H319
ETHYL VANILLIN	(CAS-No.) 121-32-4	1 - 5	Eye Irrit. 2, H319
ETHYL MALTOL	(CAS-No.) 4940-11-8	1 - 5	Acute Tox. 4 (Oral), H302
HELIOTROPIN	(CAS-No.) 120-57-0	1 - 5	Skin Sens. 1B, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effect	ts (acute and delayed)
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
4.3. Immediate medical attention and sp	ecial treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguish	ing media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5 5	
5.2. Specific hazards arising from the ch No additional information available	lettica
5.3. Special protective equipment and p	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
03/27/2020	EN (English US) 2/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8 8 9	
6.2. Environmental precaution	S
Avoid release to the environment.	
6.3. Methods and material for o	containment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other section	15
For further information refer to section	13.
SECTION 7: Handling and st	orage
7.1. Precautions for safe hand	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storag	je, including any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool.
SECTION 8: Exposure contro 8.1. Control parameters	bls/personal protection
BENZYL BENZOATE (120-51-4)	
Not applicable	
CINNAMIC ALDEHYDE (104-55-2)	
Not applicable	
COUMARIN (91-64-5)	
Not applicable	
ETHYL MALTOL (4940-11-8)	
Not applicable	
ETHYL VANILLIN (121-32-4)	
Not applicable	
HELIOTROPIN (120-57-0)	
Not applicable	

8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good
 - : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday			
SECTION 9: Physical and chemical			
9.1. Information on basic physical and			
Physical state	: Liquid		
Color	Mixture contains one or more component(s) which have the following colour(s): Colourless Light yellow to colourless On exposure to air: yellow-brown Colourless to light yellow Yellow White White to off-white Colourless to white On exposure to light: turns yellow On exposure to air: turns yellow White to light yellow On exposure to light: discolours		
Odor	 There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Pine odour Almond odour Lemon odour Mild odour Characteristic odour Sweet odour Irritating/pungent odour Vinegar odour Pleasant odour Aromatic odour Floral odour 		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: Not applicable		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: > 100 °C		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: Not applicable.		
Vapor pressure	: No data available		
Relative vapor density at 20 °C	: No data available		
Relative density	: No data available		
Solubility	: No data available		
Log Pow	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
9.2. Other information			
No additional information available			
SECTION 10: Stability and reactivity			
10.1. Reactivity			
The product is non-reactive under normal conditions of use, storage and transport.			
10.2. Chemical stability			
Stable under normal conditions.			
10.3. Possibility of hazardous reactions			
No dangerous reactions known under normal conditions of use.			
10.4. Conditions to avoid			
None under recommended storage and handling conditions (see section 7).			
_			
No additional information available	10.5. Incompatible materials No additional information available Incompatible materials		
10.6. Hazardous decomposition product			
Under normal conditions of storage and use, hazardous decomposition products should not be produced.			
SECTION 11: Toxicological informa	tion		
11.1. Information on toxicological effects			
Acute toxicity (oral)	: Harmful if swallowed.		
Acute toxicity (dermal)	: Not classified		
,			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute toxicity (inhalation)	: Not classified		
ATE US (oral)	1480.997 mg/kg body weight		
BENZYL BENZOATE (120-51-4)			
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental		
	value, Oral, 14 day(s))		
LD50 dermal rabbit	> 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)		
ATE US (oral)	1500 mg/kg body weight		
ATE US (dermal)	4000 mg/kg body weight		
CINNAMIC ALDEHYDE (104-55-2)			
ATE US (oral)	2500 mg/kg body weight		
ATE US (dermal)	1100 mg/kg body weight		
COUMARIN (91-64-5)			
LD50 oral rat	293 mg/kg body weight (Rat, Male / female, Experimental value, Oral)		
ATE US (oral)	293 mg/kg body weight		
ETHYL MALTOL (4940-11-8)			
LD50 oral rat	1150 mg/kg (Rat, Oral)		
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Dermal)		
ATE US (oral)	1150 mg/kg body weight		
ETHYL VANILLIN (121-32-4)			
LD50 oral rat	> 3160 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))		
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))		
ATE US (oral)	3000 mg/kg body weight		
HELIOTROPIN (120-57-0)			
LD50 oral rat	2700 mg/kg (Rat, Oral)		
LD50 dermal rat	> 5000 mg/kg (Rat, Dermal)		
ATE US (oral)	2700 mg/kg body weight		
VANILLIN (121-33-5)			
LD50 oral rat	3300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))		
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))		
ATE US (oral)	3300 mg/kg body weight		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitization	: May cause an allergic skin reaction.		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
COUMARIN (91-64-5)			
IARC group	3 - Not classifiable		
Poproductivo toxicity	: Not classified		
Reproductive toxicity			
STOT-single exposure	: Not classified		
STOT-repeated exposure	: Not classified		
Aspiration hazard	: Not classified		
Viscosity, kinematic	: No data available		
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.		
Symptoms/effects after eye contact	: Eye irritation.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

adverse perimental na, Static value, GLP)
perimental na, Static
na, Static
na, Static
value, GLP)
value, GLP)
value, GLP)
nrough
gna, Static
apitata,
ough
gna, Static
apitata,

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ETHYL VANILLIN (121-32-4)		
1.58 (Experimental value, Equivalent or similar to OECD 107, 25 °C)		
Low potential for bioaccumulation (Log Kow < 4).		
1.05		
Low potential for bioaccumulation (Log Kow < 4).		
1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)		
Low potential for bioaccumulation (Log Kow < 4).		

12.4. Mobility in soil

BENZYL BENZOATE (120-51-4)		
Surface tension	0.027 N/m (210 °C)	
Log Koc	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)	
Ecology - soil	Low potential for mobility in soil.	
COUMARIN (91-64-5)		
Log Koc	1.63 (log Koc, QSAR)	
Ecology - soil	Highly mobile in soil.	
ETHYL VANILLIN (121-32-4)		
Log Koc	3.092 (log Koc, Equivalent or similar to OECD 106, Experimental value)	
Ecology - soil	Low potential for mobility in soil.	
VANILLIN (121-33-5)		
Log Koc	3.438 (log Koc, Experimental value)	
Ecology - soil	Low potential for mobility in soil.	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	IS
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT	
Transport document description	: UN3082 Environmentally hazardous substances, liquid, n.o.s. (Benzyl benzoate), 9, III
UN-No.(DOT)	: UN3082
Proper Shipping Name (DOT)	: Environmentally hazardous substances, liquid, n.o.s.
	Benzyl benzoate
Class (DOT)	: 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140
Packing group (DOT)	: III - Minor Danger
Hazard labels (DOT)	: 9 - Class 9 (Miscellaneous dangerous materials)
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Synchols DOT Synchols DOT Special Provisions (49 CFR 172.102) BOT Provisions (49 CFR 172.102) BOT Provisions (49 CFR 172.102) BOT Provisions (49 CFR 173.002) BOT Provisions Cargo arcraft (49) (49) Not limit (40 CFR 173.002) BOT Provisions (49 CFR 173.002) BOT Provisions (49 CFR 173.002) BOT Provisions Cargo arcraft (49) (49) BOT Provisions Provisions Cargo arcraft (49) (49) BOT Provisions Provisions Cargo arcraft (49) (49) BOT Provisions Provisions Provisions Provisio	according to Federal Register / Vol. 77, No. 58 / Monday,	
adecorption "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid material, special provision B44 applies. 146 - This description may be used for a material that poses a hazard to the environment but desing the definition for a hazardous substance, as defined in 171.8 of this subchapter, if it is unchapter, or any hazard class as defined in Part 173 of this subchapter, if it is subchapter and its desination. 1773 - An appropriate generic entry may be used for this material. 355 - Mixtures of solids that are not subclet to this subchapter and environmentally hazardous liquids or solids that are not subclet to this usubchapter. 173 - An appropriate generic entry may be used for this material. 355 - Mixtures of solids that are not subclet to this updackaging. 173 - An appropriate generic entry may be used for this material. 173 - An appropriate generic entry may be used for this material. 174 - 26 Solids that are not used to this the packaging or transport unit is closed. Each transport unit material is loaded or at the time the packaging or transport and material. 174 - 26 Solids that are not used to this material. 175 - The material solide or at the solids to this ensure of the antional terms of the instance of the antional terms of the material. 176 - 177 - The material terms of the description (MoSc2 (also see Special Provision P8 in Table 2 for UM272 (3)). 174 - 26 S (78 274(d)(2) Normal	DOT Symbols	: G - Identifies PSN requiring a technical name
transit or destination.173 - An appropriate generic entry may be used for this material.335 - Mixtures of solids that are not subject to this suchapter and environmentally hazardousinquist or solids may be dassified as "Environmentally hazardous substances, solid, no.s."UN3077 and may be transported under this entry, provided there is no free liquid visible at theinter the material is loaded or the time the material.183 - Autinorized IBCs: Metal (31, 31B ad 31M), Right plastics (31H ad 31H2); Composite(31H21 and 31HA2,	DOT Special Provisions (49 CFR 172.102)	 description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies. 146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is
during transport, and ti is the temperature in degrees celsius of the liquid during filling, in the special set in degrees celsius of the liquid during filling, in the special set is the		 173 - An appropriate generic entry may be used for this material. 335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31H21 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal
DOT Quantity Limitations Passenger aircraft/rail : No limit (49 CFR 173.27) : No limit DOT Quantity Limitations Cargo aircraft only (49) : No limit CFR 175.75) : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. Emergency Response Guide (ERG) Number : 171 Other information : No supplementary information available. Transportation of Dangerous Goods . Not applicable . Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III UN-No. (IMDG) : 3082 Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Class (IMDG) : 9 - Miscellaneous dangerous substances and articles Packing group (IMDG) : 11 - substances presenting low danger Limited quantities (IMDG) : 5 L Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, III UN-No. (IATA) : 3082 Proper Shipping Name (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, III Proper Shipping Name (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s.		during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the
(49 CFR 173.27)DOT Quantity Limitations Cargo aircraft only (49): No limitCFR 175.75): A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.Emergency Response Guide (ERG) Number: 171Other information: No supplementary information available.Transportation of Dangerous Goods:Not applicable:Transport by sea:Transport document description (IMDG): UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, IIIUN-No. (IMDG): 3082Proper Shipping Name (IMDG): ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.Class (IMDG): 9 - Miscellaneous dangerous substances and articlesPacking group (IMDG): 11 - substances presenting low dangerLimited quantities (IMDG): 5 LAir transport:Proper Shipping Name (IATA): UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, IIIUN-No. (IATA): 0.082Proper Shipping Name (IATA): 9 - Miscellaneous dangerous substance, liquid, n.o.s. (Benzyl benzoate), 9, IIIUN-No. (IATA): 0.082Proper Shipping Name (IATA): 0.082Proper Shipping Name (IATA): 0.082Proper Shipping Name (IATA): 9.082Proper Shipping Name (IATA): 0.082Proper Shipping Name (IATA): 9.082Proper Shipping Name (IATA): 9.082Proper Shipping Name (IATA): 9.082Proper Shipping Name (IATA): 9.082Proper Shipping Name (I		
CFR 175.75) ************************************		: No limit
passenger vessel.Emergency Response Guide (ERG) Number: 171Other information: No supplementary information available.Transportation of Dangerous GoodsNot applicableTransport by seaTransport document description (IMDG): UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, IIIUN-No. (IMDG): 3082Proper Shipping Name (IMDG): ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.Class (IMDG): 9 - Miscellaneous dangerous substances and articlesPacking group (IMDG): 1II - substances presenting low dangerLimited quantities (IMDG): 5 LAir transportTransport document description (IATA): UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, IIIUN-No. (IATA): 3082Proper Shipping Name (IATA): 9 - Miscellaneous dangerous substance, liquid, n.o.s. (Benzyl benzoate), 9, IIIUN-No. (IATA): 9 - 0000000000000000000000000000000000		: No limit
Other information : No supplementary information available. Transportation of Dangerous Goods Not applicable Transport by sea Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III UN-No. (IMDG) : 3082 Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Class (IMDG) : 9 - Miscellaneous dangerous substances and articles Packing group (IMDG) : 1II - substances presenting low danger Limited quantities (IMDG) : 5 L Air transport Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, III UN-No. (IATA) : 3082 Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. Class (IATA) : 9 - Miscellaneous Dangerous Goods	DOT Vessel Stowage Location	
Transportation of Dangerous Goods Not applicable Transport by sea Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III UN-No. (IMDG) : 3082 Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Class (IMDG) : 9 - Miscellaneous dangerous substances and articles Packing group (IMDG) : III - substances presenting low danger Limited quantities (IMDG) : 5 L Air transport Transport document description (IATA) UN-No. (IATA) : 3082 Proper Shipping Name (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. Class (IATA) : 9 - Miscellaneous Dangerous Goods		
Not applicable Transport by sea Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III UN-No. (IMDG) : 3082 Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Class (IMDG) : 9 - Miscellaneous dangerous substances and articles Packing group (IMDG) : 1II - substances presenting low danger Limited quantities (IMDG) : 5 L Air transport Transport document description (IATA) Typer Shipping Name (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, III UN-No. (IATA) : 3082 Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. Class (IATA) : 9 - Miscellaneous Dangerous Goods	Other information	: No supplementary information available.
Transport by sea Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III UN-No. (IMDG) : 3082 Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Class (IMDG) : 9 - Miscellaneous dangerous substances and articles Packing group (IMDG) : III - substances presenting low danger Limited quantities (IMDG) : 5 L Air transport Transport document description (IATA) UN-No. (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, III UN-No. (IATA) : 3082 Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. Class (IATA) : 9 - Miscellaneous Dangerous Goods		
Transport document description (IMDG):UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, IIIUN-No. (IMDG):3082Proper Shipping Name (IMDG):ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.Class (IMDG):9 - Miscellaneous dangerous substances and articlesPacking group (IMDG):III - substances presenting low dangerLimited quantities (IMDG):5 LAir transportTransport document description (IATA):UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, IIIUN-No. (IATA):3082Proper Shipping Name (IATA):Environmentally hazardous substance, liquid, n.o.s.Class (IATA):9 - Miscellaneous Dangerous Goods	Not applicable	
benzoate), 9, IIIUN-No. (IMDG): 3082Proper Shipping Name (IMDG): ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.Class (IMDG): 9 - Miscellaneous dangerous substances and articlesPacking group (IMDG): III - substances presenting low dangerLimited quantities (IMDG): 5 LAir transportTransport document description (IATA): UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, IIIUN-No. (IATA): 3082Proper Shipping Name (IATA): Environmentally hazardous substance, liquid, n.o.s.Class (IATA): 9 - Miscellaneous Dangerous Goods	Transport by sea	
Proper Shipping Name (IMDG): ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.Class (IMDG): 9 - Miscellaneous dangerous substances and articlesPacking group (IMDG): III - substances presenting low dangerLimited quantities (IMDG): 5 LAir transportTransport document description (IATA): UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, IIIUN-No. (IATA): 3082Proper Shipping Name (IATA): Environmentally hazardous substance, liquid, n.o.s.Class (IATA): 9 - Miscellaneous Dangerous Goods	Transport document description (IMDG)	
Class (IMDG): 9 - Miscellaneous dangerous substances and articlesPacking group (IMDG): III - substances presenting low dangerLimited quantities (IMDG): 5 LAir transportTransport document description (IATA): UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, IIIUN-No. (IATA): 3082Proper Shipping Name (IATA): Environmentally hazardous substance, liquid, n.o.s.Class (IATA): 9 - Miscellaneous Dangerous Goods		
Packing group (IMDG): III - substances presenting low dangerLimited quantities (IMDG): 5 LAir transportTransport document description (IATA): UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, IIIUN-No. (IATA): 3082Proper Shipping Name (IATA): Environmentally hazardous substance, liquid, n.o.s.Class (IATA): 9 - Miscellaneous Dangerous Goods		
Limited quantities (IMDG): 5 LAir transportTransport document description (IATA): UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, IIIUN-No. (IATA): 3082Proper Shipping Name (IATA): Environmentally hazardous substance, liquid, n.o.s.Class (IATA): 9 - Miscellaneous Dangerous Goods		-
Air transport Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, III UN-No. (IATA) : 3082 Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. Class (IATA) : 9 - Miscellaneous Dangerous Goods		
Transport document description (IATA): UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, IIIUN-No. (IATA): 3082Proper Shipping Name (IATA): Environmentally hazardous substance, liquid, n.o.s.Class (IATA): 9 - Miscellaneous Dangerous Goods		: 5L
UN-No. (IATA): 3082Proper Shipping Name (IATA): Environmentally hazardous substance, liquid, n.o.s.Class (IATA): 9 - Miscellaneous Dangerous Goods	Air transport	
Proper Shipping Name (IATA): Environmentally hazardous substance, liquid, n.o.s.Class (IATA): 9 - Miscellaneous Dangerous Goods		
Class (IATA) : 9 - Miscellaneous Dangerous Goods		
	i acking group (IATA)	

SECTION 15: Regulatory information

15.1. US Federal regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

BENZYL BENZOATE (120-51-4)	
Listed on the Canadian DSL (Domestic Substances List)	
CINNAMIC ALDEHYDE (104-55-2)	
Listed on the Canadian DSL (Domestic Substances List)	
COUMARIN (91-64-5)	
Listed on the Canadian DSL (Domestic Substances List)	
ETHYL MALTOL (4940-11-8)	
Listed on the Canadian DSL (Domestic Substances List)	
ETHYL VANILLIN (121-32-4)	
Listed on the Canadian DSL (Domestic Substances List)	
HELIOTROPIN (120-57-0)	
Listed on the Canadian DSL (Domestic Substances List)	
VANILLIN (121-33-5)	
Listed on the Canadian DSL (Domestic Substances List)	

EU-Regulations

No additional information available

National regulations

No additional information available

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

H301	Toxic if swallowed
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation

SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.