

OFOTION

HAPPY GIGGLES

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 04/13/2020 Version: 1.0

SECH	ON 1: Identification	
1.1.	Identification	
Product	form	: Mixture
Product	name	: HAPPY GIGGLES
Product	code	: #10005
1.2.	Recommended use and restrictions	on use
No addit	ional information available	
1.3.	Supplier	
14 - 192	ır Soap & Candle Company Ltd. 57 Enterprise Way 3.C Canada 8-7773	
1.4.	Emergency telephone number	
J	ncy number	: INFOTRAC (US & Canada) 1-800-535-5053 (International) 1-352-323-3500

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Skin sensitization_Category 1	H315 H319	Combustible liquid Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction
Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Carcinogenicity Category 2	H351	Suspected of causing cancer

Full text of H statements : see section 16

|--|

GHS US labeling

.

Hazard pictograms (GHS US)

Signal word (GHS US)	: Warning
Hazard statements (GHS US)	: H227 - Combustible liquid H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H351 - Suspected of causing cancer
Precautionary statements (GHS US)	 P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 - If exposed or concerned: Get medical advice/attention. P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use media other than water to extinguish. P403+P235 - Store in a well-ventilated place. Keep cool.
04/13/2020	EN (English LIS) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
HEXYL CINNAMIC ALDEHYDE	(CAS-No.) 101-86-0	30 - 70	Skin Sens. 1B, H317
LINALYL ACETATE	(CAS-No.) 115-95-7	10 - 30	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
d-Limonene	(CAS-No.) 5989-27-5	10 - 30	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Linalool	(CAS-No.) 78-70-6	5 - 10	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2- naphthalenyl)ethanone	(CAS-No.) 54464-57-2	1 - 5	Skin Irrit. 2, H315 Skin Sens. 1B, H317
BENZYL BENZOATE	(CAS-No.) 120-51-4	1 - 5	Acute Tox. 4 (Oral), H302
beta-Pinene	(CAS-No.) 127-91-3	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
p-Mentha-1,4-diene	(CAS-No.) 99-85-4	1 - 5	Flam. Liq. 3, H226 Asp. Tox. 1, H304
GERANIOL	(CAS-No.) 106-24-1	0.5 - 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Myrcene	(CAS-No.) 123-35-3	< 0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Carc. 2, H351 Asp. Tox. 1, H304
CITRAL	(CAS-No.) 5392-40-5	< 0.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effect	cts (acute and delayed)
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
4.3. Immediate medical attention and sp	pecial treatment, if necessary

Treat symptomatically.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol	. //, NO. 58 / Monday, M	arch 26, 2012 / Rules and Regulations	
SECTION 5: Fire-fight	ing measures		
5.1. Suitable (and uns	uitable) extinguishin	g media	
Suitable extinguishing media	:	Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Specific hazards a	arising from the che	mical	
Fire hazard	:	Combustible liquid.	
5.3. Special protective	equipment and pre	cautions for fire-fighters	
Protection during firefighting	:	Do not attempt to take action without s apparatus. Complete protective clothin	suitable protective equipment. Self-contained breathing ng.
SECTION 6: Accidenta	al release measu	ires	
6.1. Personal precauti	ons, protective equi	pment and emergency procedures	
6.1.1. For non-emergene	cy personnel		
Emergency procedures	:	Ventilate spillage area. No open flame and eyes. Avoid breathing dust/fume/g	es, no sparks, and no smoking. Avoid contact with skin gas/mist/vapours/spray.
6.1.2. For emergency re	sponders		
Protective equipment	:	Do not attempt to take action without s refer to section 8: "Exposure controls/	suitable protective equipment. For further information personal protection".
6.2. Environmental pro	ecautions		
Avoid release to the environn	nent.		
6.3. Methods and mate	erial for containment	t and cleaning up	
Methods for cleaning up	:	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.	
Other information	:	Dispose of materials or solid residues	at an authorized site.
6.4. Reference to othe	r sections		
For further information refer t	o section 13.		
SECTION 7: Handling	and storage		
7.1. Precautions for sa			
Precautions for safe handling		flames and other ignition sources. No	ation. Keep away from heat, hot surfaces, sparks, open smoking. Wear personal protective equipment. Obtain t handle until all safety precautions have been read and nd eyes. Avoid breathing
Hygiene measures :		Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for saf	ie storage, including	any incompatibilities	
Storage conditions	:	Store in a well-ventilated place. Keep	cool. Store locked up.
SECTION 8: Exposure	controle/porce	al protection	
SECTION 8. Exposure 8.1. Control parameter			
CITRAL (5392-40-5)			
ACGIH	Local name		Citral
ACGIH	ACGIH TWA (pp	m)	5 ppm (IFV - Inhalable fraction and vapor)
ACGIH	Remark (ACGIH)		TLV® Basis: Body weight eff; URT irr; eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen)
ACGIH	Regulatory refere	ence	ACGIH 2018

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Myrcene (123-35-3)
Not applicable
beta-Pinene (127-91-3)
Not applicable
GERANIOL (106-24-1)
Not applicable
HEXYL CINNAMIC ALDEHYDE (101-86-0)
Not applicable
ISO E SUPER (54464-57-2)
Not applicable
Linalool (78-70-6)
Not applicable
LINALYL ACETATE (115-95-7)
Not applicable
BENZYL BENZOATE (120-51-4)
Not applicable

8.2.	Appropriate engineering controls		
Approp	riate engineering controls	: Ensure good ventilation of the work station.	
Environ	mental exposure controls	: Avoid release to the environment.	

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and c	hemical properties
Physical state	: Liquid
Color	 Mixture contains one or more component(s) which have the following colour(s): Light yellow to colourless White On exposure to light: yellow Colourless to light yellow Colourless
Odor	 There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Floral odour Strong odour Almost odourless Phenol odour Lemon odour Mild odour Characteristic odour Fruity odour Pleasant odour Aromatic odour Sweet odour
Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 71 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
04/13/2020	EN (English US) 4/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information 11.1. Information on toxicological effects Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

CITRAL (5392-40-5)	
ATE US (dermal)	2250 mg/kg body weight
p-Mentha-1,4-diene (99-85-4)	
ATE US (oral)	3850 mg/kg body weight
d-Limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)

GERANIOL (106-24-1)				
LD50 oral rat	3600 mg/kg body weight (Rat, Male / female, Experimental value, Oral, 14 day(s))			
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Experimental value, Dermal)			
ATE US (oral)	3600 mg/kg body weight			
HEXYL CINNAMIC ALDEHYDE (101-86-0)				
ATE US (oral)	3100 mg/kg body weight			
Linalool (78-70-6)				
LD50 oral rat	2790 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Linalool (78-70-6)				
LD50 dermal rabbit	5610 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))			
ATE US (oral)	2790 mg/kg body weight			
ATE US (dermal)	5610 mg/kg body weight			
BENZYL BENZOATE (120-51-4)				
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))			
LD50 dermal rabbit	> 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)			
ATE US (oral)	1500 mg/kg body weight			
ATE US (dermal)	4000 mg/kg body weight			
Skin corrosion/irritation	: Causes skin irritation.			
Serious eye damage/irritation	: Causes serious eye irritation.			
Respiratory or skin sensitization	: May cause an allergic skin reaction.			
Germ cell mutagenicity	: Not classified			
Carcinogenicity	: Suspected of causing cancer.			
d-Limonene (5989-27-5)				
IARC group	3 - Not classifiable			
Myrcene (123-35-3)				
IARC group	2B - Possibly carcinogenic to humans			
Reproductive toxicity	: Not classified			
STOT-single exposure	: Not classified			
·				
STOT-repeated exposure	: Not classified			

Linalool (78-70-6)			
NOAEL (dermal,rat/rabbit,90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)		
	: Not classified : No data available		
5 1	: Irritation. May cause an allergic skin reaction. : Eye irritation.		

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
d-Limonene (5989-27-5)	
LC50 fish 1	720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
GERANIOL (106-24-1)	
LC50 fish 1	22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 (algae)	13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Linalool (78-70-6)			
LC50 fish 1	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)		
EC50 Daphnia 1	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)		
ErC50 (algae)	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)		
LINALYL ACETATE (115-95-7)			
LC50 fish 1	11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio)		
EC50 Daphnia 1	15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna)		
BENZYL BENZOATE (120-51-4)			
LC50 fish 1	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)		
EC50 Daphnia 1	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)		

12.2. Persistence and degradability

d-Limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O ₂ /g substance
GERANIOL (106-24-1)	
Persistence and degradability	Readily biodegradable in water.
Linalool (78-70-6)	
Persistence and degradability	Readily biodegradable in water.
LINALYL ACETATE (115-95-7)	
Persistence and degradability	Readily biodegradable in water.
BENZYL BENZOATE (120-51-4)	
Persistence and degradability	Readily biodegradable in water.
Discoursulative notential	

12.3. Bioaccumulative potential

d-Limonene (5989-27-5)				
BCF fish 1	864.8 - 1022 (Pisces, QSAR, Fresh weight)			
Log Pow	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)			
Bioaccumulative potential	Potential for bioaccumulation ($4 \ge Log$ Kow ≤ 5).			
GERANIOL (106-24-1)				
Log Pow	2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)			
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).			
Linalool (78-70-6)				
Log Pow	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)			
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).			
LINALYL ACETATE (115-95-7)				
Log Pow	3.93 (Experimental value)			
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).			
BENZYL BENZOATE (120-51-4)				
BCF fish 1	2.286 (BCFBAF v3.00, Pisces, QSAR)			
Log Pow	3.97 (Experimental value, 25 °C)			
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).			
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).			

12.4. Mobility in soil

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

d-Limonene (5989-27-5)			
Ecology - soil	Adsorbs into the soil.		
GERANIOL (106-24-1)			
Log Koc	1.85 (log Koc, PCKOCWIN v1.66, Calculated value)		
Ecology - soil	Highly mobile in soil.		
Linalool (78-70-6)			
Surface tension	8.3 mN/m (20 °C, ISO 9101: Surface active agents - Determination of interfacial tension)		
Ecology - soil	No (test)data on mobility of the substance available.		
LINALYL ACETATE (115-95-7)			
Ecology - soil	Adsorbs into the soil.		
BENZYL BENZOATE (120-51-4)			
Surface tension	0.027 N/m (210 °C)		
Log Koc	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)		
Ecology - soil	Low potential for mobility in soil.		

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	S
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT	
Transport document description	: UN3082 Environmentally hazardous substances, liquid, n.o.s. (ALPHA- HEXYLCINNAMALDEHYDE (101-86-0)), 9, III
UN-No.(DOT)	: UN3082
Proper Shipping Name (DOT)	: Environmentally hazardous substances, liquid, n.o.s.
	ALPHA-HEXYLCINNAMALDEHYDE (101-86-0)
Class (DOT)	: 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140
Packing group (DOT)	: III - Minor Danger
Hazard labels (DOT)	: 9 - Class 9 (Miscellaneous dangerous materials)
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Symbols	: G - Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies. 146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination. 173 - An appropriate generic entry may be used for this material. 335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s." UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 155
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: No limit
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 171
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Not applicable	
Transport by sea	
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALPHA-HEXYLCINNAMALDEHYDE (101-86-0)), 9, III
UN-No. (IMDG)	: 3082
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class (IMDG)	: 9 - Miscellaneous dangerous substances and articles
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5L
Air transport	
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (ALPHA- HEXYLCINNAMALDEHYDE (101-86-0)), 9, III
UN-No. (IATA)	: 3082
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Class (IATA)	: 9 - Miscellaneous Dangerous Goods
Packing group (IATA)	: III - Minor Danger
SECTION 15: Populatory information	ů –

SECT	ION 15:	Regu	latory i	informat	ion

15.1. US Federal regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

CITRAL (5392-40-5)	
Listed on the Canadian DSL (Domestic Substances List)	
p-Mentha-1,4-diene (99-85-4)	
Listed on the Canadian DSL (Domestic Substances List)	
d-Limonene (5989-27-5)	
Listed on the Canadian DSL (Domestic Substances List)	
Myrcene (123-35-3)	
Listed on the Canadian DSL (Domestic Substances List)	
beta-Pinene (127-91-3)	
Listed on the Canadian DSL (Domestic Substances List)	
GERANIOL (106-24-1)	
Listed on the Canadian DSL (Domestic Substances List)	
HEXYL CINNAMIC ALDEHYDE (101-86-0)	
Listed on the Canadian DSL (Domestic Substances List)	
ISO E SUPER (54464-57-2)	
Listed on the Canadian DSL (Domestic Substances List)	
Linalool (78-70-6)	
Listed on the Canadian DSL (Domestic Substances List)	
LINALYL ACETATE (115-95-7)	
Listed on the Canadian DSL (Domestic Substances List)	
BENZYL BENZOATE (120-51-4)	
Listed on the Canadian DSL (Domestic Substances List)	
FILPequiptions	

EU-Regulations No additional information available

National regulations

Myrcene (123-35-3)
Listed on IARC (International Agency for Research on Cancer)

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H351	Suspected of causing cancer

SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.