

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 03/21/2019 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: Pink Citrus Fragrance Oil
CAS-No.	: MIXTURE
Product code	: #10309
1.2. Recommended use and restriction	ons on use
No additional information available	
1.3. Supplier	
Voyageur Soap & Candle Co. LTD Unit 14 - 19257 Enterprise Way, Surrey, B.C., V3S 6J8 1(800) 758-7773 www.voyageursoapandcandle.com	
1.4. Emergency telephone number	
Emergency number	: INFOTRAC (US & Canada) 1-800-535-5053 (International) 1-352-323-3500
SECTION 2: Hazard(s) identificati	on
2.1. Classification of the substance of	or mixture
GHS-US classification	
Skin corrosion/irritation H315	Causes skin irritation
Category 2 Serious eye damage/eye H319	Causes serious eye irritation
irritation Category 2 Skin sensitization, H317 Category 1	May cause an allergic skin reaction
Full text of H statements : see section 16	
2.2. GHS Label elements, including p GHS US labeling	precautionary statements
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Warning
Hazard statements (GHS US)	: H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation
Precautionary statements (GHS US)	 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P321 - Specific treatment (see supplemental first aid instruction on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P363 - Wash contaminated clothing before reuse. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
BENZYL BENZOATE	(CAS-No.) 120-51-4	30 - 70	Acute Tox. 4 (Oral), H302
LINALYL ACETATE	(CAS-No.) 115-95-7	10 - 30	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
HEXYL CINNAMIC ALDEHYDE	(CAS-No.) 101-86-0	5 - 10	Skin Sens. 1B, H317
Linalool	(CAS-No.) 78-70-6	1 - 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
CITRAL EOA	(CAS-No.) 5392-40-5	1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
d-Limonene	(CAS-No.) 5989-27-5	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
FLOROPAL	(CAS-No.) 5182-36-5	1 - 5	Acute Tox. 4 (Oral), H302
DIHYDRO MYRCENOL	(CAS-No.) 54464-57-2	1 - 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319
D-LIMONENE	(CAS-No.) 5989-27-5	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
ALLYL CYCLO HEXYL PROPIONATE	(CAS-No.) 2705-87-5	< 0.5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1, H317
LAEVO CARVONE	(CAS-No.) 6485-40-1	< 0.5	Flam. Liq. 4, H227 Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	 Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effe	cts (acute and delayed)
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
4.3. Immediate medical attention and sp	pecial treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguis	hing media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the c	hemical
No additional information available	

Safety Data Sheet

5	5	,	, J	
5.3.	Special protective ed	quipment and pred	cautions for fire-fighters	
Protectio	on during firefighting	:	Do not attempt to take action without apparatus. Complete protective clothin	suitable protective equipment. Self-contained breathing ng.
SECTI	ON 6: Accidental	release measu	res	
6.1.	Personal precautions	s, protective equip	oment and emergency procedures	
6.1.1.	For non-emergency	personnel		
Emerger	ncy procedures	:	Ventilate spillage area. Avoid contact dust/fume/gas/mist/vapors/spray.	with skin and eyes. Avoid breathing
6.1.2. Protectiv	For emergency response re equipment		Do not attempt to take action without refer to section 8: "Exposure controls/	suitable protective equipment. For further information personal protection".
6.2.	Environmental preca	autions		
Avoid rel	lease to the environmer	nt.		
6.3.	Methods and materia	al for containment	and cleaning up	
Methods	for cleaning up	:	Take up liquid spill into absorbent mat	terial.
Other inf	ormation	:	Dispose of materials or solid residues	at an authorized site.
6.4.	Reference to other s	ections		
For furth	er information refer to s	ection 13.		
SECTI	ON 7: Handling ar	nd storage		
7.1.	Precautions for safe	handling		
Precautio	ons for safe handling	:	Ensure good ventilation of the work st protective equipment. Avoid breathing	ation. Avoid contact with skin and eyes. Wear personal dust/fume/gas/mist/vapors/spray.
Hygiene	measures	:		euse. Contaminated work clothing should not be allowed c or smoke when using this product. Always wash hands
7.2.	Conditions for safe s	storage, including	any incompatibilities	
Storage	conditions	:	Store in a well-ventilated place. Keep	cool.
SECTI	ON 8: Exposure c	ontrols/persor	nal protection	
8.1.	Control parameters			
BENZY	L BENZOATE (120-51	-4)		
Not ap		,		
ALLYL	CYCLO HEXYL PROF	PIONATE (2705-87	-5)	
Not ap		•		
CITRA	L EOA (5392-40-5)			
ACGIH		Local name		Citral
ACGIH		ACGIH TWA (ppr	n)	5 ppm (IFV - Inhalable fraction and vapor)
ACGIH		Remark (ACGIH)		TLV® Basis: Body weight eff; URT irr; eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen)
ACGIH		Regulatory refere	nce	ACGIH 2018
DIHYD	RO MYRCENOL (5446	4-57-2)		
	plicable	- /		
FLOR	OPAL (5182-36-5)			
Not ap	plicable			
d-Limo	onene (5989-27-5)			
Not app				
HEXYL	CINNAMIC ALDEHYD	DE (101-86-0)		
Not ap	plicable			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LAEVO CARVONE (6485-40-1)
Not applicable
Linalool (78-70-6)
Not applicable
LINALYL ACETATE (115-95-7)
Not applicable
D-LIMONENE (5989-27-5)
Not applicable

8.2. A	ppropriate engineeri	ng controls

: Ensure good ventilation of the work station.

Appropriate engineering controls Environmental exposure controls

: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemica	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Color	: Mixture contains one or more component(s) which have the following colour(s): White Colourless to light yellow On exposure to air: yellow Colourless Light yellow to colourless On exposure to air: yellow-brown
Odor	 There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Mild odour Pleasant odour Aromatic odour Fruity odour Strong odour Lemon odour Floral odour Characteristic odour Almond odour Sweet odour
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 82.9 (≥ 0) °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

Safety Data Sheet

Explosion limits	: No data available
Explosive properties	: No data available
Dxidizing properties	: No data available
0.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
0.1. Reactivity The product is non-reactive under normal condit	ions of use storage and transport
0.2. Chemical stability	
Stable under normal conditions.	
0.3. Possibility of hazardous reactions	
No dangerous reactions known under normal co	nditions of use.
0.4. Conditions to avoid	
None under recommended storage and handling	g conditions (see section 7).
0.5. Incompatible materials	
No additional information available	
0.6. Hazardous decomposition products	;
Inder normal conditions of storage and use, ha	zardous decomposition products should not be produced.
SECTION 11: Toxicological informat	ion
1.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
BENZYL BENZOATE (120-51-4)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)
ATE US (oral)	1500 mg/kg body weight
ATE US (dermal)	4000 mg/kg body weight
ALLYL CYCLO HEXYL PROPIONATE (2705-	87-5)
ATE US (oral)	480 mg/kg body weight
ATE US (dermal)	1600 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors) ATE US (dust, mist)	11 mg/l/4h 1.5 mg/l/4h
(', ')	
CITRAL EOA (5392-40-5) ATE US (dermal)	2250 mg/kg body weight
DIHYDRO MYRCENOL (54464-57-2) ATE US (oral)	3600 mg/kg body weight
FLOROPAL (5182-36-5) ATE US (oral)	1200 mg/kg body weight
d-Limonene (5989-27-5) LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat,
	Female, Read-across, Oral)
LD50 dermal rabbit	 > 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)
HEXYL CINNAMIC ALDEHYDE (101-86-0)	
ATE US (oral)	3100 mg/kg body weight
LAEVO CARVONE (6485-40-1)	
ATE US (dermal)	3800 mg/kg body weight

Safety Data Sheet

Linalool (78-70-6)	
LD50 oral rat	2790 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	5610 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
D-LIMONENE (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable

IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard Viscosity, kinematic	: Not classified : No data available
Symptoms/effects after skin contact Symptoms/effects after eye contact	: Irritation. May cause an allergic skin reaction. : Eye irritation.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
BENZYL BENZOATE (120-51-4)	
LC50 fish 1	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
d-Limonene (5989-27-5)	
LC50 fish 1	720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through

EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
Linalool (78-70-6)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Linalool (78-70-6)	
EC50 Daphnia 1	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
LINALYL ACETATE (115-95-7)	
LC50 fish 1	11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio)
EC50 Daphnia 1	15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna)
D-LIMONENE (5989-27-5)	
LC50 fish 1	720 μg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

12.2. Persistence and degradability

BENZYL BENZOATE (120-51-4)	
Persistence and degradability	Readily biodegradable in water.
DIHYDRO MYRCENOL (54464-57-2)	
Persistence and degradability	Biodegradability in water: no data available.
d-Limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O₂/g substance
Linalool (78-70-6)	
Persistence and degradability	Readily biodegradable in water.
LINALYL ACETATE (115-95-7)	
Persistence and degradability	Readily biodegradable in water.
D-LIMONENE (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O₂/g substance

12.3. Bioaccumulative potential

BENZYL BENZOATE (120-51-4)		
BCF fish 1	2.286 (BCFBAF v3.00, Pisces, QSAR)	
Log Pow	3.97 (Experimental value, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
DIHYDRO MYRCENOL (54464-57-2)		
Log Pow	3.47 (Estimated value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
d-Limonene (5989-27-5)		
BCF fish 1	864.8 - 1022 (Pisces, QSAR, Fresh weight)	
Log Pow	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)	
Bioaccumulative potential	Potential for bioaccumulation ($4 \ge Log \text{ Kow } \le 5$).	
Linalool (78-70-6)		
Log Pow	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
LINALYL ACETATE (115-95-7)		
Log Pow	3.93 (Experimental value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
D-LIMONENE (5989-27-5)		
BCF fish 1	864.8 - 1022 (Pisces, QSAR, Fresh weight)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

D-LIMONENE (5989-27-5)	
Log Pow	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 $^\circ\text{C}$)
Bioaccumulative potential	Potential for bioaccumulation ($4 \ge Log$ Kow ≤ 5).
2.4. Mobility in soil	
BENZYL BENZOATE (120-51-4)	
Surface tension	0.027 N/m (210 °C)
Log Koc	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value
Ecology - soil	Low potential for mobility in soil.
DIHYDRO MYRCENOL (54464-57-2)	
Ecology - soil	No (test)data on mobility of the substance available.
d-Limonene (5989-27-5)	
Ecology - soil	Adsorbs into the soil.
Linalool (78-70-6)	
Surface tension	8.3 mN/m (20 °C, ISO 9101: Surface active agents - Determination of interfacial tension)
Ecology - soil	No (test)data on mobility of the substance available.
LINALYL ACETATE (115-95-7)	
Ecology - soil	Adsorbs into the soil.
D-LIMONENE (5989-27-5)	

No additional information available

SECTION 13: Disposal consideratio	ons
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	
SECTION 14. Transport information	
Department of Transportation (DOT) In accordance with DOT	
Transport document description	: UN3082 Environmentally hazardous substances, liquid, n.o.s. (Benzyl Benzoate), 9, III
UN-No.(DOT)	: UN3082
Proper Shipping Name (DOT)	: Environmentally hazardous substances, liquid, n.o.s.
	Benzyl Benzoate
Class (DOT)	: 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140
Packing group (DOT)	: III - Minor Danger
Hazard labels (DOT)	: 9 - Class 9 (Miscellaneous dangerous materials)
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Symbols	: G - Identifies PSN requiring a technical name

Safety Data Sheet

DOT Special Provisions (49 CFR 172.102)	 8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies. 146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination. 173 - An appropriate generic entry may be used for this material. 335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 155
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: No limit
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 171
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Not applicable	
Transport by sea	
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III
UN-No. (IMDG)	: 3082
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class (IMDG)	: 9 - Miscellaneous dangerous substances and articles
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5L
Air transport	
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III
UN-No. (IATA)	: 3082
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Class (IATA)	: 9 - Miscellaneous Dangerous Goods
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

BENZYL BENZOATE (120-51-4)		
Listed on the Canadian DSL (Domestic Substances List)		
ALLYL CYCLO HEXYL PROPIONATE (2705-87-5)		
Listed on the Canadian DSL (Domestic Substances List)		
CITRAL EOA (5392-40-5)		
Listed on the Canadian DSL (Domestic Substances List)		
DIHYDRO MYRCENOL (54464-57-2)		
Listed on the Canadian DSL (Domestic Substances List)		
FLOROPAL (5182-36-5)		
Listed on the Canadian DSL (Domestic Substances List)		
d-Limonene (5989-27-5)		
Listed on the Canadian DSL (Domestic Substances List)		
HEXYL CINNAMIC ALDEHYDE (101-86-0)		
Listed on the Canadian DSL (Domestic Substances List)		
LAEVO CARVONE (6485-40-1)		
Listed on the Canadian DSL (Domestic Substances List)		
Linalool (78-70-6)		
Listed on the Canadian DSL (Domestic Substances List)		
LINALYL ACETATE (115-95-7)		
Listed on the Canadian DSL (Domestic Substances List)		
D-LIMONENE (5989-27-5)		
Listed on the Canadian DSL (Domestic Substances List)		

EU-Regulations

No additional information available

National regulations No additional information available

15.3. US State regulations

WARNING:

This product can expose you to Myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled

The information and recommendations contained herein are based on current available data and knowledge and are believed to be accurate and given in good faith. Voyageur Soap & Candle Co. LTD and its subsidiaries however assume no liability and make no warranty, either express or implied, pertaining to the accuracy or completeness of the information contained herein including in regards to fitness and merchantability. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release, and therefore should not be construed as guaranteeing any specific property of the product. This information relates only to the specific designated material and may not be valid for such material used in combination with any other material or process not specified in the text. Final determination of suitability of any material is the sole responsibility of the user. Users should therefore consider this data only as a supplement to other information available from all other sources, and should incorporate this information into programs for the proper use and disposal of their materials and the health and safety of employees and customers.