

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/29/2019 Version: 2.0

: Mixture
: Pink Sugar Type Fragrance Oil
: MIXTURE
: #10300
ons on use
: INFOTRAC (US & Canada) 1-800-535-5053   (International) 1-352-323-3500
on
or mixture
ay cause an allergic skin reaction
spected of damaging fertility or the unborn child
recautionary statements
recautionary statements
recautionary statements
<ul> <li>recautionary statements</li> <li>: in the state of the state</li></ul>
: Warning : H317 - May cause an allergic skin reaction
<ul> <li>Warning</li> <li>H317 - May cause an allergic skin reaction H361 - Suspected of damaging fertility or the unborn child</li> <li>P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water P308+P313 - If exposed or concerned: Get medical advice/attention. P321 - Specific treatment (see supplemental first aid instruction on this label) P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P363 - Wash contaminated clothing before reuse. P405 - Store locked up.</li> <li>P501 - Dispose of contents/container to hazardous or special waste collection point, in</li> </ul>
<ul> <li>Warning</li> <li>H317 - May cause an allergic skin reaction H361 - Suspected of damaging fertility or the unborn child</li> <li>P201 - Obtain special instructions before use.</li> <li>P202 - Do not handle until all safety precautions have been read and understood.</li> <li>P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.</li> <li>P272 - Contaminated work clothing must not be allowed out of the workplace</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P302+P352 - If on skin: Wash with plenty of water</li> <li>P308+P313 - If exposed or concerned: Get medical advice/attention.</li> <li>P313 - Specific treatment (see supplemental first aid instruction on this label)</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P363 - Wash contaminated clothing before reuse.</li> <li>P405 - Store locked up.</li> <li>P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation</li> </ul>

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixtures			
Name	Product identifier	%	GHS-US classification
BENZYL BENZOATE	(CAS-No.) 120-51-4	30 - 70	Acute Tox. 4 (Oral), H302
ETHYL VANILLIN	(CAS-No.) 121-32-4	5 - 10	Eye Irrit. 2, H319
HEXYL CINNAMIC ALDEHYDE	(CAS-No.) 101-86-0	1 - 5	Skin Sens. 1B, H317
ETHYL MALTOL\VELTOL PLUS	(CAS-No.) 4940-11-8	1 - 5	Acute Tox. 4 (Oral), H302
LILIAL - LYSMERAL	(CAS-No.) 80-54-6	1 - 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361
VANILLIN	(CAS-No.) 121-33-5	1 - 5	Eye Irrit. 2, H319
LINALYL ACETATE	(CAS-No.) 115-95-7	1 - 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
COUMARIN	(CAS-No.) 91-64-5	1 - 5	Acute Tox. 3 (Oral), H301 Skin Sens. 1B, H317
d-Limonene	(CAS-No.) 5989-27-5	< 0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell. Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effe	ects (acute and delayed)
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
4.3. Immediate medical attention and s	pecial treatment, if necessary
Treat symptomatically.	
<b>SECTION 5: Fire-fighting measures</b>	
5.1. Suitable (and unsuitable) extinguis	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the c	chemical
No additional information available	
5.3. Special protective equipment and	precautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
<b>SECTION 6: Accidental release mea</b>	asures
6.1. Personal precautions, protective e	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2 Mothodo and matorial for contain	ment and elegning up
6.3. Methods and material for contain	•
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
<b>SECTION 7: Handling and storage</b>	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inclu	iding any incompatibilities
Storage conditions	: Store locked up. Store in a well-ventilated place. Keep cool.
SECTION & Experime controls/pa	reend protection
SECTION 8: Exposure controls/pe	rsonal protection
8.1. Control parameters	
VANILLIN (121-33-5)	
Not applicable	
BENZYL BENZOATE (120-51-4)	
Not applicable	
LINALYL ACETATE (115-95-7)	
Not applicable	
LILIAL - LYSMERAL (80-54-6)	
Not applicable	
d-Limonene (5989-27-5)	
Not applicable	
HEXYL CINNAMIC ALDEHYDE (101-86-0)	
Not applicable	
ETHYL VANILLIN (121-32-4)	
Not applicable	
ETHYL MALTOL\VELTOL PLUS (4940-11-	8)
Not applicable	-,
COUMARIN (91-64-5)	
Not applicable	
8.2. Appropriate engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.

Appropriate en	gineening	001111010
Environmental	exposure	controls

Ensure good ventilation of the work station.Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Protective gloves

### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Wear respiratory protection.

<b>SECTION 9: Physical and chemical</b>	properties
9.1. Information on basic physical and	
Physical state	: Liquid
Color	<ul> <li>Mixture contains one or more component(s) which have the following colour(s):</li> <li>White to light yellow On exposure to light: discolours White Colourless Colourless to light yellow White to off-white</li> </ul>
Odor	<ul> <li>There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure.</li> <li>Mixture contains one or more component(s) which have the following odour: Pleasant odour Mild odour Aromatic odour Fruity odour Floral odour Lemon odour Characteristic odour Strong odour Sweet odour Irritating/pungent odour</li> </ul>
Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 100 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
No additional information available	
<b>SECTION 10: Stability and reactivit</b>	v
10.1. Reactivity	
The product is non-reactive under normal cond	litions of use, storage and transport.
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No dangerous reactions known under normal c	onditions of use.
10.4. Conditions to avoid	
None under recommended storage and handlin	ng conditions (see section 7).
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition product	ts
Under normal conditions of storage and use, ha	azardous decomposition products should not be produced.
SECTION 11: Toxicological informa	ation
11.1. Information on toxicological effect	
Acute toxicity (oral)	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
VANILLIN (121-33-5)	
LD50 oral rat	3300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	<ul> <li>&gt; 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))</li> </ul>
ATE US (oral)	3300 mg/kg body weight
BENZYL BENZOATE (120-51-4)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	<ul> <li>&gt; 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)</li> </ul>
ATE US (oral)	1500 mg/kg body weight
ATE US (dermal)	4000 mg/kg body weight
LILIAL - LYSMERAL (80-54-6) ATE US (oral)	1390 mg/kg body weight
	1550 mg/kg body weight
d-Limonene (5989-27-5)	2000 malla hady weight (OECD 422; Aguta Oral Taviaity - Aguta Tavia Class Method, Dat
	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)
LD50 dermal rabbit	<ul> <li>&gt; 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)</li> </ul>
HEXYL CINNAMIC ALDEHYDE (101-86	-0)
ATE US (oral)	3100 mg/kg body weight
ETHYL VANILLIN (121-32-4)	
LD50 oral rat	> 3160 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
ATE US (oral)	3000 mg/kg body weight
ETHYL MALTOL\VELTOL PLUS (4940-1	1-8)
LD50 oral rat	1150 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Dermal)
ATE US (oral)	1150 mg/kg body weight
COUMARIN (91-64-5)	
LD50 oral rat	293 mg/kg body weight (Rat, Male / female, Experimental value, Oral)
ATE US (oral)	293 mg/kg body weight
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable

3 - Not classifiable
: Suspected of damaging fertility or the unborn child.
: Not classified

Specific target organ toxicity – repeated : Not classified exposure

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after skin contact	: May cause an allergic skin reaction.

SECTION 12: Ecological information	
2.1. Toxicity	
cology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
VANILLIN (121-33-5)	
LC50 fish 1	57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 Daphnia 1	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
BENZYL BENZOATE (120-51-4)	
LC50 fish 1	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
LINALYL ACETATE (115-95-7)	
LC50 fish 1	11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio)
EC50 Daphnia 1	15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna)
d-Limonene (5989-27-5)	
LC50 fish 1	720 μg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ETHYL VANILLIN (121-32-4)	
LC50 fish 1	87.6 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 Daphnia 1	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Read-across, GLP)
ErC50 (algae)	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Read-across, GLP)
COUMARIN (91-64-5)	
LC50 fish 1	2.94 mg/l (96 h, Pisces, QSAR)
EC50 Daphnia 1	24.3 - 36.9 mg/l (48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

VANILLIN (121-33-5)	
Persistence and degradability	Readily biodegradable in water.
BENZYL BENZOATE (120-51-4)	
Persistence and degradability	Readily biodegradable in water.
LINALYL ACETATE (115-95-7)	
Persistence and degradability	Readily biodegradable in water.
d-Limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O <sub>2</sub> /g substance
ETHYL VANILLIN (121-32-4)	
Persistence and degradability	Readily biodegradable in water.
ThOD	1.81 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.529 (5 day(s), Literature study)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ETHYL MALTOL\VELTOL PLUS (4940-11-8)	
Persistence and degradability	Biodegradability in water: no data available.
COUMARIN (91-64-5)	·
Persistence and degradability	Readily biodegradable in water.
2.3. Bioaccumulative potential	·
VANILLIN (121-33-5)	
Log Pow	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask
209100	Method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
BENZYL BENZOATE (120-51-4)	
BCF fish 1	2.286 (BCFBAF v3.00, Pisces, QSAR)
Log Pow	3.97 (Experimental value, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
LINALYL ACETATE (115-95-7)	
Log Pow	3.93 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
d-Limonene (5989-27-5)	
BCF fish 1	864.8 - 1022 (Pisces, QSAR, Fresh weight)
Log Pow	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method,
Log 1 0 W	37 °C)
Bioaccumulative potential	Potential for bioaccumulation ( $4 \ge Log$ Kow $\le 5$ ).
ETHYL VANILLIN (121-32-4)	-
Log Pow	1.58 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
ETHYL MALTOL\VELTOL PLUS (4940-11-8)	
Bioaccumulative potential	No bioaccumulation data available.
COUMARIN (91-64-5)	
Log Pow	1.39 (QSAR, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
2.4. Mobility in soil	
VANILLIN (121-33-5)	
Log Koc	3.438 (log Koc, Experimental value)
Ecology - soil	Low potential for mobility in soil.
BENZYL BENZOATE (120-51-4)	
Surface tension	0.027 N/m (210 °C)
Log Koc	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on
	Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for mobility in soil.
LINALYL ACETATE (115-95-7)	
Ecology - soil	Adsorbs into the soil.
d-Limonene (5989-27-5)	
Ecology - soil	Adsorbs into the soil.
ETHYL VANILLIN (121-32-4)	
Log Koc	3.092 (log Koc, Equivalent or similar to OECD 106, Experimental value)
Ecology - soil	Low potential for mobility in soil.
COUMARIN (91-64-5)	
Log Koc	1.63 (log Koc, QSAR)
Ecology - soil	Highly mobile in soil.

12.5. Other adverse effects

Safety Data Sheet

Waste treatment methods

13.1.

SECTION 13: Disposal considerations

**Disposal methods** 

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT	
Transport document description	: UN3082 Environmentally hazardous substances, liquid, n.o.s. (BENZYL BENZOATE (120-51-4)), 9, III
UN-No.(DOT)	: UN3082
Proper Shipping Name (DOT)	: Environmentally hazardous substances, liquid, n.o.s. BENZYL BENZOATE (120-51-4)
Class (DOT)	: 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140
Packing group (DOT)	: III - Minor Danger
Hazard labels (DOT)	: 9 - Class 9 (Miscellaneous dangerous materials)
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	<ul> <li>8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies.</li> <li>146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination.</li> <li>173 - An appropriate generic entry may be used for this material.</li> <li>335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquid with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 50 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Tabl 2 for UN2672).</li> <li>T4 - 2.65 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 155
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: No limit
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 171
04/29/2019	EN (English US) 8/10

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Not applicable	
Transport by sea	
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE (120-51-4) ), 9, III
UN-No. (IMDG)	: 3082
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class (IMDG)	: 9 - Miscellaneous dangerous substances and articles
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5L
Air transport	
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (BENZYL BENZOATE (120-51-4) ), 9, III
UN-No. (IATA)	: 3082
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Class (IATA)	: 9 - Miscellaneous Dangerous Goods
Packing group (IATA)	: III - Minor Danger

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

CANADA		
VANILLIN (121-33-5)		
Listed on the Canadian DSL (Domestic Substances List)		
BENZYL BENZOATE (120-51-4)		
Listed on the Canadian DSL (Domestic Substances List)		
LINALYL ACETATE (115-95-7)		
Listed on the Canadian DSL (Domestic Substances List)		
LILIAL - LYSMERAL (80-54-6)		
Listed on the Canadian DSL (Domestic Substances List)		
d-Limonene (5989-27-5)		
Listed on the Canadian DSL (Domestic Substances List)		
HEXYL CINNAMIC ALDEHYDE (101-86-0)		
Listed on the Canadian DSL (Domestic Substances List)		
ETHYL VANILLIN (121-32-4)		
Listed on the Canadian DSL (Domestic Substances List)		

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ETHYL MALTOL\VELTO	L PLUS (4940-11-8)
--------------------	--------------------

Listed on the Canadian DSL (Domestic Substances List)

### COUMARIN (91-64-5)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations No additional information available

#### National regulations

No additional information available

#### 15.3. US State regulations

**WARNING**:

This product can expose you to Myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Full text of H-phrases:

H226	Flammable liquid and vapour	
H227	Combustible liquid	
H301	Toxic if swallowed	
H302	Harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H361	Suspected of damaging fertility or the unborn child	

The information and recommendations contained herein are based on current available data and knowledge and are believed to be accurate and given in good faith. Voyageur Soap & Candle Co. LTD and its subsidiaries however assume no liability and make no warranty, either express or implied, pertaining to the accuracy or completeness of the information contained herein including in regards to fitness and merchantability. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release, and therefore should not be construed as guaranteeing any specific property of the product. This information relates only to the specific designated material and may not be valid for such material used in combination with any other material or process not specified in the text. Final determination of suitability of any material is the sole responsibility of the user. Users should therefore consider this data only as a supplement to other information available from all other sources, and should incorporate this information into programs for the proper use and disposal of their materials and the health and safety of employees and customers.