

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 04/21/2020 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: WINTER STORM FRAGRANCE OIL
1.2. Recommended use and restriction	ons on use
No additional information available	
1.3. Supplier	
Voyageur Soap & Candle Co. LTD Unit 14 - 19257 Enterprise Way, Surrey, B.C., V3S 6J8 1(800) 758-7773 www.voyageursoapandcandle.com	
1.4. Emergency telephone number	
Emergency number	: INFOTRAC (US & Canada) 1-800-535-5053 (International) 1-352-323-3500
SECTION 2: Hazard(s) identificati	on
2.1. Classification of the substance	
GHS US classification	
Skin corrosion/irritation Category 2 H315 Skin sensitization, Category 1 H317	Causes skin irritation May cause an allergic skin reaction
Full text of H statements : see section 16	
2.2. GHS Label elements, including	precautionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Warning
Hazard statements (GHS US)	: H315 - Causes skin irritation H317 - May cause an allergic skin reaction
Precautionary statements (GHS US)	 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water. P321 - Specific treatment (see supplemental first aid instruction on this label). P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P363 - Wash contaminated clothing before reuse. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
2.3. Other hazards which do not rest	It in classification
No additional information available	
2.4. Unknown acute toxicity (GHS U	\$)
Not applicable	
SECTION 3: Composition/Informa	tion on ingredients
3.1. Substances	
Not applicable	
3.2. Mixtures	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
BENZYL BENZOATE	(CAS-No.) 120-51-4	30 - 70	Acute Tox. 4 (Oral), H302
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2- naphthalenyl)ethanone	(CAS-No.) 54464-57-2	5 - 10	Skin Irrit. 2, H315 Skin Sens. 1B, H317
DIHYDRO MYRCENOL	(CAS-No.) 18479-58-8	1 - 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319
BACDANOL	(CAS-No.) 28219-61-6	1 - 5	Eye Irrit. 2, H319
ACETYL CEDRENE	(CAS-No.) 32388-55-9	1 - 5	Skin Sens. 1B, H317
LINALYL ACETATE	(CAS-No.) 115-95-7	1 - 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Linalool	(CAS-No.) 78-70-6	1 - 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
D-LIMONENE	(CAS-No.) 5989-27-5	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
d-Limonene	(CAS-No.) 5989-27-5	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
DAMASCONE DELTA	(CAS-No.) 57378-68-4	< 0.5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1A, H317
METHYL OCTIN CARBONATE	(CAS-No.) 111-80-8	< 0.5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1A, H317

Full text of hazard classes and H-statements : see section 16

SECTIO	ON 4: First-aid measures		
4.1.	Description of first aid measures		
First-aid r	measures after inhalation :	Remove person to fresh air and keep comfortable for breathing.	
First-aid r	measures after skin contact :	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.	
First-aid r	measures after eye contact :	Rinse eyes with water as a precaution.	
First-aid r	measures after ingestion :	Call a poison center/doctor/physician if you feel unwell.	
4.2.	Most important symptoms and effects	(acute and delayed)	
Symptom	s/effects after skin contact :	Irritation. May cause an allergic skin reaction.	
4.3.	Immediate medical attention and spec	ial treatment, if necessary	
Treat syn	nptomatically.		
SECTIO	ON 5: Fire-fighting measures		
5.1.	Suitable (and unsuitable) extinguishin	g media	
Suitable e	extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.	
5.2.	Specific hazards arising from the chem	nical	
No additi	onal information available		
5.3.	Special protective equipment and prec	cautions for fire-fighters	
Protection	n during firefighting :	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	
SECTION 6: Accidental release measures			
6.1.	Personal precautions, protective equip	oment and emergency procedures	
6.1.1.	For non-emergency personnel		
Emergen	cy procedures :	Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.	

Safety Data Sheet

6.1.2.	For emergency responders		
Protectiv	e equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2.	Environmental precautions		
Avoid re	lease to the environment.		
6.3.	Methods and material for containment	and cleaning up	
Methods	for cleaning up :	Take up liquid spill into absorbent material.	
Other inf	ormation	Dispose of materials or solid residues at an authorized site.	
6.4.	Reference to other sections		
For furth	er information refer to section 13.		
SECTI	ON 7: Handling and storage		
7.1.	Precautions for safe handling		
Precauti	ons for safe handling :	Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.	
Hygiene	measures :	Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2.	Conditions for safe storage, including	any incompatibilities	
Storage	conditions :	Store in a well-ventilated place. Keep cool.	
OFOTI			
	ON 8: Exposure controls/persor	nal protection	
8.1.	Control parameters		
	onene (5989-27-5)		
Not ap	Not applicable		
	D-LIMONENE (5989-27-5)		
	plicable		
	ol (78-70-6)		
	plicable		
	YL ACETATE (115-95-7)		
Not ap	plicable		
	ANOL (28219-61-6)		
Not ap	plicable		
	(L BENZOATE (120-51-4)		
	plicable		
DAMASCONE DELTA (57378-68-4)			
Not applicable			
DIHYDRO MYRCENOL (18479-58-8)			
Not applicable			
ISO E SUPER (54464-57-2)			
Not applicable			
METHYL OCTIN CARBONATE (111-80-8)			
Not applicable			
ACETY	(L CEDRENE (32388-55-9)		
Not ap	plicable		

8.2.	Appropriate engineering controls	
••••	iate engineering controls nental exposure controls	Ensure good ventilation of the work station.Avoid release to the environment.
8.3	Individual protection measures/Per	sonal protective equipment

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemical p	operties		
9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Color	: Mixture contains one or more component(s) which have the following colour(s): Colourless Colourless to light yellow White Colourless to yellow		
Odor	 There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Floral odour Fruity odour Sweet odour Lemon odour Mild odour Characteristic odour Strong odour Almost odourless Alcohol odour Pleasant odour Aromatic odour Odourless 		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: Not applicable		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: 95 °C		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: Not applicable.		
Vapor pressure	: No data available		
Relative vapor density at 20 °C	: No data available		
Relative density	: No data available		
Solubility	: No data available		
Log Pow	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
9.2. Other information			
No additional information available			

SECTION 10: Stability and reactivity		
10.1.	Reactivity	
The product is non-reactive under normal conditions of use, storage and transport.		
10.2.	Chemical stability	
Stable under normal conditions.		
10.3.	Possibility of hazardous reactions	
No dangerous reactions known under normal conditions of use.		
10.4.	Conditions to avoid	
None under recommended storage and handling conditions (see section 7).		

SECTION 40

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5. Incompatible materials No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Acute Oral Toxicity – Acute Toxic Class Method, Rat, or similar to OECD 402, Rabbit, Weight of evidence, Acute Oral Toxicity – Acute Toxic Class Method, Rat, or similar to OECD 402, Rabbit, Weight of evidence, similar to OECD 401, Rat, Male / female, Experimental
Acute Oral Toxicity – Acute Toxic Class Method, Rat, or similar to OECD 402, Rabbit, Weight of evidence,
or similar to OECD 402, Rabbit, Weight of evidence, Acute Oral Toxicity – Acute Toxic Class Method, Rat, or similar to OECD 402, Rabbit, Weight of evidence,
or similar to OECD 402, Rabbit, Weight of evidence, Acute Oral Toxicity – Acute Toxic Class Method, Rat, or similar to OECD 402, Rabbit, Weight of evidence,
or similar to OECD 402, Rabbit, Weight of evidence, Acute Oral Toxicity – Acute Toxic Class Method, Rat, or similar to OECD 402, Rabbit, Weight of evidence,
or similar to OECD 402, Rabbit, Weight of evidence, Acute Oral Toxicity – Acute Toxic Class Method, Rat, or similar to OECD 402, Rabbit, Weight of evidence,
or similar to OECD 402, Rabbit, Weight of evidence, Acute Oral Toxicity – Acute Toxic Class Method, Rat, or similar to OECD 402, Rabbit, Weight of evidence,
Acute Oral Toxicity – Acute Toxic Class Method, Rat, or similar to OECD 402, Rabbit, Weight of evidence,
or similar to OECD 402, Rabbit, Weight of evidence,
or similar to OECD 402, Rabbit, Weight of evidence,
similar to OECD 401, Rat, Male / female, Experimenta
similar to OECD 401, Rat, Male / female, Experimenta
similar to OECD 402, 24 h, Rabbit, Experimental
Acute Oral Toxicity, 2 week(s), Rat, Male/female,
xicity, 24 h, Rat, Male/female, Experimental value,
Acute Oral Toxicity, Rat, Male/female, Experimental
nethod, 4 h, Rabbit, Experimental value, Dermal)

Safety Data Sheet

d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
D-LIMONENE (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Linalool (78-70-6)	
NOAEL (dermal,rat/rabbit,90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal
	Toxicity: 90-Day Study)
apiration bozord	· Not closeified
Aspiration hazard /iscosity, kinematic	: Not classified : No data available
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
SECTION 12: Ecological information	tion
2.1. Toxicity	
cology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
d-Limonene (5989-27-5)	
LC50 fish 1	720 μg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
D-LIMONENE (5989-27-5)	
LC50 fish 1	720 μg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
Linalool (78-70-6)	
LC50 fish 1	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
LINALYL ACETATE (115-95-7)	
LC50 fish 1	11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio)
EC50 Daphnia 1	15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna)
BACDANOL (28219-61-6)	
LC50 fish 1	1.1 mg/l (US EPA, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, GLP)
ErC50 (algae)	2.5 mg/l (US EPA, 96 h, Selenastrum capricornutum, Static system, Fresh water, Experimental value, GLP)
BENZYL BENZOATE (120-51-4)	
LC50 fish 1	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

Safety Data Sheet

12.2. Persistence and degradability		
Readily biodegradable in water.		
3.29 g O ₂ /g substance		
Readily biodegradable in water.		
3.29 g O ₂ /g substance		
Readily biodegradable in water.		
Readily biodegradable in water.		
Not readily biodegradable in water.		
$3 \text{ g } O_2/\text{g substance}$		
Readily biodegradable in water.		
Diadagradability in water, no data available		
Biodegradability in water: no data available.		
Biodegradability in water: no data available.		
864.8 - 1022 (Pisces, QSAR, Fresh weight)		
 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C) 		
Potential for bioaccumulation ($4 \ge Log$ Kow ≤ 5).		
864.8 - 1022 (Pisces, QSAR, Fresh weight)		
4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)		
Potential for bioaccumulation ($4 \ge Log$ Kow ≤ 5).		
2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)		
Low potential for bioaccumulation (Log Kow < 4).		
3.93 (Experimental value)		
Low potential for bioaccumulation (Log Kow < 4).		
667 (Other, QSAR)		
4.4 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 35 °C)		
Potential for bioaccumulation ($500 \le BCF \le 5000$).		
2.286 (BCFBAF v3.00, Pisces, QSAR)		
3.97 (Experimental value, 25 °C)		
3.97 (Experimental value, 25 °C)		
3.97 (Experimental value, 25 °C)		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ACETYL CEDRENE (32388-55-9)		
Bioaccumulative potential	No bioaccumulation data available.	
12.4. Mobility in soil		
d-Limonene (5989-27-5)		
Ecology - soil	Adsorbs into the soil.	
D-LIMONENE (5989-27-5)		
Ecology - soil	Adsorbs into the soil.	
Linalool (78-70-6)		
Surface tension	8.3 mN/m (20 °C, ISO 9101: Surface active agents - Determination of interfacial tension)	
Ecology - soil	No (test)data on mobility of the substance available.	
LINALYL ACETATE (115-95-7)		
Ecology - soil	Adsorbs into the soil.	
BACDANOL (28219-61-6)		
Log Koc	2.57 (log Koc, Other, QSAR)	
Ecology - soil	Low potential for adsorption in soil.	
BENZYL BENZOATE (120-51-4)		
Surface tension	0.027 N/m (210 °C)	
Log Koc	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)	
Ecology - soil	Low potential for mobility in soil.	
DIHYDRO MYRCENOL (18479-58-8)		
Ecology - soil	No (test)data on mobility of the substance available.	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideratio	ns
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT	
Transport document description	: UN3082 Environmentally hazardous substances, liquid, n.o.s. (BENZYL BENZOATE), 9, III
UN-No.(DOT)	: UN3082
Proper Shipping Name (DOT)	: Environmentally hazardous substances, liquid, n.o.s. BENZYL BENZOATE
Class (DOT)	: 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140
Packing group (DOT)	: III - Minor Danger
Hazard labels (DOT)	: 9 - Class 9 (Miscellaneous dangerous materials)
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Symbols	: G - Identifies PSN requiring a technical name

Safety Data Sheet

DOT Special Provisions (49 CFR 172.102)	 8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies. 146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination. 173 - An appropriate generic entry may be used for this material. 335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s." UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 155
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: No limit
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: No limit
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 171
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Not applicable	
Transport by sea	
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE), 9, III
UN-No. (IMDG)	: 3082
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class (IMDG)	: 9 - Miscellaneous dangerous substances and articles
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5L
Air transport	
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (BENZYL BENZOATE), 9, III
UN-No. (IATA)	: 3082
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Class (IATA)	: 9 - Miscellaneous Dangerous Goods
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	

SECTION 15: R	egulatory	mormation
15.1. US Federal re	gulations	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

d-Limonene (5989-27-5)		
Listed on the Canadian DSL (Domestic Substances List)		
D-LIMONENE (5989-27-5)		
Listed on the Canadian DSL (Domestic Substances List)		
Linalool (78-70-6)		
Listed on the Canadian DSL (Domestic Substances List)		
LINALYL ACETATE (115-95-7)		
Listed on the Canadian DSL (Domestic Substances List)		
BACDANOL (28219-61-6)		
Listed on the Canadian DSL (Domestic Substances List)		
BENZYL BENZOATE (120-51-4)		
Listed on the Canadian DSL (Domestic Substances List)		
DAMASCONE DELTA (57378-68-4)		
Listed on the Canadian DSL (Domestic Substances List)		
DIHYDRO MYRCENOL (18479-58-8)		
Listed on the Canadian DSL (Domestic Substances List)		
ISO E SUPER (54464-57-2)		
Listed on the Canadian DSL (Domestic Substances List)		
METHYL OCTIN CARBONATE (111-80-8)		
Listed on the Canadian DSL (Domestic Substances List)		
ACETYL CEDRENE (32388-55-9)		
Listed on the Canadian DSL (Domestic Substances List)		

EU-Regulations

No additional information available

National regulations No additional information available

SECTION 16: Other information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:	
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation

The information and recommendations contained herein are based on current available data and knowledge and are believed to be accurate and given in good faith. Voyageur Soap & Candle Co. LTD and its subsidiaries however assume no liability and make no warranty, either express or implied, pertaining to the accuracy or completeness of the information contained herein including in regards to fitness and merchantability. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release, and therefore should not be construed as guaranteeing any specific property of the product. This information relates only to the specific designated material and may not be valid for such material used in combination with any other material or process not specified in the text. Final determination of suitability of any material is the sole responsibility of the user. Users should therefore consider this data only as a supplement to other information available from all other sources, and should incorporate this information into programs for the proper use and disposal of their materials and the health and safety of employees and customers.