






DAX-R242



SHOWER SYSTEMS **SERIES**





FEATURES


- Multi-function valve
- Ceiling mount shower head
- Rainshower
- Mist sprayer
- Strong center sprayer
- Handshower included
- LED lights with controller
- Silicone water nozzles
- Ceramic cartridge
- Valve flow rate 10.6 GPM
- Shower head flow rate 5.55 GPM
- Handshower head flow rate 6.34 GPM
- Brass body
- Chrome finish






SHOWER SYSTEM DAX-R242

MODEL	DAX-R242
ADA	NO
UPC APPROVED	NO
ANSI APPROVED	NO
ASME APPROVED	NO
HAND SHOWER FLOW RATE (GPM)	6.34
SHOWER HEAD FLOW RATE (GPM)	5.55
ROUGH-IN VALVE FLOW RATE (GPM)	10.6
HANDLE MATERIAL	Zinc alloy
HANDLE STYLE	Modern
HAND SHOWER INCLUDED	YES
HAND SHOWER HOSE INCLUDED	YES
HAND SHOWER HOSE LENGTH	59-1/16"
INSTALLATION TYPE	Conceal
MATERIAL	Brass
SHOWER HEAD	Brass
SHOWER HEAD SHAPE	Round
SPRAY PATTERN	Rain, waterfall, mist, massage
WALL ELBOW DIMENSION	1-3/16"
FINISH	Chrome







01



02




03




04

Power control box must be placed





DAX SKU	QUANTITY	PART NAME
SSW271-LED-1	1	Nozzel connection part
SSW271-LED-2	1	Stainless steel panel
SSW271-LED-3	1	Bracket
SSW271-LED-4	1	Valve
SSW271-LED-5	1	Valve cover plate
SSW271-LED-6	4	Diverter handle
SSW271-LED-7	1	Mixer handle
SSW271-LED-8	1	Spout
SSW271-LED-9	1	Hand shower
SSW271-LED-10	1	Hand shower holder
SSW271-LED-11	1	Hand shower hose
SSW271-LED-12	4	Screw sleeve
SSW271-LED-13	4	M6-40 Panel screw
SSW271-LED-14	1	Electri ity controller
SSW271-LED-15	4	304 SS chain
SSW271-LED-16	8	90 degree conector
SSW271-LED-17	8	G1/2 tee joint
SSW271-LED-18	4	304 SS bitch chain
SSW271-LED-19	8	Expansion screw



For parts or sale requirements please contact our customer service department:

 CS@daxib.com

 1 888 685 8236