

UNBELIEVABLE DEALS

NEW PRODU<u>CTS AND VENDORS</u>

3-11

12-44

UNBELIEVABLE DEALS-

Vendor	Page
3D Maxpider	
Aeromotive	3
Allstar Performance	3,4
Autometer	4,5
B2 Helmets	5
Bell Helmets	5
Calico Coatings	5
Chevrolet Performance	5
Comp Cams	5
Corsa Performance	5
Dominator Race Products	
Dart	6
Eneos	6
Ferrea	6

Vendor I	Page
Ford	
G-Force	
Hastings	6
Hurst	7
JP Performance	
Longacre	
Macs Custom Tie-Downs	
Mahle Original/Clevite	
Manley	
Meziere	
Mickey Thompson	
Mickey Thompson	
Momo Automotive Accessorie	
Moroso	

	_
Vendor	Page
Moser Engineering	
Motul USA	
MSD Ignition	
NGK	
New Vintage USA	(
Nitrous Express	
Nitrous Oxide Systems	
Patriot Exhaust	
Penske Racing Shocks	10
Pertronix Ignition	
Prosport Gauges	10
Quick Fuel Technology	
Quick Time	
Reese	10

Vendor	Page
SCE Gaskets	10
Sparco	10
Strange	
Torco	
Total Seal	11
Triple X Race Components	11
VP Racing	11
Weld Racing	11
Weiand	11
Woolf Aircraft Products	11
Yukon Gear And Axle	11

NEW PRODUCTS INDEX-

Vendor	Page
AFCO Racing	41
Air Lift	24
Allstar Performance	44
American Racing Wheels	23
Autometer	24
BAK Industries	22
Boyce Industries	41
Brodix	25
Coleman Racing	40
Corsa Performance	24
Crow Safety Gear	25
Curt Manufacturing	22
Dayco	28
Daystar Products International	21
Design Engineering	22
Detroit Locker-Tractec	20
Detroit Speed	29
Dirt Car Lift	39
Diversified Machine	30

Vendor	Page
Dominator Race Products	42
Draco Racing	42
EBC Brakes	15-19
Edelbrock	25
Eibach	34
Energy Suspension	24
Fluidampr	28
Grant	20
Green Filter	20
Heatshield Products	14
Hellwig	20
Hepfner Racing Products	13
Holley	29
Hooker Headers	28
Hoosier Tire	29
Howe Racing Enterprises	41
Hurst Performance	28
K1 Race Gear	40
Kirkey Fabrication	

<i>l</i> endor	Page
_akewood	27
Macs Custom Tie-Downs	20
Moroso	26
Moroso	27
MPI USA	12
New Vintage USA	38,39
OMP Racing, Inc	13
PEM	12
PPM Racing Products	43
Pro/Cam	
Proform	23
PWR Advanced Cooling Technology	/ 40
Pypes Performance Exhaust	
QA1	33
Race Tec Pistons	36,37
Raceceiver	39
Racepak	
S-A Books	
Scribner	

endor	Page
impson	32
kyjacker	2
pecialty Products Company	20
weet Manufacturing	39
wift Springs	37
erapump	2
i22 Performance	12
orco	23
otal Seal Piston Rings	4
ru-Cool	39
alvoline	2
ibrant Performance	13
lalker Engineering	13
lehrs Machine	3
/eiand	28
/ilwood	34
/inters Performance	3
amp Racing	42
MAX	

NEW VENDORS



Description	Photo	Part No.	Price
3D MAXPIDER			
1st Row Kagu Floor Liners 2010–17 Chevy Equinox Black textured Kagu front floor liners for 2010–17 Chevy Equinox. Pair.		M3DL1CH01411509	
2nd Row Kagu Floor Liners for 2011–21 Jeep Grand Cherokee Black textured Kagu 2nd row floor liner for 2011–21 Jeep Grand Cherokee. Each.		M3DL1DG00621509	
1st and 2nd Row Floor Liners for 2015–21 Ford F150 Super Crew Black textured Kagu 1st and 2nd row floor liners for 2015–21 Ford F150 Super Crew. Kit.		M3DL1FR08301509	
1st Row Floor Liners for 2015-21 Ford F150 Super Cab Black textured Kagu 1st row floor liners with dual post for 2015–21 Ford F150 Super Cab. Kit.	*	M3DL1FR10111509	
2nd Row Floor Liners for 2020-21 Jeep Gladiator Black textured Kagu 2nd row floor liners for 2015–21Jeep Gladiator. Kit.		M3DL1JP02221509	
AEROMOTIVE			
A1000 Stealth Fuel Pump A1000 Stealth electric in-tank fuel pump moves 700 lb/hr at 45 psi and features -8AN female 0-ring outlet/return connections. Fits 2010–14 Chevy Camaro. Kit.		AFS18673	
ALLSTAR PERFORMANCE			
SBF Modular/Coyote Engine Cradle Standard-duty engine cradle for Small Block Ford modular/Coyote engines. Made with 1" square tube, black powder-coated steel, and includes hardware. Each.	2	ALL10147	
Quick-Release Fire Ext Bracket NHRA Quick-release NHRA fire extinguisher mount for 3-3/8" 2-1/2 lb fir extinguishers. Aluminum/ steel construction. Kit.	8	ALL10513	
Shrinker Stretcher Combo Metal shrinker and stretcher combo can be vice or bench mounted. Combo includes 2 black and red bases/jaws. Kit.		ALL11024	
Mini Stock Car Cover Mini stock car outdoor cover features a heat-reflective silver exterior and soft cloth liner. Each.		ALL23305	
Flat 14" Air Cleaner Top Only Plain Lightweight aluminum 14" round air cleaner top. Natural finish. Each.	(4)	ALL25954	
Remote-Mount LS Coil Brackets Remote-mount ignition coil brackets are made from lightweight aluminum and feature a black powder-coated finish. Fit GM LS-series D580. Pair.	C.J.	ALL26216	
17" 6-Blade Aluminum/Steel Fan 17" mechanical cooling fan features steel hub with 6 aluminum blades, 5/8" pilot, and universal bolt pattern. Black paint finish. Each.	*	ALL30097	
15" 6-Blade Steel Fan 15" mechanical cooling fan features steel hub with 6 blades, 5/8" pilot, and universal bolt pattern. Black paint finish. Each.	*	ALL30102	
15" 4-Blade Steel Fan 15" mechanical cooling fan features steel hub with 4 blades, 5/8" pilot, and universal bolt pattern. Black paint finish. Each.	X	ALL30104	

Description	Photo	Part No.	Price
ALLSTAR PERFORMANCE			
18" 4-Blade Steel Fan 18" mechanical cooling fan features steel hub with 4 blades, 5/8" pilot, and universal bolt pattern. Black paint finish. Each.	X	ALL30105	
Superlite Caliper Spacer Aluminum brake pad spacer measures 0.119" thick and fits Wilwood Superlite calipers. Each.		ALL42042	
1978-87 D154 Series GM Caliper Metric RH Passenger side single-piston GM metric brake caliper features 2.375" bore, cast iron natural finish, and 5.460" floating mount. Fits 1978–87 D154 series 1" rotors. Each.		ALL42083	
1978-87 D154 Series GM Caliper Metric LH Driver side single-piston GM metric brake caliper features 2.375" bore, cast iron natural finish, and 5.460" floating mount. Fits 1978–87 D154 series 1" rotors. Each.		ALL42084	
Lug Nuts 12mm-1.25 Steel 10pk Large diameter, open-end lug nuts are designed to fit most racing wheel applications and will not pull through the wheel. Nuts are available in steel with metric threads and feature a 45° tapered seat. Package of 10.		ALL44103	
Lug Nuts 12mm-1.25 Steel 100pk Large diameter, open-end lug nuts are designed to fit most racing wheel applications and will not pull through the wheel. Nuts are available in steel with metric threads and feature a 45° tapered seat. Box of 100.		ALL44103-100	
Lug Nuts 12mm-1.25 Steel 350pk Large diameter, open-end lug nuts are designed to fit most racing wheel applications and will not pull through the wheel. Nuts are available in steel with metric threads and feature a 45° tapered seat. Box of 350.		ALL44103-350	
Power Steering Cooler Black Cool transmission or power steering fluid by 30°. Easily mounts with two 1/4" bolts or tie wraps. Suitable for most classes of circle track or drag race cars. Includes -6 fittings. Cooler is 14-1/2" long and 1-3/4" in diameter.	+	ALL52102	
Lower A-Arm Bushing Rear lower steel control arm bushing for 1973-88 GM A-body/F-body/G-body. Each.		ALL56234	
1964–72 Chevelle LH Lower A-Arm Tubular driver side lower control arm features 3/4" rod ends, press-in ball joints, and black powder-coated steel construction. Fits 1964–72 GM A-body. Each.		ALL56321	
1968–72 Chevelle Lower Control Arm RH Tubular passenger side lower control arm features press-in ball joints and black powder-coated steel construction. Fits 1968–72 GM A-body. Each.	Á.	ALL57810	
1968–72 Chevelle Lower Control Arm LH Tubular driver side lower control arm features press-in ball joints and black powder-coated steel construction. Fits 1968–72 GM A-body. Each.		ALL57811	
Canister Mount 1-3/4" Clamp Clamp-on shock reservoir bracket has aluminum body, nylon strap, and can hold 1-1/2"—3" reservoirs. Fits onto 1-3/4" O.D tube. Each.	8	ALL64272	
AUTOMETER			
2-1/16" Old Tyme Black Fuel Level Gauge Old Tyme Black short sweep analog electric fuel level gauge is 12- or 16-volt compatible and measures 2-1/16" dia. Black face. Each.	E Jun A	ATM1717	
4-Gauge Pillar Pod Full pillar black plastic gauge pod features (4) 2-1/16" dia gauge openings and fits 1999–07 Ford Super Duty. Each.	9000	ATM17308	
2-1/16" Phantom Fuel Pressure Gauge 0-100 PSI Phantom series mechanical fuel pressure gauge reads 0-110 psi and features full sweep, white face, and 2-1/16" dia. Each.	Ag al 2	ATM5712	

Description	Photo	Part No.	Price
AUTOMETER			
2-1/16" C/S Boost/Vac Gauge 30 inHg/30psi Cobalt full-sweep analog mechanical boost/vacuum gauge features 30 inHg/30 PSI and measures 2-1/16" dia. Black face. Each.	PO	ATM6103	
2-1/16" Cobalt Boost/Vac Gauge 30 inHg/30psi Cobalt full-sweep digital electric boost/vacuum gauge features 30 in-Hg/30 PSI and measures 2-1/16" dia. Black face. Each.	Language 25 August 1997	ATM6959	
2-1/16" C2/S Boost/Vac Gauge 30 inHg/20psi C2 analog mechanical boost/vacuum gauge features 30 inHg/30 PSI and measures 2-1/16" dia. White face. Each.	10 5 no 15 n	ATM7107	
B2 HELMETS			
Apex White Helmet Apex Large Apex full-face helmet is Snell SA2020 approved and head/neck support ready. White. Large. Each.		B2H1531A03	
Apex White Helmet Apex X-Large Apex full-face helmet is Snell SA2020 approved and head/neck support ready. White. X-Large. Each.		B2H1531A04	
Vision EV White Helmet Small Vision EV full-face helmet is Snell SA2020 approved and head/neck support ready. White. Small. Each.		B2H1549A01	
BELL HELMETS			
RS7C Carbon Fiber Helmet RS7C full-face helmet is Snell SA2020/FIA approved and head/neck support ready. Light weight carbon fiber. Size medium/large. Each.	0	BEL1237A08	
CALICO COATINGS			
Rod Bearing - Calico Coated H-series calico-coated connecting rod bearing is 0.001" undersized, fits small block Chevy. Each.		CLCCB1663HD001	
CHEVROLET PERFORMANCE			
Crate Engine SBC 350/400 HP (ASA LM Spec.Engine) Circle track 400 crate engine puts out 404 horsepower and is NOT IMCA legal. Small block Chevy, Each.		GMP19434604	
COMP CAMS			
BBC Cam 305h (Hyd) Mechanical Flat Tappet Magnum camshaft with 0.575"/0.575" lift, 305°/305° duration, 110° LSA, and 3000-6800 RPM range. For big block Chevy. Each.	THE PARTY	COM11-214-4	
CORSA PERFORMANCE			
Xtreme Cat-Back Exhaust System Xtreme cat-back exhaust system features 3" dia tubing, single side exit through dual 4" black tips, and fits 2011-14 Ford Raptor. Kit.	SA	COR14759BLK	
DOMINATOR RACE PRODUCTS			
Florescent Orange Bolt-On Wheel Cover Ultimate Real bolt-on mud covers are florescent orange and measure 15". Hardware included. Each.		DOM1006-B-FOR	
Chrome Real Style Wheel Cover Ultimate quick turn mud covers feature a chrome-finished plastic, measure 15", are vented, and include hardware. Real Style wheels. Each.		DOM1007-D-CHROME	
Florescent Yellow Wheel Cover Ultimate quick turn mud covers feature a florescent yellow finish, measure 15", and include hardware. Real Style wheels. Each.		DOM1012-D-FYE	

Description	Photo	Part No.	Price
DOMINATOR RACE PRODUCTS			
Gray Wheel Cover Ultimate quick turn mud covers feature a gray finish, measure 15", and include hardware. Each.		DOM1012-D-GRY	
Orange Wheel Cover Ultimate quick turn mud covers feature an orange finish, measure 15", and include hardware. Each.		D0M1012-D-0R	
Pink Wheel Cover Ultimate quick turn mud covers feature a pink finish, measure 15", and include hardware. Each.		DOM1012-D-PK	
Red Wheel Cover Ultimate quick turn mud covers feature a red finish, measure 15", and include hardware. Each.	No Service	DOM1012-D-RD	
Blue Vented Wheel Cover Ultimate quick turn mud covers feature a blue finish, measure 15", are vented, and include hardware. Each.		DOM1013-B-BL	
Gray Vented Wheel Cover Ultimate quick turn mud covers feature a gray finish, measure 15", are vented, and include hardware. Each.		DOM1013-B-GRY	
Dominator Late Model Air Valance 3-piece plastic fluorescent yellow air valance for dirt late model. Kit.		DOM2304-FLO-YE	
DART			
SBF SHP Cylinder Head 175cc/62cc—Bare Aluminum cylinder head comes bare with 2.020"/1.600" valves, 175cc intake, and 62cc chamber. Fits small block Ford applications. Sold each.		DRT128211	
ENEOS			
Import ATF Model T—1-qt. Bottle Toyota synthetic automatic transmission fluid, 1-qt. bottle. Each.	ENEOS	EN03104-300	
FERREA			
Competition Plus SBC 2.200" Intake Valves Competition Plus stainless intake valves feature 2.200" head, 11/32" valve stem, and measure 5.690" long. Fits small block Chevy. Set of 8.	- arange	FERF1884P-8	
FORD			
5.2L Aluminator XS Crate Engine 5.2L Ford crate engine puts out 580 horsepower and fits 2015–17 Ford Mustang GT. Each.		FRDM6007-A52XS	
427 Cu. In./535 HP Boss Crate Engine 427 cubic inch Ford crate engine is based on the Boss 351 block and puts out 535 horsepower. Each.		FRDM6007-Z2427FFT	
G-FORCE			
GF505 Pants Only, Small, Black GF505 triple-layer Nomex driving pants are SFI 3.2A/5. Black/white, small. Each.		GFR4386SBK	
HASTINGS			
Piston Ring Set 4.060" Claimer moly series drop-in style plasma moly piston rings, for 4.060" bore, standard tension, and measure 1/16", 1/16", and 3/16" thick. Kit.		HASCM5532060	

Description	Photo	Part No.	Price
Classic 5-Speed Knob Classic white plastic 5-speed shifter knob with 7/16"-20 thread. Universal, each.	1 3 5 2 4 R	HUR163-0004	
JP PERFORMANCE			
Performance Series Replacement Timing Chain Performance series 60-link double-roller timing chain. Each.		JPP3DR60-2	
Long Chassis Height Gauge Chassis height checker gauge for straight rail cars is 36" long and features a measuring range of 2" – 15" in 1/16" increments in both inch and mm units. Versatile aluminum gauge has a red anodized finish. Each.		L0N52-78325	
MACS CUSTOM TIE-DOWNS			
4 Tie-Down/Axle Strap Combo—Twisted Hook Super pack tie-down strap kit includes (4) 2" x 8' twisted hook combination ratchet straps and blue gear bag. Kit.	60 May 200	MTD511108	
4 Tie Downs Direct Hook & Axle Straps Ultra pack tie-down strap kit includes (4) 2" x 8' direct hook combination ratchet straps, (4) axle straps, and black gear bag. Kit.	i dad	MTD511218	
MAHLE ORIGINAL/CLEVITE			
Driver Side Head Gasket Ford 5.0L Coyote Multi-layer steel Coyote 5.0L cylinder head gasket features 3.7" bore and 0.040" compressed thickness. Driver side. Each.		M7755014	
Passenger Side Head Gasket Ford 5.0L Coyote Multi-layer steel Coyote 5.0L cylinder head gasket features 3.7" bore and 0.040" compressed thickness. Passenger side. Each.		M7755015	
GM LS-Series Head Gasket Multi-layer steel GM LS- series cylinder head gasket features 4.190" bore and 0.051" compressed thickness. Each.		M7755045	
MANLEY			
Small Block Chevy Exhaust Valves Street Master stainless exhaust valves feature 1.6" head, 0.342" valve stem, and measure 4.911" long. For small block Chevy. Set of 8.	1114	MAN10749-8	
MEZIERE			
GM LS Block Adapter Polished aluminum water pump adapter for GM LSX engines feature -12AN female O-ring ports. Pair.	88	MEZWP89U	
MICKEY THOMPSON			
Baja Boss A/T Tire LT275/55R20 120/117Q Baja Boss A/T LT272/55R-20 radial tires feature 3085 lb. max load and black sidewalls. Each.		MIC247456	
Baja Boss A/T Tire 33x13.50R20LT 120Q Baja Boss A/T 33.0 x 13.50R-20LT radial tires feature 3085 lb. max load and black sidewalls. Each.		MIC247457	
Baja Boss A/T Tire 33x12.50R18LT 118Q Baja Boss A/T 33.0 x 12.50R-18LT tires feature 2910 lb. max load and black sidewalls. Each.		MIC247459	
Baja Boss A/T Tire LT305/65R17 121/118Q Baja Boss A/T LT305/65R-17 tires feature 3195 lb. max load and black sidewalls. Each.		MIC247462	
Baja Boss A/T Tire LT295/70R17 121/118Q Baja Boss A/T LT295/70R-17 tires feature 3195 lb. max load and black sidewalls. Each.		MIC247472	

Description	Photo	Part No.	Price
Baja Boss A/T Tire LT305/55R20 125/122Q Baja Boss A/T LT305/55R-20 tires feature 3085 lb. max load and black sidewalls. Each.		MIC247473	
Baja Boss A/T Tire LT295/60R20 126/123Q Baja Boss A/T LT295/60R-20 tires feature 3750 lb. max load and black sidewalls. Each.		MIC247474	
Baja Boss A/T Tire 35X12.50R18LT 118Q Baja Boss A/T 35.0 x 12.50R-18LT tires feature 2910 lb. max load and black sidewalls. Each.		MIC247483	
Baja Boss A/T Tire 35x15.50R20LT 127Q Baja Boss A/T 35.0 x 12.50R-18LT tires feature 2910 lb. max load and black sidewalls. Each.		MIC247484	
Baja Boss A/T Tire 35x12.50R22LT 121Q Baja Boss A/T 35.0 x 12.50R-22LT tires feature 3195 lb. max load and black sidewalls. Each.		MIC247487	
Baja Boss A/T Tire LT325/50R22 127Q Baja Boss A/T LT325/50R-22 tires feature 3860 lb. max load and black sidewalls. Each.		MIC247488	
Baja Boss A/T Tire LT305/70R18 126/123Q Baja Boss A/T LT305/70R-18 tires feature 3750 lb. max load and black sidewalls. Each.		MIC247489	
Baja Boss A/T Tire 37x13.50R20LT 127Q Baja Boss A/T 37.0 x 13.50R-20LT tires feature 3860 lb. max load and black sidewalls. Each.		MIC247492	
Baja Boss A/T Tire 37x13.50R22LT 128Q Baja Boss A/T 37.0 x 13.50R-22LT tires feature 3970 lb. max load and black sidewalls. Each.		MIC247493	
33x12.50R17LT 114Q Baja Boss Tire Baja Boss A/T 33.0 x 12.50R-17LT tires feature 2600 lb. max load and black sidewalls. Each.		MIC247880	
LT285/65R18 125/122 Baja Boss Tire Baja Boss A/T 285 / 65R-18 tires feature 3640 lb. max load and black sidewalls. Each.		MIC247883	
Mickey Thompson Classic III Bolt-On Wheel Center Caps Mickey Thompson Classic III plastic wheel center closed cap measures 4.370" O.D. Satin black painted finish. Each.	34/7	MIC250360	
MOMO AUTOMOTIVE ACCESSORIES			
Tuner Leather Steering Wheel Black anodized aluminum tuner 3-spoke steering wheel features black leather grip, 350mm diameter, and 37mm dish. Each.		MOMTUN35BK0B	
MOROSO			
Honda H-Series Road Race Oil Pan Road and drag 7-qt. steel oil pan measures 5.522" deep with zinc oxide finish. Each.		MOR20917	
Nissan SR20 RWD Oil Pan Road race 4.75-qt. baffled aluminum oil pan measures 2.938" deep. Center sump. Fits 1995–98 Nissan SX. Each.	1971	MOR20975	

Description	Photo	Part No.	Price
MOROSO			
SBC Dry Sump Oil Pan 410 sprint car dry sump small block Chevy oil pan measures 6-1/2" deep and features (2) -12AN female passenger side pick-ups, 2-piece seal, and zinc plated finish. Each.		MOR21556	
Roush Mustang Coolant Tank Aluminum 3-1/2 qt intercooler tank fits 2010–13 Roush Ford Mustang. Natural finish. Kit.		MOR63502	
MOSER ENGINEERING			
Ford 9" Rear End Pinion Support, Daytona Style 9" Ford 28-spline Daytona style aluminum pinion support. Each.		MEIPS028	
MOTUL USA			
Nismo Competition Oil—1L Bottle Nismo synthetic 0w30 motor oil, 1L bottle. Each.	COMPETITION OR.	MTL102497	
8100 0w40 X-Max 0il—1 Liter Bottle 8100 X-Max 0w40 synthetic motor oil, 1L bottle. Each.	BIOO X-max	MTL104531	
Fork Oil Expert Light 5w—1 Liter Bottle Fork Oil Expert light semi-synthetic 5w shock oil, 1L bottle. Each.	FOR OLL SEA SW	MTL105929	
Throttle Body Clean—16.9-oz. Can Throttle body cleaner. 16.9-oz. aerosol can. Each.	MOTUL TREOTTE AND TOTAL STATE	MTL109615	
MSD IGNITION			
MSD Pro Coil Pro Coil Pro coil pack offers increased spark energy with multi-spark capabilities. Generate 30,000V with .200 Ω ohms of resistance. Male HEI, isolated ground. Each.		MSD42921	
GM LS Series Coils - (8) (LS-1/6) LS1/LS6 series Pro Power red coil packs offer increased spark energy with multi-spark capabilities. Generate 40,000V with 0.730Ω of resistance. Set of 8.		MSD82858	
Mopar 331/354 Hemi RTR Distributor Pro-Billet ready-to-run distributor with magnetic pickup, vacuum advance, and HEI-style terminal. Red. Each		MSD8391	
NGK			
NGK Spark Plug Stock # 96358 Ruthenium HX spark plug features gasket seat, 12mm thread, and 26.5mm reach. Each.		NGKLKR7AHX-S	
NEW VINTAGE USA			
Performance II Gauge Panel Performance II panel with white-faced gauges displays fuel level, oil pressure, speedometer, tachometer, voltmeter, and water temp. For 1973–79 GM trucks. Kit.		NVG79026-03	
NITROUS EXPRESS			
Remote Nitrous Shutoff Valve 6an Inlet/Outlet Nitrous manual shutoff valve features -6AN male inlet/outlet and black anodized finish. Each.	- 17.	NXS15159-6	
NITROUS OXIDE SYSTEMS			
Time Delay Relay Nitrous delay dimer DIP switch can delay from 0.1 to 102.3 seconds in 0.1 second intervals. Each.		NOS15838A	

Description	Photo	Part No.	Price
PATRIOT EXHAUST			
Chrome Side Pipes - 60in Shielded universal exhaust side pipes measure 60" long with 2" inlet and 3" outlet. Chrome finish. Pair.	Amon Ma	PEPH1060	
PENSKE RACING SHOCKS			
7150 Series Shock w/ 6.75" Stroke 19.5" OAL 3/10 Valving 7150 series twin-tube shock features 3-10 valving and 12.75" compressed/19.50" extended lengths. Nickle-plated steel body measures 1.94" O.D. Each.	19	PENPS-7157-3/10	
PERTRONIX IGNITION			
Igniter II Conversion Kit Holley 8-Cylinder Ignitor II ignition conversion kit features magnetic trigger. Fits Holley 8-cyclinder distributors. Kit.	39	PRT9H0-181	
SBF Billet Distributor w/Red Male Cap Flame-Thrower plug-n-play distributor with magnetic pickup, mechanical advance, and HEI-style terminal. Red. Small block Ford. Each.		PRTD130811	
Ignitor Distributor for VW Type I Engine Flame-Thrower type 1 distributor with magnetic pickup and mechanical advance. Red. Volkswagen 4-cylinder. Each.		PRTD186604	
PROSPORT GAUGES			
Gauge EVO Fuel Pressure w/Sender EVO digital fuel pressure gauge reads 0-100psi, measures 2-1/16", and features a black face with white/green LEDs. Each.	· O	PSG216EVOWGEFP.PSI	
Gauge EVO EGT w/ K-Type Probe EVO digital fuel EGT gauge reads 400-2400°F, measures 2-1/16", and features a black face with white/green LEDs. Each.		PSG216EVOWGEGT.F	
QUICK FUEL TECHNOLOGY			
850CFM Carburetor - Drag Race Alcohol Q-Series Drag Race 4-barrel alcohol carburetor flows 850 CFM and features a mechanical secondary, square bore, dual inlets, and a polished blue anodized finish. No choke. Each.		QFTQ-850-A	
QUICK TIME			
Bellhousing Chevy V8 to Tremec TKO 500/600 Chevy engine to Ford transmission bell housing is SFI 16.1 rated with black painted finish. Works with Ford TKO 500-600/TR3550/T5. Kit.	0	QTMRM-6064	
REESE			
Removable Trailer Jack Foot Removable trailer jack foot for 2" trailer jack tube supports up to 5000 lb. Steel zinc oxide finish, locking pin included. Kit.		REE500244	
SCE GASKETS			
Spartan MLS Head Gasket MLS Spartan steel multi-layer small block Ford cylinder head gasket features 4.155" bore and 0.039" compressed thickness. Each.		SCEM361539GS	
SPARCO			
Underwear Top Black Medium/Large Long sleeve high collar Nomex underwear top is FIA approved. Medium/large, black. Each.		SC0001764MNRML	
STRANGE			
L/W Steel Pro-Series Spool Lightweight Pro race 35-spline steel spool for Dana 60. Full size. Each.		STGD1547	

Description	Photo	Part No.	Price
TR-1 Racing Oil 10W40—1 Liter Bottle TR-1R 10w40 conventional motor oil, 1L bottle. Each.	Torse 1000 1000 1000	TRCA141040CE	
SR-5 Synthetic Oil 20W50—1 Liter Bottle SR-5 20w50 synthetic motor oil, 1L bottle. Each.	SIX S	TRCA152050CE	
TD-1 Super Diesel 15w40—4-Liter Jug Super Diesel 15w40 conventional motor oil, 4L jug. Each.	TD-1	TRCA181540SE	
TOTAL SEAL			
Piston Ring - Napier 2nd 4.600 Bore .043 Thick Ductile napier 2nd piston ring is file fit, 4.600" bored, and measures 0.043" thick. Each.	\bigcirc	T0T209697	
TRIPLE X RACE COMPONENTS			
600 Mini Sprint Hood Dual Duct Triple X micro/mini dual duct fiberglass hood, white. Each.		TXR600-BW-0014	
AN Reducer #16 Female x #10 Male Straight aluminum adapter fitting goes from -16AN swivel female to -10AN male, black anodized. Each.		TXRHF-37016-BLK	
#12 90° AN Bulkhead 90° bulkhead aluminum adapter fitting goes from -12AN male to -12AN male, black anodized. Each.		TXRHF-79012-BLK	
VP RACING			
VP SAE 10w30 Classic—1 Qt. Bottle Classic Racing 10w30 conventional motor oil, 1-qt. bottle. Each.	VI SAL TOW 30	VPF2678	
WELD RACING			
Magnum 15" x 15" Wheel 15" x 15" 42-spline Magnum wheel features 7" backspace, polished lip, and gold anodized center. Beadlock. Each.		WEL735-51537	
WEIAND			
BBC O/P Intake Manifold 4500 - Track Warrior Track Warrior aluminum big block Chevy intake manifold features dominator flange, single plane, and oval port. Each.		WEI7621	
WOOLF AIRCRAFT PRODUCTS			
304 Stainless 1" Diameter 90° Elbow 16-gauge 1" diameter stainless 90° bend features 1" radius. Each.		WAP100-065-100-090-304	
YUKON GEAR AND AXLE			
Grizzly Locker for Ford 9" Grizzly Locker 31-spline steel differential carrier for Ford 9". Each.		YKNYGLF9-31	
Master Overhaul Kit Toyota T100/Tacoma 8.4 Master overhaul differential installation kit includes bearings, crush sleeve, gaskets, hardware, seals, and shims. Kit works with 1995–04 Toyota Tacoma, 2000–06 Toyota Tundra, and 2001–07 Toyota Sequoia. Kit.		YKNYKT100-SPC	
Yukon Compact Air Compressor 120psi 12V Yukon Air Lockers air compressor includes controls and wiring harness. Each.		YKNYZLCOMPRESSOR-01	



Super Strong Steel Rear Torsion Arms

Your Choice -

Strong and safe, it keeps the driver safer and lessens the chance of breaking during a crash. Made from 4130 steel, it won't

change torsion bar rates but maintains flexibility. These arms stay strong even with high exhaust heat, reducing twisting under pressure.

Part No.	Description	
TIP2330	Steel Right Rear Torsion Arm	
TIP2332	Steel Left Rear Torsion Arm	

Tire Covers For Sprint Cars

Sprint Car tire covers are crafted from aluminized insulated material to shield tires from direct sunlight. This protection helps maintain the tire compound, preventing potential alteration caused by exposure to direct sunlight and heat. The Right Cover fits tires up to 100"-115" and left rear cover fits 84"-99".



Part No.	Description	Price
TIP5470	Kit Comes with Left And Right Cover	
TIP5472	Right Rear Cover Only	

Top Hoop Front Bumpers

Bumpers are fabricated from 1" O.D. stainless steel 4130 chromoly and feature a protective black powder coated finish.



Part No.	Description	Price
TIP7009	Silver	
TIP7010	Black	

Heel Risers

Heel risers measure 4-1/2" wide and provide the driver with improved comfort and pedal feel. Choose from various height, in carbon fiber or aluminum. Non-skid pad included.



TIP4114	Black Anodized Aluminum, 1"	
TIP4115	Black Anodized Aluminum, 1-1/2"	
TIP4116	Black Anodized Aluminum, 2"	
TIP4117	Carbon Fiber, 2"	
TIP4118	Natural Aluminum, 2"	

PEM

pemracing.com



2" Grand National Floater Housing PEMHN320320HV

9" Ford Floater housing for 2.0" hubs. 64" track width and centered pinion from wheel mounting face to wheel mounting face when hubs are installed. New stamped center housing with 0.188" (3/16") wall DOM steel tubes and 2.0" snouts. The snouts are plug welded in the tubes for a strong floater rear end housing.

26-Spline Axle

PEMFLAX7.5GMSSM

Aftermarket replacement axle for G Body 1978–83 GM mid size metric cars. 1541 alloy construction is 25% stronger than stock and features two bolt patterns, 5 x 4.75" and 5 x 5" with the holes drilled for aftermarket 0.685" knurl wheel studs. The 26-spline axle measures 28-7/16".



Brute Differential Case PEMDHNI3250

Brute nodular iron 9" Ford case for 3.25" carrier bearings. Designed as a top option for drag racing, offroad, or any application that demands tough components, case weighs 36 lbs. Works well with 35-spline and 40-spline spools, and differentials with 2.0" journal sizes.



DRG2 13" Drag Steering Wheel MPIMPI-DRG2-13-SQD

The DRG2 is the evolution of the popular DRG model and represents the current pinnacle of the MPI DRAG line of wheels. Features include a 13" dia. flat top and bottom, 4-spoke design, and light weight aluminum body.



GT-RA Steering Wheels

Your Choice -

GT-RA steering wheels are designed for road course or track day peak steering performance.

Steering wheels feature MPI unique 4-spoke black-anodized aluminum body, black alcantara grip, and a variety of predrilled 12mm push-button locations.

Part No.	Description	
MPIMPI-GT-RA-330	13" Dia.	
MPIMPI-GT-RA-280	11" Dia	
	11 210	

GT-RSC Steering Wheels MPIMPI-GT-RSC-310

The GT-RSC takes inspiration from the MPI wheels built for Australia Supercars. Unique D-shaped design deforms under impact to provide added safety for the driver. Wheel features 12" 3-spoke black-anodized aluminum body, black alcantara grip, and 4 holes.





High-Flow Air Filters

Your Choice -

Walker Engineering's 14" round low-restriction air filters are supported by a premium synthetic media for superior filtration with increased horsepower and torque. Filters are available in three sizes.

Part No.	Description
WLK3001188-3	3"
WLK3001188-3 .5	3-1/2"
WLK3001188-4	4"







HRPHRP6190

Light-duty trailer folding table measures 49-1/4" x 20-1/8" when opened and 49-1/4" x 6" when in the raised or closed position. Table features a durable black powder-coated finish.

Double Row Radius Rod Racks

Designed to support either 12 or 16 radius rods, racks work great with wall or cabinet mounts and feature a white powder-coated finish.

Part No.	Description	Price
HRPHRP6521D-15-WHT	6-Row, 15"L	
HRPHRP6521D-20-WHT	8-Row, 20"L	



Double Row Radius Rod Lower Trays

Trays keep radius rods secure while traveling.

Available in varying length with black or white powder-coated finish.

7		
Л	10	$oldsymbol{arDelta}$

Part No.	Description	Price
6-Row		
HRPHRP6521D-15B-BLK	15"L, 1.125" Rods, Black	
HRPHRP6521D-15B-WHT	5"L, 1.125" Rods, White	
HRPHRP6521D-15C-BLK	15"L, 1.250" Rods, Black	
HRPHRP6521D-15C-WHT	15"L, 1.250" Rods, White	
8-Row		
HRPHRP6521D-20A-BLK	20"L, 1.125" Rods, Black	
HRPHRP6521D-20A-WHT	20"L, 1.125" Rods, White	
HRPHRP6521D-20C-BLK	20"L, 1.125" and 1.250" Rods, Black	
HRPHRP6521D-20C-WHT	20"L, 1.125" and 1.250" Rods, White	
HRPHRP6521D-20D-BLK	20"L, 1.250" Rods, Black	
HRPHRP6521D-20D-WHT	20"L, 1.250" Rods, White	

Nose Wing Wall Mount

HRPHRP6553-BLK

Black powder-coated nose wing wall mount is designed from light weight 5052 aluminum and measures 24" x 36". Pair .





Pit Crew Shoes

Your Choice -

OMP's SFI 3.3/f rated pit crew shoes are built to withstand the challenges of the most demanding track, featuring a non-skid anti-static sole, toe cap, Velcro ankle strap, and internal laces. Available in varying sizes.



Size	Part No.
Size 8	OMPICO-0832-A01-071-8
Size 9	OMPICO-0832-A01-071-9
Size 9.5	OMPICO-0832-A01-071-9.5
Size 10	OMPICO-0832-A01-071-10
Size 10.5 OMPICO-0832-A01-071-10.5	
Size 11 OMPICO-0832-A01-071-11	
Size 11.5 OMPICO-0832-A01-071-11.5	
Size 12 OMPICO-0832-A01-071-12	
Size 13	OMPICO-0832-A01-071-13

vibrant performance

Streetpower Universal Mufflers

Vibrant's dual-outlet polished stainless universal mufflers are the answer to combining unrestricted exhaust flow and an even exhaust tone/drone through the use of multi-layer sound suppression materials and a "true straight through" design. 8-1/2" x 5-1/4" body, 19" long.



Part No.	Description	Price
VIB10534	2-1/4" Inlet/Outlet	
VIB10535	2-1/2" Inlet/Outlet	
VIB10536	3" Inlet/Outlet	


HD Power Filters

Inline HD power filters are compatible with various fuel types, providing the next level filtration for high-performance vehicles. Filter features -12AN female O-ring inlet/outlet and black anodized aluminum body.



Part No.	Description	Price
VIB16280	10-micron, Microglass Element	
VIB16285	40-micron, Microglass Element	
VIB16288	100-micron, Stainless Element	

Replacement HD Power Filter Elements





Lava and Stealth Oil Filter Heat Shields

Oil filter heat shields assist in preventing oil overheating. Rated for up to a constant 1,200°F or intermittent 2,000°F, shields are constructed from volcanic rock fiber-based thermal barrier material and held in place with magnets to protect from slipping and help to hold any debris trapped in the filter. Available in original Lava tan or black dyed Stealth.



Part No.	Description	Price
HSP504501	Stealth, 3.7" Dia., 3.8" Tall, Mopar/Ford Mod Motor	
HSP504502	Stealth, 3.8" Dia., 4.8" Tall, Early GM/Ford	
HSP504503	Stealth, 3.1" Dia., 3.25" Tall, GM LS/LT1/LT4 Series	
HSP504504	Stealth, 3.25" Dia., 3.875" Tall, Ford Coyote 5.0L	
HSP504701	Lava, 3.7" Dia., 3.8" Tall, Mopar/Ford Mod Motor	
HSP504702	Lava, 3.8" Dia., 4.8" Tall, Early GM/Ford	
HSP504703	Lava, 3.1" Dia., 3.25" Tall, GM LS/LT1/LT4 Series	
HSP504704	Lava, 3.25" Dia., 3.875" Tall, Ford Coyote 5.0L	

Master Cylinder Shields

Built from the same heat-resistant material as Heatshield Products oil filter shields, master cylinder shields help to protect brake fluid from overheating. Available in original Lava tan or black dyed Stealth.



Part No.	Description	Price
HSP503130	Lava, Wilwood Tandem Master Cylinder	
HSP503140	Lava, Baer Remaster Master Cylinder	
HSP503148	Lava, GM Style Master Cylinder	
HSP503530	Stealth, Wilwood Tandem Master Cylinder	
HSP503540	Stealth, Baer Remaster Master Cylinder	
HSP503548	Stealth, GM Style Master Cylinder	

Battery Heat Shields

Woven fiberglass heat shields help to keep the battery cooler and extend its life. Shields feature a hook-and-loop closure and are rated for up to 1,200°F. Available in original Lava tan or black dyed Stealth.



Part No.	Description	Price
HSP502008	Lava, Optima Group 35	
HSP502009	Lava, Group 58/59	
HSP502010	Lava, Group 34/78	
HSP502011	Lava, Optima 34/78	
HSP502012	Lava, Group 24F	
HSP502013	Lava, Group 27F	
HSP502014	Lava, Group 65	
HSP502015	Lava, Group 94R	
HSP502018	Lava, Group 49/H8	
HSP502508	Stealth, Optima Group 35	
HSP502509	Stealth, Group 58/59	
HSP502510	Stealth, Group 34/78	
HSP502511	Stealth, Optima 34/78	
HSP502512	Stealth, Group 24F	
HSP502513	Stealth, Group 27F	
HSP502514	Stealth, Group 65	
HSP502515	Stealth, Group 94R	
HSP502518	Stealth, Group 49/H8	

Cold Intake Cover Systems

Wrapping a cold air intake system decreases the temperature of the air flowing in, creating a heavier air/fuel mix. Aluminized fiberglass cloth has a hook-and-loop closure and is rated to withstand 500°F of direct heat, 1,100°F of reflective heat, and 2,000°F of intermittent heat. Kit.



Part No.	Description	Price
HSP274400	3' Long, Use with up to 4" Tube	
HSP274403	3' Long, Use with up to 3" Tube, Includes Air Box Shield	
HSP274404	3' Long, Use with up to 4" Tube, Includes Air Box Shield	

Intake Manifold Heat Shields

Heat shielding the intake manifold reduces the amount of heat inside the engine compartment, creating cooler air and reducing heat wear on components. Shielding applies with 300°F rated adhesive.



Part No.	Description	Price
HSP140020	LS1/LS2/LS6	
HSP140022	LS7	
HSP140023	Fast LSX	
HSP140025	LT4	

Catch Can Cool Shield HSP140401

Catch can heat shield protects against temperatures up to 1,100°F. Measures 7"W x 12"L, includes edging tape.



Starter Heat Shields

Wrapping the starter in a heat shield extends the life of the starter and helps prevent starter heat soak. Aluminized fiberglass cloth has hook-and-loop closure and 1,100 $^{\circ}$ F rating.



Part No.	Description	Price
HSP501000	7-3/4" x 21-3/4"	
HSP501010	3-1/2" x 18"	

Fuel Rail Heat Shields

Fuel rail heat shields protect important fuel components and prevent pre-ignition.



Part No.	Description	Price
HSP700270	6" x 18", Each	
HSP700271	6" x 18", Pair	



NEW VENDOR

Redstuff Ceramic Brake Pads

A superb pad for high-performance street use. Ideal for high HP imports, muscle cars, and high-end European cars. Redstuff reduces dust by up to 80% compared to OEM pads, while also preventing rotor wear. Sold in axle sets.

Part No.	Application	Price
Front Brake Pads		
EBCDP31210C	2017-24 Honda Civic; 2016-23 Chevy Camaro; 2017-21 Tesla S; 2016-21 Tesla X; 2012-20 Buick Regal; 2017-20 Subaru BRZ; 2014-19 Cadillac CTS; 2013-19 Cadillac XTS; 2015-17 Dodge Viper; 2014-16 Corvette; 2015-17 Subaru WRX STI; 2005-14 Ford Mustang	
EBCDP31513C	2008-23 Audi R8; 2013-15 Audi RS5; 2004-14 Lamborghini Gallardo; 2006-10 Lamborghini Murcielago; 2007-08 Audi RS4	
EBCDP31513/3C	2018-22 Audi TT RS Quattro; 2017-2020 Audi RS3	
EBCDP31583C	2015-21 Subaru WRX; 2005-19 Subaru Legacy; 2010-19 Subaru Outback; 2014-18 Subaru Forester; 2006-14 Subaru Tribeca	
EBCDP31743C	2019-23/2007-12 Acura RDX; 2021-23 Acura TLX; 2016-19 Subaru Legacy; 2010-15 Honda Crosstour	
EBCDP31774C	2006-15 Mazda MX-5 Miata	
EBCDP31790C	2013-18 Lexus ES300h; 2007-18 Lexus ES350; 2008-18 Toyota Avalon; 2007-17 Toyota Camry	
EBCDP31791C	2009-19 Toyota Corolla; 2008-15 Scion xB; 2008-14 Scion xD; 2009-13 Toyota Matrix; 2010-12 Lexus HS250h; 2009-10 Pontiac Vibe	
EBCDP31823C	2023-24 Nissan Z; 2014-2023 Infiniti Q50; 2014-2022 Infiniti Q60; 2014-19 Infiniti 70; 2013-2020 Nissan 370Z	
EBCDP31837C	2022-24 Lexus NX250; 2023-24 Subaru Solterra; 2023-24 Toyota bZ4X; 2022-24 Lexus NX350; 2022-24 Lexus NX450h+; 2020-23 Toyota Camry; 2021-23 Toyota RAV4 Prime; 2011-21 Toyota Sienna; 2010-22 Lexus RX350	
EBCDP31939C	2015-21 Mercedes C63/E63/GLC63 AMG; 2014-18 Audi RS7	
EBCDP31986C	2008-17 Audi A4/A5 Quattro; 2008-17 Audi S5; 2009-16 Audi A4; 2010-16 Audi S4	
EBCDP32041C	2009-20 Honda Fit; 2011-15 Honda CR-Z	
EBCDP32127C	2022-24 VW GTI; 2019-24 VW Jetta; 2018-24 VW Tiguan; 2019-23 VW Arteon; 2015-19 VW Golf; 2012-18 VW Passat; 2015-20 Audi S3	
EBCDP32158C	2017-18 Audi RS7; 2013-18 Audi S6; 2013-18 Audi S7; 2013-18 Audi S8; 2014-16 Audi A8 Quattro	
EBCDP32277C	2019-23 Audi A6; 2018-23 Audi SQ5; 2018-22 Audi S4; 2018-22 Audi S5	
EBCDP32356C	2019-23 Genesis G70; 2018-23 Kia Stinger	
Rear Brake Pads		
EBCDP31518C	2006-13 Audi A3; 2005-08 Audi A4; 2005-11 Audi A6; 2010-14 VW Golf; 2005-16 VW Jetta; 2009-18 VW Tiguan; 2007-13 VW Eos	
EBCDP31584C	2013-23 Subaru Crosstrek; 2008-22 Subaru Impreza; 2015-21 Subaru WRX; 2013-20 Subaru BRZ; 2009-18 Subaru Forester; 2013-16 Scion FR-S; 2005-14 Subaru Legacy; 2005-14 Subaru Outback	
EBCDP31788C	2010-24 Chevy Camaro; 2008-23 Dodge Challenger; 2006-23 Dodge Charger; 2016-21 Tesla X; 2013-17 Tesla S; 2005-19 Cadillac CTS; 2005-14 Chrysler 300	
EBCDP31793C	2007-22 Toyota Camry; 2013-18 Lexus ES300h; 2007-18 Lexus ES350; 2008-18 Toyota Avalon; 2011-13 Toyota Matrix; 2010 Pontiac Vibe	
EBCDP31988C	2009-18 Audi Q5; 2008-17 Audi S5; 2008-17 Audi A5; 2014-17 Audi SQ5; 2009-16 Audi A4; 2010-16 Audi S4	
EBCDP32082C	2018-24 Porsche Macan; 2012-18 Audi A6; 2012-18 Audi A7; 2011-18 Audi A8; 2014-18 Audi RS7; 2013-18 Audi S6; 2013-18 Audi S7; 2013-18 Audi S8	
EBCDP32089C	2022-24 BMW iX; 2021-24 BMW M3; 2021-24 BMW M4; 2018-24 BMW X3; 2017-23 BMW 540i; 2020-23 BMW 840i; 2018-22 BMW 530e; 2017-22 BMW 530i	
EBCDP32153C	2019-24 VW Jetta; 2022-24 VW Taos; 2019-24 VW Tiguan; 2019-23 VW Arteon; 2015-23 Audi Quattro; 2015-20 Audi A3; 2015-19 VW Golf; 2015-19 VW GTI	
EBCDP32173C	2019-23 Audi TTS Quattro; 2015-20 Audi S3	
EBCDP32201C	2014-22 VW Passat; 2015-21 VW Golf; 2015-19 VW GTI; 2016-19 Audi Q3	
EBCDP32254C	2018-23 Audi Q5; 2017-22 Audi A4; 2018-22 Audi S4; 2018-22 Audi S5; 2020-22 Audi A5; 2018-20 Audi SQ5	
EBCDP32361C	2018-21 Subaru WRX STi	



EBCDP31210C



EBCDP31513C



EBCDP31513C





NEW VENDOR

Yellowstuff Brake Pads

High-friction pads are well suited to normal street driving, autocross, or light track use. Pads work well, even when cold, and improve braking by up to 15%. Sold in axle sets.

Price

Part No. Application		Price
Front Brake Pads		
EBCDP4872R	1991-05 Acura NSX; 1991-02 Honda Accord; 1997-01 Acura Integra; 1997-01 Honda CR-V; 1993-01 Honda Prelude; 1997-99 Acura CL; 1996-97 Isuzu Oasis; 1996-98 Acura RL; 1996-98 Acura TL	
EBCDP41002R	1994-05 Mazda Miata	
EBCDP41145R	1985-02 Chevy Astro/GMC Safari; 1969-96 GM B-Body; 1969-81 GM F-Body; 1969-77 GM A-Body; 1969-78 X-Body; 1971-86 Chevy C10/C20/GMC C15/C25	
EBCDP41146R	1982-03 Chevy S10/GMC Sonoma/Jimmy; 1982-92 Chevy Camaro/Pontiac Firebird; 1978-88 Monte Carlo/Malibu/El Camino/Regal/Grand Prix/Lemans/Cutlass; 1978-81 Chevy Camaro/Pontiac Firebird; 1979-85 Buick Riviera/Cadillac Eldorado/Seville/Olds Toronado	
EBCDP41162R	1997-13 Chevy Corvette; 2004-09 Cadillac XLR; 2005-06 Pontiac GTO; 2007-08 Ford Mustang	
EBCDP41210R	2017-24 Honda Civic; 2016-23 Chevy Camaro; 2017-21 Tesla S; 2016-21 Tesla X; 2012-20 Buick Regal; 2017-20 Subaru BRZ; 2014-19 Cadillac CTS; 2013-19 Cadillac XTS; 2015-17 Dodge Viper; 2014-16 Corvette; 2015-17 Subaru WRX STI; 2005-14 Ford Mustang	
EBCDP41254R	2006-11 Honda Civic; 2000-09 Honda S2000; 2002-06 Acura RSX	
EBCDP41591R	2018-21 Subaru WRX STi; 2009-17 Maserati GranTurismo; 2008-14 Lexus IS F	
EBCDP41743R	2019-23/2007-12 Acura RDX; 2021-23 Acura TLX; 2016-19 Subaru Legacy; 2010-15 Honda Crosstour	
EBCDP41774R	2006-15 Mazda MX-5 Miata	
EBCDP41815R	2008-22 Toyota Sequoia; 2008-21 Lexus LX570; 2008-21 Toyota Land Cruiser; 2007-21 Toyota Tundra	
EBCDP41837R	2022-24 Lexus NX250; 2023-24 Subaru Solterra; 2023-24 Toyota bZ4X; 2022-24 Lexus NX350; 2022-24 Lexus NX450h+; 2020-23 Toyota Camry; 2021-23 Toyota RAV4 Prime; 2011-21 Toyota Sienna; 2010-22 Lexus RX350	
EBCDP41853R	2015-23 Dodge Challenger; 2015-23 Dodge Charger; 2018-21 Dodge Durango; 2013-21 Jeep Grand Cherokee; 2012-19 Cadillac CTS; 2016-19 Cadillac ATS	
EBCDP41884R	2013-24 Subaru BRZ; 2017-24 Toyota GR 86; 17 Subaru Crosstrek; 2011-18 Subaru Forester; 2013-16 Scion FR-S; 2011-16 Subaru Impreza; 2013-14 Subaru Legacy; 2013-14 Subaru Outback	
EBCDP42041R	2009-20 Honda Fit; 2011-15 Honda CR-Z	
EBCDP42127R	2015-24 VW GTI; 2019-24 VW Jetta; 2018-24 VW Tiguan; 2019-23 VW Arteon; 2015-19 VW Golf; 2015-20 Audi S3; 2012-18 VW Passat; 2012-16 VW CC	
Rear Brake Pads		
EBCDP4680R	2015-19 VW Golf; 2010-18 VW Jetta; 2010-13 Audi A3; 1998-10 VW Beetle; 1999-2006 Audi A4	
EBCDP4993R	2010-23 Lexus GX460; 2003-09 Lexus GX470; 2003-23 Toyota 4Runner; 2007-14 Toyota FJ Cruiser	
EBCDP41160R	1997-13 Chevy Corvette; 2004-09 Cadillac XLR	
EBCDP41193R	2013-22 Acura ILX; 2002-15 Honda Civic; 2011-15 Honda CR-Z; 2010-13 Suzuki Kizashi; 2006-11 Acura CSX; 2000-09 Honda S2000; 2004-08 Acura TSX; 1990-07 Honda Accord; 2002-06 Acura RSX	
EBCDP41758R	2013-24 Subaru BRZ; 2017-20 Toyota 86; 2014-18 Subaru Forester; 2013-16 Scion FR-S; 2010-14 Subaru Legacy; 2010-14 Subaru Outback; 2006-14 Subaru Tribeca	
EBCDP41816R	2008-22 Toyota Sequoia; 2008-21 Lexus LX570; 2008-21 Toyota Land Cruiser; 2007-21 Toyota Tundra	
EBCDP42361R	2018-21 Subaru WRX STi	











Annlication

Bluestuff Brake Pads

Dord No.

High-friction sport and race pads are an effective brake upgrade that offer increased performance over Yellowstuff. Pads have R90 approval on most EU fitments. Sold in axle sets.

EBCDP51210NDX	Part No.	Part No. Application	
EBCDP5872NDX	Front Brake Pads		
BBCDP51145NDX	EBCDP5872NDX	1997-01 Honda CR-V; 1993-01 Honda Prelude; 1997-99 Acura CL;	
BCDP51162NDX	EBCDP51002NDX	1989-05 Mazda Miata	
EBCDP51210NDX	EBCDP51145NDX	1969-77 GM A-Body; 1969-78 X-Body; 1971-86 Chevy C10/C20/GMC C15/C25	
EBCDP51210NDX 2016-21 Tesla X; 2012-20 Buick Régal; 2017-20 Subaru BRZ; 2014-19 Cadillac CTS; 2013-19 Cadillac XTS; 2015-17 Dodge Viper EBCDP51254NDX 2006-11 Honda Civic; 2000-09 Honda S2000; 2002-06 Acura RSX EBCDP51591NDX 2018-21 Subaru WRX STi; 2009-17 Maserati GranTurismo; 2008-14 Lexus IS F EBCDP51743NDX 2019-23/2007-12 Acura RDX; 2021-23 Acura TLX; 2016-19 Subaru Legacy; 2010-15 Honda Crosstour EBCDP51774NDX 2006-15 Mazda MX-5 Miata EBCDP51884NDX 2013-24 Subaru BRZ; 2017-24 Toyota GR 86; 17 Subaru Crosstrek; 2011-18 Subaru Forester; 2013-16 Scion FR-S; 2011-16 Subaru Impreza; 2013-14 Subaru Legacy; 2013-14 Subaru Outback Rear Brake Pads EBCDP51146NDX 1978-81 Pontiac Firebird; 1979-80 Cadillac Seville EBCDP51193B 2013-22 Acura ILX; 2002-15 Honda Civic; 2011-15 Honda CR-Z; 2010-13 Suzuki Kizashi; 2006-11 Acura CSX; 2000-09 Honda S2000; 2004-08 Acura TSX; 1990-07 Honda Accord; 2002-06 Acura RSX EBCDP52361NDX 2018-21 Subaru WRX STi Race Caliper Brake Pads EBCDP5037/2NDX EBCDP5038NDX AP Racing/Stop Tech/Wilwood Superlite 7420/HB101 EBCDP5038NDX Wilwood Dynalite	EBCDP51162NDX	2005-06 Pontiac GTO; 2007-08 Ford Mustang	
EBCDP51591NDX 2018-21 Subaru WRX STI; 2009-17 Maserati GranTurismo; 2008-14 Lexus IS F	EBCDP51210NDX	2016-21 Tesla X; 2012-20 Buick Regal; 2017-20 Subaru BRZ;	
EBCDP51743NDX 2019-23/2007-12 Acura RDX; 2021-23 Acura TLX; 2016-19 Subaru Legacy; 2010-15 Honda Crosstour EBCDP51774NDX 2006-15 Mazda MX-5 Miata EBCDP51884NDX 2013-24 Subaru BRZ; 2017-24 Toyota GR 86; 17 Subaru Crosstrek; 2011-18 Subaru Forester; 2013-16 Scion FR-S; 2011-16 Subaru Impreza; 2013-14 Subaru Legacy; 2013-14 Subaru Outback Rear Brake Pads EBCDP51146NDX 1978-81 Pontiac Firebird; 1979-80 Cadillac Seville EBCDP51160NDX 1997-13 Chevy Corvette; 2004-09 Cadillac XLR EBCDP51193B 2013-22 Acura ILX; 2002-15 Honda Civic; 2011-15 Honda CR-Z; 2010-13 Suzuki Kizashi; 2006-11 Acura CSX; 2000-09 Honda S2000; 2004-08 Acura TSX; 1990-07 Honda Accord; 2002-06 Acura RSX EBCDP52361NDX 2018-21 Subaru WRX STi Race Caliper Brake Pads EBCDP5037/2NDX AP Racing/Stop Tech/Wilwood Superlite 7420/HB101 EBCDP5038NDX Wilwood Dynalite	EBCDP51254NDX	2006-11 Honda Civic; 2000-09 Honda S2000; 2002-06 Acura RSX	
### EBCDP51743NDX	EBCDP51591NDX	2018-21 Subaru WRX STi; 2009-17 Maserati GranTurismo; 2008-14 Lexus IS F	
### BCDP51884NDX 2013-24 Subaru BRZ; 2017-24 Toyota GR 86; 17 Subaru Crosstrek; 2011-18 Subaru Forester; 2013-16 Scion FR-S; 2011-16 Subaru Impreza; 2013-14 Subaru Legacy; 2013-14 Subaru Outback #### BCDP51146NDX	EBCDP51743NDX		
EBCDP51884NDX 2011-18 Subaru Forester; 2013-16 Scion FR-S; 2011-16 Subaru Impreza; 2013-14 Subaru Legacy; 2013-14 Subaru Outback Rear Brake Pads EBCDP51146NDX 1978-81 Pontiac Firebird; 1979-80 Cadillac Seville EBCDP51160NDX 1997-13 Chevy Corvette; 2004-09 Cadillac XLR EBCDP51193B 2013-22 Acura ILX; 2002-15 Honda Civic; 2011-15 Honda CR-Z; 2010-13 Suzuki Kizashi; 2006-11 Acura CSX; 2000-09 Honda S2000; 2004-08 Acura TSX; 1990-07 Honda Accord; 2002-06 Acura RSX EBCDP52361NDX 2018-21 Subaru WRX STi Race Caliper Brake Pads EBCDP5037/2NDX AP Racing/Stop Tech/Wilwood Superlite 7420/HB101 EBCDP5038NDX Wilwood Dynalite	EBCDP51774NDX	2006-15 Mazda MX-5 Miata	
EBCDP51146NDX 1978-81 Pontiac Firebird; 1979-80 Cadillac Seville EBCDP51160NDX 1997-13 Chevy Corvette; 2004-09 Cadillac XLR EBCDP51193B 2013-22 Acura ILX; 2002-15 Honda Civic; 2011-15 Honda CR-Z; 2010-13 Suzuki Kizashi; 2006-11 Acura CSX; 2000-09 Honda S2000; 2004-08 Acura TSX; 1990-07 Honda Accord; 2002-06 Acura RSX EBCDP52361NDX 2018-21 Subaru WRX STi Race Caliper Brake Pads EBCDP5037/2NDX EBCDP5038NDX AP Racing/Stop Tech/Wilwood Superlite 7420/HB101 EBCDP5038NDX Wilwood Dynalite	EBCDP51884NDX	3CDP51884NDX 2011-18 Subaru Forester; 2013-16 Scion FR-S; 2011-16 Subaru Impreza;	
EBCDP51160NDX 1997-13 Chevy Corvette; 2004-09 Cadillac XLR EBCDP51193B 2013-22 Acura ILX; 2002-15 Honda Civic; 2011-15 Honda CR-Z; 2010-13 Suzuki Kizashi; 2006-11 Acura CSX; 2000-09 Honda S2000; 2004-08 Acura TSX; 1990-07 Honda Accord; 2002-06 Acura RSX EBCDP52361NDX 2018-21 Subaru WRX STi Race Caliper Brake Pads EBCDP5037/2NDX EBCDP5038NDX AP Racing/Stop Tech/Wilwood Superlite 7420/HB101 EBCDP5038NDX Wilwood Dynalite	Rear Brake Pads		
2013-22 Acura ILX; 2002-15 Honda Civic; 2011-15 Honda CR-Z; 2010-13 Suzuki Kizashi; 2006-11 Acura CSX; 2000-09 Honda S2000; 2004-08 Acura TSX; 1990-07 Honda Accord; 2002-06 Acura RSX	EBCDP51146NDX	1978-81 Pontiac Firebird; 1979-80 Cadillac Seville	
EBCDP51193B 2010-13 Suzuki Kizashi; 2006-11 Acura CSX; 2000-09 Honda S2000; 2004-08 Acura TSX; 1990-07 Honda Accord; 2002-06 Acura RSX EBCDP52361NDX 2018-21 Subaru WRX STi Race Caliper Brake Pads EBCDP5037/2NDX AP Racing/Stop Tech/Wilwood Superlite 7420/HB101 EBCDP5038NDX Wilwood Dynalite	EBCDP51160NDX	1997-13 Chevy Corvette; 2004-09 Cadillac XLR	
Race Caliper Brake Pads EBCDP5037/2NDX AP Racing/Stop Tech/Wilwood Superlite 7420/HB101 EBCDP5038NDX Wilwood Dynalite	EBCDP51193B	2010-13 Suzuki Kizashi; 2006-11 Acura CSX; 2000-09 Honda S2000;	
EBCDP5037/2NDX AP Racing/Stop Tech/Wilwood Superlite 7420/HB101 EBCDP5038NDX Wilwood Dynalite	EBCDP52361NDX	2018-21 Subaru WRX STi	
EBCDP5038NDX Wilwood Dynalite	Race Caliper Bra	ike Pads	
·	EBCDP5037/2NDX	AP Racing/Stop Tech/Wilwood Superlite 7420/HB101	
EBCDP5039NDX Stop Tech/Wilwood Dynapro/Narrow Dynalite 7816/Hawk HB542	EBCDP5038NDX	Wilwood Dynalite	
	EBCDP5039NDX	Stop Tech/Wilwood Dynapro/Narrow Dynalite 7816/Hawk HB542	





EBCDP51146NDX



EBCDP5037/2NDX

Greenstuff Brake Pads

Designed as an affordable, entry-level performance brake pad for SUV's and trucks, yet Greenstuff provides decreased stopping distances by up to 15% when compared to OEM pads. Sold in axle sets.

Part No.	Application	Price
Front Brake Pads		
EBCDP61657	2010-23 Lexus GX460; 2003-23 Toyota 4Runner; 2005-23 Toyota Tacoma; 2007-14 Toyota FJ Cruiser; 2003-09 Lexus GX470; 2003-07 Toyota Sequoia	
EBCDP61830	2008-20 Cadillac Escalade; 2008-20 Chevy Suburban 1500; 2008-20 Chevy Tahoe; 2008-20 GMC Yukon; 2008-19 GMC Sierra 1500	
Rear Brake Pads		
EBCDP61799	2007-18 Jeep Wrangler; 2008-12 Jeep Liberty; 2007-11 Dodge Nitro	

0000



Orangestuff Brake Pads

Heavy-duty pads are engineered to deliver the shortest overall stopping distance. Orangestuff pads are ideal for trucks, SUV's, and Jeeps that experience extreme driving, heavy towing, and stopping. Sold in axle sets.

Part No. Front Brake Pa	Application ds	Price
EBCED91847	2009-18 Dodge Ram 2500/3500	
EBCED93015	2013-22 Ford F-250/F-350 Super Duty	

SR-11 Racing Brake Pads

Fully sintered metallic pads are best suited to the fastest asphalt and endurance racing applications that provide the lowest pad wear under race conditions. Pads additionally offer almost instant bedding. Sold in axle sets.



Part No.	Application	Price
EBCDP8037/2.20SR11	Wilwood Superlite 7420/HB101	
EBCDP8038.12SR11	Wilwood Dynalite 7112/HB100	





RP-1 Racing Brake Pads



Engineered exclusively for racing applications, RP-1 carbon kevlar pads feature a moderately high friction level and high initial bite from cold, while offering good pad and exceptional disc life. Sold in axle sets.

Part No.	Application	Price
Front Brake Pa	ids	
EBCDP81162RP1	1997-13 Chevy Corvette; 2004-09 Cadillac XLR; 2005-06 Pontiac GTO; 2007-08 Ford Mustang	
EBCDP81254RP1	2006-11 Honda Civic; 2000-09 Honda S2000; 2002-06 Acura RSX	

RP-X Track and Race Brake Pads

Equally suited to high-performance street or dedicated race applications, RP-X brake pads deliver a high friction level from cold, and require no warm-up. Pads offer a 25% increase in friction coefficient with a more positive initial bite. Sold in axle sets.



Part No.	Application	Price
Front Brake Pa	nds	
EBCDP81002RPX	1994-05 Mazda Miata	
Race Caliper B	rake Pads	
EBCDP8037/2RPX	Wilwood Superlite 7420/HB101	
EBCDP8038RPX	Wilwood Dynalite 7112/HB100	
EBCDP8039RPX	Wilwood Dynapro 7816; Stoptech ST-42 DR22	

GD Sport Brake Rotors

High-performance rotors are slotted, dimpled, and vented (unless specified) for reduce brake fade at speed and optimum braking performance. Rotors additionally include a silver gray Geomet coating for maximum corrosion resistance. Sold per pair.

Part No.	Application	Price
Front Brake Roto	rs	
EBCGD1386	2022-24 VW Taos; 2006-22 Audi A3/TT Quatrro; 2019-22 VW Arteon; 2012-22 VW Passat; 2006-20 Audi A3; 2015-19 Audi Q3; 2012-19 VW Beetle; 2017-19 VW Golf; 2006-19 VW GTI; 2005-19 VW Passat; 2006-18 VW Jetta;	
EBCGD7237	7 2005-23 Toyota Tacoma; 2007-14 Toyota FJ Cruiser; 2003-09 Toyota 4Runner	
EBCGD7435 2008-22 Toyota Sequoia; 2017-21 Lexus LX570; 2016-21 Toyota Land Cruiser; 2007-21 Toyota Tundra		
Rear Brake Rotor	S	
EBCGD1772*	2010-24 Audi A3; 2011-24 Audi A3 Quattro; 2012-22 VW Passat; 2010-21 VW Golf; 2010-19 VW GTI; 2012-19 VW Beetle; 2010-18 VW Jetta; 2010-13 VW Eos	
* Signifies solid rota	ors.	



Ultimax Brake Rotors

Ultimax rotors are engineered to offer improved reliability and maximum brake performance. Slotted and vented, rotors include a silver gray Geomet coating for corrosion resistance. Sold per pair.

Part No.	Application	Price		
Front Brake Roto	rs			
EBCUSR1386	2022-24 VW Taos; 2006-22 Audi A3/TT Quatrro; 2019-22 VW Arteon; 2012-22 VW Passat; 2006-20 Audi A3; 2015-19 Audi Q3; 2012-19 VW Beetle; 2017-19 VW Golf; 2006-19 VW GTI; 2005-19 VW Passat; 2006-18 VW Jetta;			
Rear Brake Rotor	Rear Brake Rotors			
EBCUSR1772	2010-24 Audi A3; 2011-24 Audi A3 Quattro; 2012-22 VW Passat; 2010-21 VW Golf; 2010-19 VW GTI; 2012-19 VW Beetle; 2010-18 VW Jetta; 2010-13 VW Eos			



DOT 4 Brake Fluid

Ideal for most popular automotive or motorcycle brake systems, glycol brake fluid includes a dry boiling point of 514°F (268°C) and a minimum wet boiling point of 329°F (165°C). NOTE: Cannot be mixed with DOT 5 silicone fluids.

art No.	Description	Price
CBF004A	250 ml Bottle	
CBF004B	1-Liter Bottle	
	CBF004A	CBF004A 250 ml Bottle

Racing Level Caliper Temperature Strips EBCTS001

Sold in an 8-pack.

BF 307+ Racing Brake Fluid

Designed specifically for street and track usage, highly refined brake and clutch fluid features significantly higher wet and dry boiling points.

Part No.	Description	Price
EBCBF307A	500 ml Bottle	
EBCBF307B	1-Liter Bottle	



Paint Brake Temperature Indicators

Specialized, brush-on paint is used to determine existing brake temperatures. Each kit includes (10) 2-oz. brush-on pair bottles. Available thinner aids in paint rer

nt EBC	AND ALL OF THE PARTY OF THE PAR
moval.	
scription	Price
800°F	

tiles. Available tilliller alds in paint removal.		
Part No.	Description	Price
EBCTS002	800°F	
EBCTS003	1,000°F	
EBCTS004	1,200°F	
EBCTS005	Thinner, (1) 2-oz. Bottle	



NEW VENDOR

Ultimax OE Style Brake Rotors

Smooth and vented, OEM-quality brake rotors offer improved stopping power. Silver gray Geomet coated for corrosion resistance. Sold per pair.

Part No.	Application	Price
Front Brake Rotor	S	
EBCRK1386	2022-24 VW Taos; 2006-22 Audi A3/TT Quatrro; 2019-22 VW Arteon; 2012-22 VW Passat; 2006-20 Audi A3; 2015-19 Audi Q3; 2012-19 VW Beetle; 2017-19 VW Golf; 2006-19 VW GTI; 2005-19 VW Passat; 2006-18 VW Jetta;	
EBCRK7116	2006-24 Honda Civic; 2019-22 Honda Insight; 1998-12 Honda Accord; 2006-11 Acura CSX; 2003-11 Honda Element; 2002-04 Honda CR-V	
EBCRK7237	2005-23 Toyota Tacoma; 2007-14 Toyota FJ Cruiser; 2003-09 Toyota 4Runner	
EBCRK7372	2008-20 Cadillac Escalade; 2008-20 Chevy Suburban 1500; 2008-20 Chevy Tahoe; 2008-20 GMC Yukon; 2008-19 GMC Sierra 1500	
EBCRK7387	2015-20 Toyota Mirai; 2013-18 Lexus ES300h; 2007-18 Lexus ES350; 2008-18 Toyota Avalon; 2017-18 Toyota Corolla iM; 2006-18 Toyota RAV4; 2007-17 Toyota Camry; 2016 Scion iM; 2011-16 Scion tC	
EBCRK7435	2008-22 Toyota Sequoia; 2017-21 Lexus LX570; 2016-21 Toyota Land Cruiser; 2007-21 Toyota Tundra	
EBCRK7462	2007-21 Ford Expedition; 2007-21 Lincoln Navigator; 2010-20 Ford F-150	
EBCRK7578	2010-23 Lexus GX460; 2010-23 Toyota 4Runner	
Rear Brake Rotors		
EBCRK1772	2010-24 Audi A3; 2011-24 Audi A3 Quattro; 2012-22 VW Passat; 2010-21 VW Golf; 2013-19 VW Beetle; 2010-19 VW GTI; 2010-18 VW Jetta; 2010-13 VW Eos	
EBCRK1846	2015-24 Porsche Macan; 2018-23 Audi A6 allroad; 2012-23 Audi Q5; 2017-23 Audi Q7; 2014-23 Audi SQ5; 2018-22 Audi A4 allroad; 2014-22 Audi S4; 2011-22 Audi S5	
EBCRK7373	2008-20 Cadillac Escalade; 2008-20 Chevy Suburban 1500; 2008-20 Chevy Tahoe; 2008-20 GMC Yukon; 2008-19 GMC Sierra 1500	
EBCRK7436	2008-22 Toyota Sequoia; 2009-21 Lexus LX570; 2008-21 Toyota Land Cruiser; 2007-21 Toyota Tundra	



GD Sport Brake Rotors and Pads Kits

Specially designed to meet the braking demands of heavier trucks and SUV's, all-in-one kits include (2) GD Sport slotted, dimpled and directionally vented brake rotors along with a set of high-performance brake pads. Engineered to improve braking up to 20% and reduce rotor temperatures by up to 200°F. Choose from kits with Greenstuff or Yellowstuff brake pads. Sold in axle sets.

Part No.	Application	Price
GD Sport Brake R	otors and Greenstuff Brake Pads	
Front Brake Kits		
EBCS3KF1128	2005-23 Toyota Tacoma; 2007-14 Toyota FJ Cruiser; 2003-09 Toyota 4Runner	
EBCS3KF1153	2006-2022 Dodge Ram 1500; 2007-09 Dodge Durango	
EBCS3KF1191	2008-22 Toyota Sequoia; 2017-21 Lexus LX570; 2016-21 Toyota Land Cruiser; 2007-21 Toyota Tundra	
EBCS3KF1195	2008-20 Cadillac Escalade; 2008-20 Chevy Suburban 1500; 2008-20 Chevy Tahoe; 2008-20 GMC Yukon; 2008-19 GMC Sierra 1500	
Rear Brake Kits		
EBCS3KR1053	2002-22 Dodge Ram 1500; 2004-09 Dodge Durango	
EBCS3KR1108	2008-22 Toyota Sequoia; 2009-21 Lexus LX570; 2008-21 Toyota Land Cruiser; 2007-21 Toyota Tundra	
GD Sport Brake R	otors and Yellowstuff Brake Pads	
ront Brake Kits		
EBCS5KF1347	2005-23 Toyota Tacoma; 2007-14 Toyota FJ Cruiser; 2003-09 Toyota 4Runner	
EBCS5KF1460	2008-22 Toyota Sequoia; 2017-21 Lexus LX570; 2016-21 Toyota Land Cruiser; 2007-21 Toyota Tundra	
EBCS5KF1470	2008-20 Cadillac Escalade; 2008-20 Chevy Suburban 1500; 2008-20 Chevy Tahoe; 2008-20 GMC Yukon; 2008-19 GMC Sierra 1500	
Rear Brake Kits		
EBCS5KR1280	2008-22 Toyota Sequoia; 2009-21 Lexus LX570; 2008-21 Toyota Land Cruiser; 2007-21 Toyota Tundra	



EBCS5KF1347



Cleaner Kits

Oil and cleaner kits are cross compatible with a variety of filters. Cleaning and oiling air filters can restore and extend the life of the filter. Kits include a 12-oz. pump bottle of cleaner and 8-oz. pump bottle of oil.



GRF2802

GRE2800

Part No.	Description	Price
GRE2800	Clear	
GRE2801	Red	
GRE2802	Blue	
GRE2818	Black	
	GRE2800 GRE2801 GRE2802	GRE2800 Clear GRE2801 Red GRE2802 Blue



Evolution GT Steering Wheels

Designed to meet the needs of both form and function, Grant Evolution GT 13" steering wheels feature handstitched black suede grip, black anodized 3-spoke design, 1" dish, and 5 x 2.75" bolt pattern.



,	The state of the s	
Part No.	Description	Price
GRT1080	Yellow Stripe	
GRT1081	Red Stripe	

C8 Performance Steering Wheel GRT698

Two-spoke black anodized performance steering wheel measures 13-3/4" with 1-1/2" dish. Steering wheel features 5-bolt mount and suede/leather wrap for superior comfort.







Truetrac Differentials

Truetrac differentials are designed with parallel-axis planetary helix gears for upgraded automatic splitting of torque, built to perform like a limited-slip differential while during normal driving. Fits Ford 8.8".



Part No.	Description	Price
DET917A738	31-Spline	
DET917A739	34-Spline	



Sway Bars

Hellwig sway bars are an effective and cost-saving way to improve vehicle handling performance. Sway bars feature larger-than-stock diameters and gray powder-coated finish for increase wear protection.





Part No.	Description	Price
2017-Present Tes	la Model 3	
HEL7906	Rear, 0.875" Dia.	
HEL7986	Front, 1.25" Dia.	
2021-23 Ford Rap	otor	
HEL7987	Rear, 1" Dia.	
•		



VersaTie 2-1/2" Hook MTD310017

VersaTie hooks can support up to 75 lbs. and fit easily into VersaTie tracks providing a convenient and reliable storage option.

Ford Maverick Truck Bed Rail Kit MTD521007

Truck bed rails maximize the functionality of the Ford Maverick storage space. Rail kit adjusts in 1" increments and includes (2) trsck, (4) tie-down rings, and all necessary



VersaTie Filler Tracks

Made from tough extruded plastic, 8' filler tracks fill the empty channels of VersaTie tracks to prevent the build up of debris

Part No.	Description	Price
MTD310006	Surface-Mounted, Series 1/3 Tracks	
MTD310007	Recess-Mounted Narrow, Series 2/4 Tracks	



LS Gen III/IV Rear Sump Oil Pans

LS rear sump oil pans feature a 5.5-qt capacity and built from cast aluminum. Oil pan kits are designed to install on LS gen III/IV engines in a variety of GM applications. Available in traditional or low-profile formats, with a black painted finish

increase or real presses remained, many a place painted inserior		
Part No.	Description	Price
SPC8448BK	5.69" Deep, Standard	
SPC8449BK	5.89" Deep, Low Profile	

GM LS Engine Valve Covers

Specialty Products GM LS-series tall aluminum baffled valve covers feature an O-ring sealed threaded fill cap and sleek black paint finish. Mounting bolts and gaskets included.

onto ana gasketo men	adod.	SLC0333DV
Part No.	Description	Price
SPC8535BK	Flat	
SPC8536BK	Finned	





12-Gallon Gas Caddy Pump TER20172

Gas caddy makes filling up easy with features like a 10' discharge hose, (2) 12V DC power options, auto stop and buzzer when the tank is full, and a newly designed power switch on the handle.





Restore & Protect Motor Oil

Your Choice -

Premium full synthetic oil is designed to remove up to 100% of deposits, restoring engines to run like new.

Part No.	Description
VAL906537	0w20, 5-Quart Jug
VAL906571	5w20, 5-Quart Jug
VAL906575	5w30, 5-Quart Jug





Truck and Jeep Accessories

Comfort Ride Leveling Kits

Daystar leveling kits are designed to level the front of trucks and SUVs with the rear. All kits are custom tailored to specific vehicle applications and utilize durable polyurethane raise the front end up to 2".



Part No.	Description	Price
3/4" Lift		
DASKJ09181BK	2018-Present Jeep Wrangler JL	
DASKJ09182BK	2020–Present Jeep Gladiator JT, Front	
DASKJ09183BK	2018-Present Jeep Wrangler JL, Rear Only	
1" Lift		
DASKC09140BK	2017–24 Dodge Ram 1500 (DS/DT Body), Rear Only	
DASKF09150BK	2005–23 Ford F250, Front	
1-1/2" Lift		
DASKF04062BK	2021–24 Ford Bronco	
2-1/2" Lift		
DASKC09139BK	2017–24 Dodge Ram 1500 4WD (DS/DT Body)	
2" Lift		
DASKF02037BK	2" Lift, 2021–24 Ford Bronco	
DASKF09112BK	2" Lift, 2003–09 Ford Expedition, Rear Only	

Suspension Lifts

Economical and easy way to lift coil spring equipped vehicles. Polyurethane spacers are inserted above or below existing coil spring.



Part No.	Description	Price
1-1/2" Lift		
DASKJ09176BK	2018–19 Jeep Wrangler JL, Front	
DASKT09135BK	2010-Present Toyota 4Runner	

Block and U-bolt Kit

DASKF09123

Designed to fit between the rear leaf spring and axle to provide 2" of lift on 2009-present Ford F150.





Suspension Lift Kits

Skyjacker suspension lift kits combine on-road refinement with off-road readiness using premium suspension parts to support any adventure. Kits include shocks, coil springs, blocks, brackets, pitman arm, and all hardware. Kit fits 2023-present Ford F250/350 Super Duty.



Part No.	Description	Price
SKYF23451K-M	4" Lift	
SKYF23651K-M	6" Lift	

2.5" Suspension Leveling Kits

Skyjacker suspension leveling kits are designed to add clearance, making room for a more aggressive tire size. Kit is designed to fit 2023-present Ford Super Duty's, excluding gas engines or Tremor trim packages, and includes front variable rate coil springs, track bar bracket, sway bar brackets, bump stop spacers, and brake line extension brackets.



Part No.	Description	Price
SKYF1725VBK-B	Includes Shocks	
SKYF1725VBK-E	Without Shocks	

Radius Arm Drop Brackets SKYRAB2346

Radius arm drop brackets lower the OEM radius arms mounts at the frame to maintain the correct caster specifications for proper alignment. Black powder-coated brackets fit 2023-present Ford F250/350 Super Duty.



4-Link Conversion Kit SKYF23484LA

Links are constructed from 2" O.D. DOM tubing with adjustable flex links to enable correct caster setting and superior handling. Black powder-coated brackets fit 2023-present Ford F250/350 Super Duty.






S-A offers a full complement of technical books to help the beginner or seasoned oval track enthusiast. Each softbound book is packed full of informative photos and illustrations









Part No.	Description	Price
SABCT691	How AHRA Changed Drag Racing	
SABSA421	1964.5-73 Ford Mustang Restoration	
SABSA509	LS Swap into 60-98 GM Trucks	
SABSA511	Custom Car Painting on a Budget	
SABSA529	The Overlanding Vehicle Builder's Guide	



Discovery Next Trailer Brake Controller CUR51126

Brake controller features low-profile design, full adjustable power/ramp time, day/night lighting modes, and can operate 2-8 trailer brakes (1-4 axles) at a time. Power adjustments are displayed .5 at a time.



Discovery Next Trailer Brake Controller CUR51116

Brake controller features low-profile design, full adjustable power/ramp time, day/night lighting modes, and can operate 2-6 trailer brakes (1-3 axles) at a time. Power adjustments are displayed 1.0 at a time.



TPMS Tire Monitoring System CUR57009

The TPMS tire monitoring system allows the driver to track tire pressure and temperature on up to twenty tires in real time while towing. System links with OneControl app available in both iOS or Android. System includes (4) sensors, repeaters, and dock assemblies.



Echo In-Line Trailer Brake Controller CUR51200

Design to work seamlessly with both the vehicle and the app, Echo in-line trailer brake controllers can operate 2-8 trailer brakes (1-4 axles) at a time and features automatic calibration.





Spline Grease Tub

ZMA88-005

Zmax 8-oz. tub of synthetic extreme pressure spline and axle grease is rated for high temperatures. Each.





Advanced Thermal Acoustic CoatingDSN50208

Spray or roll on coating is the 2-in-1 heat and sound barrier. Formulated from a unique high-tech ceramic micro-sphere technology that reflects heat and dampens noise. 1 gallon tub.





Revolver X4S Tonneau Bed Covers

Revolver X4S rolling bed covers are constructed from durable marine-grade vinyl stretched over heavy-duty, cut-resistant aluminum slats, and features full matte-black styling that extends to all components. Cover supports up to 40 lbs. of weight.



up to 40 lbs. of v		
Part No.	Description	Price
BAK80120RK	2014–19 GM with 5' 9" Bed	
BAK80121RK	2014–19 GM with 6' 6" Bed	
BAK80130RK	2019-Present GM with 5' 9" Bed	
BAK80131RK	2019-Present GM with 6' 7" Bed	
BAK80133RK	2020-Present GM with 6' 10" Bed	
BAK80134RK	2020-Present GM with 8' Bed	
BAK80207RK	2009–21 Dodge Ram with 5' 7" Bed	
BAK80213RK	2009–21 Dodge Ram with 6' 4" Bed	
BAK80214RK	2009–21 Dodge Ram with 8' Bed	
BAK80223RK	2019–Present Dodge Ram with 6' 4" Bed	
BAK80227RK	2019–Present Dodge Ram with 5' 7" Bed	
BAK80327RK	2015–20 Ford with 6' 7" Bed	
BAK80329RK	2015–20 Ford with 5' 7" Bed	
BAK80330RK	2017–Present Ford with 6' 10" Bed	
BAK80331RK	2017–Present Ford with 8' 2" Bed	
BAK80332RK	2019–Present Ford with 5' Bed	
BAK80337RK	2021–Present Ford with 6' 7" Bed	
BAK80339RK	2021–Present Ford with 5' 7" Bed	
BAK80342RK	2024 Ford with 5' Bed	
BAK80409RK	2007–Present Toyota with 5' 6" Bed	
BAK80410RK	2007–Present Toyota with 6' 6" Bed	



18" Groove Racing Wheels

Groove racing wheels features stylish combination of American Racing Wheels racing heritage and performance pedigree, featuring five-spoke design, diamond cut lip, snap-in aluminum cap, and constructed with flow formed technology for superior strength and weight.





Part No.	Description	Price
18" x 7", 4" Backspac	e	
AMRVN514BE18701200	5 x 4.50 Bolt Pattern, Black Paint Center	
AMRVN514BE18703400	5 x 4.750 Bolt Pattern, Black Paint Center	
18" x 8", 4.5" Backspace		
AMRVN514AD18801200	5 x 4.50 Bolt Pattern, Gray Paint Center	
AMRVN514BE18801200	5 x 4.50 Bolt Pattern, Black Paint Center	
AMRVN514BE18803400	5 x 4.750 Bolt Pattern, Black Paint Center	
AMRVN514AD18803400	5 x 4.750 Bolt Pattern, Gray Paint Center	



SR-1 Synthetic Oil

100% synthetic formula has been proven to boost horsepower and torque by up to 3% while high-solvency synthetic ester technology helps to resist deposit formation. Available in single 5-liter bottle or set of 3.



Part No.	Description	Price
TRCA160020LE	0w20, Single 5-Liter Bottle	
TRCA160020L	0w20, Case of 3	
TRCA160040LE	0w40, Single 5-Liter Bottle	
TRCA160040L	0w40, Case of 3	
TRCA160530LE	5w30, Single 5-Liter Bottle	
TRCA160530L	5w30, Case of 3	
TRCA160540LE	5w40, Single 5-Liter Bottle	
TRCA160540L	5w40, Case of 3	

TBO Break-In Oil

TBO conventional break-in oil is formulated using top of the line high-zinc oils for increased film strength and piston ring seating. Available in single 5-liter bottle or set of 3.



Part No.	Description	Price
TRCA100030LE	30w, Single 5-Liter Bottle	
TRCA100030L	30w, Case of 3	



Manifold Downpipe

Mandrel bent 409 stainless steel downpipe fits factory 2" outlet manifold. 2-1/2" dia. Pair.

,		
Part No.	Description	Price
PYPDGC05	1955–57 Chevy Bel Air	
PYPDGU18S	1965-70 Chevy Impala 409 SS	



Tri-Five Exhaust Kits

Pypes exhaust kits are built to increase performance, improve gas mileage, and provide more power. Each system is fabricated using the highest quality material and quality tested to ensure maximum exhaust flow. Choose between Race or Street Pro mufflers. 2.5" inlet/outlet, 2.5" overall dia.



Part No.	Description	Price
1955-57 Chevy B	el Air	
PYPSGC11R	X-Pipe, Race Pro Series	
PYPSGC19S	X-Pipe, Street Pro Series	
PYPSGC43	H-Pipe, 3" Dia., w/o Muffler	
1965-70 Chevy In	ipala 409 SS	
PYPSGB45S	X-Pipe, Race Pro Series	
PYPSGB15S	Street Pro Series	



Dodge V8 Distributor Cap

PFM66807

Black alkyd female socket type distributor cap. Cap only.



HEI Distributor Cap and Rotor Kit PFM66800

Cap and rotor kit is designed from red alkyd material with brass terminals and 100% new components. Kit works with 1973–90 GM V8 HEI distributors.



Chevy HEI Distributors

Proform Chevy HEI distributors are designed to work with both small and big block V8 engines. Distributors feature locked out vacuum advance, built-in magnetic trigger, and GM melonized steel gear. Available in either black or red.

Part No.	Description	Price
PFM141-685	Red	
PFM141-686	Black	





Sport Series 3" Cat-Back Exhaust System COR21245

Corsa's one-of-a-kind design creates an attention-grabbing sound on cold starts or during acceleration but provides a drone-free travel experience. System features 3" pipe, single side exit, and twin 4" dual wall slash cut polished tips. Kit works with 2022-present Toyota Tundra 3.4L V6.



LoadLifter 5000 Air Spring Kit AIR57380

LoadLifter 5000 series is designed with towing and hauling in mind, featuring up to 5,000 lbs. of support, durable springs that can be adjusted from 5-100 PSI, and black



powder-coated brackets. Kit fits 2023-present Ford pickups up to 1-ton.

LoadLifter 5000 Pro Air Spring Kit

AIR93380

5000 Pro series air spring kits can support up to 5,000 lbs. of load-leveling capacity, featuring aluminum-anodized end caps for durability, adjustability from 5-100 PSI, and black powder-coated brackets. Fits 2023-present Ford Super Duty.



LoadLifter 5000 **Ultimate Air Spring Kits**

5000 Ultimate series air spring kits can support up to 5,000 lbs. of load-leveling capacity, featuring internal jounce bumpers, adjustability from 5-100 PSI, black powder-coated brackets, and can operate safely at zero PSI.



rait No.	Description	FIICE
AIR88380	2023-Present Ford F-350	
AIR88412	2009–14 Ford F150 Raptor	
AIR88413	2016–20 Ford F150 Raptor 4wd	

Docarintian

LoadLifter 7500XL **Ultimate Air Spring Kit** AIR57580

Dort No

7500XL Ultimate series air spring kits can provide up to 7,500 lbs. of load-leveling capacity, featuring internal jounce bumpers, adjustability from 5-100 PSI, 7" double-convoluted-bellow air springs, and black powder-coated brackets. Fits 2023- present Ford F350 Super Duty.





InVision HD Digital Dash Kit for 1968 Chevy Chevelle ATM7401

The AutoMeter InVision HD digital dash display is a complete dashboard system for the 1968 Chevy Chevelle. It includes a 12.3" high-definition color LCD that shows all the essential gauges, such as the speedometer, tachometer, oil pressure, water temperature, fuel level, and voltmeter. The package includes a pre-terminated, color-coded universal wiring harness, sensors, adapters, and a panel-mounted iovstick for programming.

JSPENSI&N.

Rear Control Arm Set

ENE7-3124G

Black rear control arm set fits 2010-13 Nissan Altima. Pair.



Rear Control Arm Bushing Set ENE5-3146G

Red Polyurethane rear control arm bushing set for 2014-18 Dodge RAM 2500/3500.



Sway Bar Bushings

Front and rear sway bar bushings fit 2010-13 Nissan Altima, Pair.

Part No.	Description	Price
ENE7-5128G	Front, 23mm	
ENE7-5129G	Rear, 16mm	

2007-11Toyota Camry **Master Bushing Set** FNF8-18121G



Rear Polyurethane Bump Stops

Rear polyurethane bump stops are an essential part of the suspension system.



Part No.	Description	Price
ENE3-6119G	2015–19 GM 2500/3500 HD, 1.18" w x 1.18" h x 2.75" d	
ENE4-9109G	2008–16 Ford F250/350/450 Super Duty, .78" w x .78" h x 2.75" d	

Motor Mount Insert

ENE5-1117G

Black motor mount insert fits 2007-18 Dodge Ram 2500/3500.





410 Sprint Car HD Engine Block Your Choice -

Manufactured in the USA, the lightweight yet rigid block is engineered to endure the rigors and meet the requirements of competitive open-wheel racing. Featuring a 4.125" bore, 4-bolt billet main caps, and a front priority oil system.

racing. Featuring a 4.125" bore, 4-bolt billet main caps, and a front priority oil system.			
	Part No.	Description	
	BR08B1000HD	400 Mains, 9.020" Deck Height	
	BR08B1050HD	350 Mains, 8.650" Deck Height	



VRS-4150 Race & Performance Carburetor

This 4-barrel carburetor without choke is ideal for street/strip applications. Along with mechanical secondaries, the carb features fuel bowls that are 20% larger, with anti-slosh internal ribs and sculpted baffles that minimize bubbles. The high-speed main fuel circuit is split into two bleed circuits to provide greater control at high RPM - one for the lower section and one for the upper section. The power valves are located on primaries and secondaries to support optimized jetting. Additionally, the power valve protection circuit prevents diaphragm damage from backfires. This carburetor is a direct fit for all 4150 and 4100 carb flange manifolds.

Part No.	Description	Price
EDE1307	750 CFM	
EDE1308	850 CFM	




Sprint Car & Midget Restraints CRW20054DB

5-point latch and link harness features pull-down adjust and 16.1 SFI approval. Harness is HANS ready.



5-way kam lock restraint features 52" clip in lap belt, wraparound harness, and anti-sub belt bolt in. Black restraint is SFI 16.1 approved.



2" restraint features 50" clip-in lap belt, 2" lap belts, anti-sub belt, and full wraparound. Black restraint is SFI 16.2 approved.

Pro Series 5-Way Kam Lock Harness CRW11104PRB

5-way kam lock restraint features 52" lap belt, wraparound harness, 3" pro aluminum adjusters, and anti-sub belt bolt in. Black restraint is SFI 16.1 approved. Black.



CRW11144-6DB

5-way kam lock restraint features 52" lap belt, wrap-around harness, dog bone harness, and 6-way anti-sub belt bolt in. Black restraint is SFI 16.1 approved. Black.

Lap Harness Your Choice -

Latch-and-link lap harness measures 50" long featuring bolt in ends, pull-down adjust, and SFI 16.1 approved.

Part No.	Description
CRW11224	3" Width
CRW11504	2" Width

Window Net

CRW11624

Black window net measures 18" x 24" and is SFI 27.1 approved.

Junior Neck Collar CRW20164K


360° junior neck support is made from fire-retardant cotton and is SFI 3.3 approved.

Standard Junior Driving Gloves

Your Choice -

Available in black only, driving gloves feature two layers of Nomex, extra padding on the palm/ knuckles, and are SFI 3.3/5 approved.

Size	Part No.
Medium	CRW11674
Large	CRW11684







N PRODUC



Dart LS Next Gen 3 Skirted Block to Early GM F-Body Swap Road Race Oil Pan

MOR20153

This rear sump fabricated aluminum pan has a billet aluminum rail for added strength. It has a 7-quart capacity and measures 6" deep. The pan also includes a removable windage tray and a road race trap door assembly for superior oil control. Additionally, it features a billet aluminum oil filter mount and a 1/4" NPT sensor port. The pan can clear most 4.25" stroke steel rods.

Ford 351W Road Race Oil Pan

MOR20539

The front sump oil pan for Ford 351W is made of fabricated steel and comes with a removable windage tray and a road race trap door assembly to ensure superior oil control.



It is 8" deep with a 7-quart capacity. The black powder-coated pan can clear most 4.00" stroke steel rods.

Big Block Chevy Monster Truck Oil Pan MOR20604

This big block Chevy heavy-duty steel oil pan is designed for rear-facing engines and V-Drive marine applications in Monster Trucks. The reverse sump pan has a capacity of 9-1/2 quarts and a depth of 7-3/4". With multiple trap door baffles, anticlimb baffles, and a louvered windage tray, it offers superior oil control. Additionally, it includes two 212-watt oil pre-heaters with dual 1" NPT locations. The pan can clear most 4.25" stroke steel rods

and most 4.090" stroke aluminum rods. Pickup is sold separately.

AMC/JEEP V8 Deep Sump Oil Pan

MOR20719

This 7-quart capacity AMC/Jeep V8 steel oil pan is 7-13/16" deep and includes a removable anti-slosh baffle for improved oil control. Clears most 4.25" stroke steel rods and most 4.090" stroke aluminum rods.



Gen 3 Hemi Road Race Steel Oil Pan

MOR20733

This fabricated steel center sump pan has a 7-quart capacity and is only 6" deep. It features road race trap doors for improved oil control and is compatible with Chrysler B/E-Body applications with a 5.7/6.1/6.4L engine.

Gen 3 Hemi Road Race Aluminum Oil Pan

MOR21167

With an 11-quart capacity and 7-5/8" depth, this fabricated aluminum front sump pan features road race trap doors for improved oil control. It is designed for Chrysler LX Series applications with 5.7/6.1/6.4L and 6.2L supercharged powerplants.

Big Block Chevy Deep Box Marine Oil Pan MOR21420

With a 12-quart capacity, this entirely fabricated aluminum oil pan is designed for marine applications, including jet drive lake drag boats. The double kickout design features -8AN drain backs, an integrated windage screen, a trap door, and an anticlimb baffle for improved oil control. It is

designed for use with 168-tooth flywheels and a 1/4" NPT dipstick.

Universal Big Block Chevy Gerotor Oil Pump Shaft

MOR22079

This high-strength steel oil pump shaft is compatible with gerotor oil pumps MOR22167 and MOR22178. The shaft has an overall length of

10.36" and an extra-long hex end, allowing for resizing to fit standard cam location

High-Volume Gen IV GM LS Oil Pump

MOR22177

This anodized aluminum oil pump is hard-coated and moves 20% more volume. It has a +10 psi pressure relief spring and is compatible with most Gen IV LS engines, including 5.3/6.0/6.2L applications.



Big Block Chevy Billet Aluminum Gerotor Oil Pump MOR22178

The Gerotor oil pump for Big Block Chevy boasts larger oil passages and a bigger mounting boss to prevent any vibration-induced failures. It also offers a 25% increase in volume and features an external adjustment for tuning oil pump bypass pressure. This oil pump is designed to fit 8" deep fabricated aluminum oil pans.



Chevy Oil Pump Kits

These kits have a billet aluminum oil pump, mounting shaft, and drive shaft. The mounting boss area is three times larger than the stock unit, which eliminates failure due to vibration. The kit is designed to fit in oil pans that are 8" deep and can clear most 4-3/4" stroke steel rods.



Part No.	Description	Price
M0R22188	SB Chevy, High Volume	
M0R22189	BB Chevy, High Volume, 0.400" Raised Camshaft	
M0R22190	BB Chevy, High Volume, 0.600" Raised Camshaft	
M0R22191	BB Chevy, Stock Volume	
M0R22192	BB Chevy, High Volume	



Tri-Lobe Dry Sump Scavenge Fittings

This 4-bolt pump to scave chargers. It is and includes a

his 4-bolt square base aluminum fitting uses an external				
mp to scavenge oil from turbochargers or super- argers. It is available with a -10AN or -12AN male fitting				
d includes an O				
Part No.	Description	Price		
M0R22750	-10AN			

GM LS Engine Oil Filter Adapter MOR23716

MOR22751

This billet aluminum adapter is designed for Moroso LS oil pans with inbound rails to allow the use of an external wet sump oil pump while keeping the OE spin-on oil filter location intact. The adapter has a built-in -10AN port for an external pump and a 1/4" NPT port for a sensor or turbo oil feed line. It comes with a -12AN to -10AN ORB male fitting, 1/4" N.P.T. pipe plug, 22mm filter stem, mounting hardware, and O-rings.

-12AN

GM LT Engine Remote Oil Filter Adapter MOR23719

This billet aluminum adapter replaces the spin-on filter adapter on Moroso LT oil pans (Part No.# 23766, MOR20520, PN 21151), allowing the remote mounting of the engine filter. It has two -12AN ports, mounting hardware, and 0-rings.



Oil Pump Pickups

our amp i ionapo			
Part No.	Description	Price	
AMC/Jeep	V8		140004700
M0R24720	Fits MOR2019		M0R24720
BB Chevy			
M0R24420	Marine, Fits M0R21420		All o
M0R24604	Merlin/Dart Blocks, Fits MOR20604		
Mopar Hen	ni Gen 3 MDS/Hellcat		
M0R24167	Front Sump, Fits MOR21167		
M0R24168	Rear Sump, Fits MOR21165		
Mopar Gen	3 Hemi		
M0R24733	Pre-2009, Center Sump, Fits MOR20733		Moderate
M0R24734	2009-Later, Center Sump, Fits MOR20733		MOR24167

Crankshaft Trigger Sensor MOR60060

The transducer has a high-quality zinc-plated steel body that reduces signal interference and improves triggering accuracy. The pickup is protected by non-hardening epoxy for shock and vibration isolation, and features a built-in strain relief to prevent the wires from pulling out. A weather pack kit with connectors, pins, seals, and other components is included to connect the existing harness.

Pontiac 302-455 Valve Covers MOR68477

Fabricated aluminum valve covers designed for Pontiac 301-455 cylinder heads. They feature a billet rail, 3.5" height, non-baffled PCV grommet, and billet filler cap. The large, flat surface is perfect for engraving logos, polishing, and adding a chrome or powder-coated finish.

Aluminum Push-In Valve Cover Breathers MOR68861

This pair of billet aluminum valve cover breathers includes push-in rubber grommets for both stamped and cast valve covers. The internal mesh media separates oil and fits a 1.22" I.D. valve cover hole.

Vacuum Pump Update Kit

Moroso offers update/rebuild kits compatible with original-design vacuum pumps, including MOR22640 and MOR22641. These kits contain all the necessary parts to update older pumps to the current design, including an updated rotor, hardware, vanes, lip seal, shaft/hub assembly, thrust washers, and bearings.

'	, ,	
Part No.	Description	Price
M0R97178	Fits MOR22640	
M0R97179	Fits MOR22641	

Vacuum Pump Replacement Vane Kit

The kit includes new blades and two sealed bearings.

The fact mended from bidded dind		ino ocalou boulinge
Part No.	Description	Price
M0R97184	Fits MOR22840,	
WUR9/184	3 Blades	
MOD07106	Fits MOR22843,	
M0R97186	4 Blades	





Engine/Transmission Swap Bellhousing

These cast aluminum bellhousings allow various engine and transmission combinations to be used in Hot Rods, Muscle Cars, and other custom vehicles. Includes Grade 8/10.9 hardware. Not SFI-rated.

Part No.	Description	Price
LWILK7400K	Gen3 Hemi to Mopar TR6060	
LWILK8200K	Ford 5.0L Coyote to Tremec TKX/TK0/ TR-3550	
LWILK8300K	Ford 7.3L Godzilla to Tremec TKX	





GM LT 4WD Off-Road Engine Swap Oil Pan

This cast aluminum oil pan is designed to fit GM K10 and other LT-swapped 4-wheel drive vehicles. It provides maximum clearance to the chassis and drivetrain and offers an OE-style fitment for durability and proper sealing. The kit includes a sump baffle, pickup tube, pickup O-ring, oil filter stud, and oil passage cover. It's designed to accommodate a maximum crankshaft stroke of 4.000".



Part No.	Description	Price
WEI302-24	Natural	
WEI302-24BK	Black Anodize	



Blackheart Exhaust Manifold Set

These exhaust manifolds are available in cast iron or stainless steel and designed to mount close to the engine block. They offer multiple finishes and fitment options for various replacement and engine swap applications.







HKR8504-1HKR HKRBHS5188

Sold in pairs. Gaskets and hardware included.

Part No.	Description	Price
LS Swap – Cast	lron .	
HKR8504-1HKR	Gen III/IV. 2-1/2" Outlet, Center Dump, Silver Ceramic Finish	
HKR8504-3HKR	Gen III/IV. 2-1/2" Outlet, Center Dump, Black Ceramic Finish	
HKR8504HKR	Gen III/IV. 2-1/2" Outlet, Center Dump, Natural Cast	
HKR8505-3HKR	Gen III/IV, 2-1/2" Outlet, Rear Dump, Black Ceramic Finish	
HKR8505HKR	Gen III/IV, 2-1/2" Outlet, Rear Dump, Silver Ceramic Finish	
HKR8506-3HKR	Gen III/IV, 2-1/2" Outlet, SBC Exit, Black Ceramic Finish	
HKR8510-1HKR	LS Turbo, 3"Turbo Outlet, 2-1/4" Cross-Over, Silver Ceramic Finish	
HKR8510-3HKR	LS Turbo, 3"Turbo Outlet, 2-1/4" Cross-Over, Black Ceramic Finish	
LT Swap – Stain	less Steel	
HKRBHS3116	Gen V, 2-1/2" Outlet, SBC Exit, Natural Cast	
HKRBHS3117	Gen V, 2-1/2" Outlet, SBC Exit, Polished Finish	
LT Swap – Cast I	ron	
HKRBHS5188	Gen V, 2-1/2" Outlet, Center Dump, Natural Cast	
HKRBHS5189	Gen V, 2-1/2" Outlet, Center Dump, Silver Ceramic Finish	
HKRBHS5190	Gen V, 2-1/2" Outlet, Center Dump, Black Ceramic Finish	
HKRBHS5192	Gen V, 2-1/2" Outlet, Rear Dump, Natural Cast	
HKRBHS5194	Gen V, 2-1/2" Outlet, Rear Dump, Black Ceramic Cast	
HKRBHS5196	Gen V, 2-1/2" Outlet, SBC Exit, Natural Cast	
HKRBHS5198	Gen V, 2-1/2" Outlet, SBC Exit, Black Ceramic Finish	



SFI Harmonic Balancer

This race-proven, SFI-approved black zinc-chromate finish steel balancer requires no service or maintenance. It can help boost horsepower, run more consistently, and maintain the longest possible crankshaft and bearing life. The engine feels only 2/3 of the rotating weight of the damper.



Part No.	Description	Price
FLU570901	2009-21 Nissan GTR, VR_38DETT	
FLU601011	2006-14 Mazda MX5/Miata	



MOVE FORWARD. ALWAYS.™

Supercharger Belts

These supercharger belts are made with aramid-reinforced EPDM compounds and are engineered to exceed OE quality.



Part No.	Description	Dimension	Price
DYC5060540SC	2002-06 Mini Cooper S	6PK1370	
DYC5060548SC	2002-06 Mini Cooper S	6PK1390	
DYC5080660SC	2009/2011-14 Cadillac CTS-V	8PK1675	
DYC5080663SC	1999-03 Ford Lightning	8PK1680	
DYC5080750SC	2003-04 Ford Mustang Cobra	8PK1905	
DYC5080830SC	2017-2023 Chevy Camaro ZL1	8PK1210	
DYC5100580SC	2015-22 Dodge Hellcat/Demon	10PK1475	
DYC5100837SC	2013-14 Ford Mustang GT500	10PK2125	
DYC5100840SC	2007-12 Ford Mustang GT500	10PK2135	
DYCA080661SC	2012-15 Chevy Camaro ZL1	8PK1680	
DYCA080851SC	2015-19 Chevy Corvette Z06/ZR1	8PK2162	



Billet Aluminum Shifter Bezel and Boot are stylish additions for cars with manual transmission. The bezels are available in two finishes, with either a rectangular or round base, and come with stainless steel mounting hardware. Includes black leather boot.



Part No.	Description	Price
HUR115000HST	Polished, Rectangular	
HUR115500HST	Matte Black, Rectangular	
HUR116000HST	Polished, Round	
HUR116500HST	Matte Black, Round	



HOOSIER RACING TIRE

National Late Model Tires

Your Choice -

The recently released tire for the Dirt Late Model market is designed to offer competitors more options. It features a compound hardness that falls between the current NLMT2 and NLMT3 compounds and is available in two sizes.



Part No.	Size	T.W.	Dia.	Circ.	Wheel
Large Cross Block	<u> </u>				
H0036700NLMT2.25	90.0/11.0-15	11.0"	28.5"	89.0"	12-14"
H0036710-NLMT2.25	92.0/11.0-15	11.0"	29.0"	92.0"	12-14"



Data Dash Displays

Introducing the next evolution of Racepak displays: the 12.3" and 6.86" dash. The new display offers exceptional customization and visibility, featuring a high-resolution, full-color capacitive touch screen. Users can easily navigate through eight pre-configured screen layouts or create their own with the swipe of a finger.



Part No.	Description	Price
RPK250-DS-123	12.3" Display	
RPK250-DS-686	6.86" Display	



Universal Door Jamb Wiring Boots

An excellent solution for door wiring in any custom build, the EDPM rubber boots offer an OE look and protection. The boots are available with machined or black anodized aluminum trim rings.



rait No.	Description	FILLE
DSE010420DS	Boots Only	
DSE010421DS	With Machined Billet Trim Rings	
DSE010422DS	With Black Anodized Trim Rings	

Power Steering Box for 1967-87 Chevy C-10 Trucks

DSE090216DS

Dart No

Upgrade any 1967-87 Chevy C-10 truck with a high-performance steering box that can improve its performance and feel. This lightweight steering box has rack and pinion valve technology, a low-friction gear design, and 12.7:1 quick ratio gearing. It is brand new, not rebuilt, and can use the original power pitman arm.



4WD Truck Off-Road Oil Pan Baffle Kit for GM LT Swap

HLY302-34

This baffle kit is a direct bolt-in unit for off-road enthusiasts for the HLY302-24 oil pan. It maintains the proper oil level at the oil pickup, preventing pressure loss when driving on rugged terrain.



Terminator X Max GM LS Kits

Terminator X Max ECU kits simplify the wiring and tuning of GM LS engines, eliminating the need for a junkyard ECU. Terminator X Max utilizes real-time fuel learn, high-im-





pedance injector drivers, an integral 1-Bar MAP sensor, (4) programmable inputs and outputs, and 6L80/90 transmission control. The included handheld LCD touchscreen unit employs the Calibration Wizard for tuning and gauge display functions. Includes ECU, engine main harness, injector harness, main power harness, wideband oxygen sensor input/output harness, and related hardware.

Part No.	Description	Price
LS 4.8/5.3/6.0	LS 4.8/5.3/6.0 Truck Engines	
HLY550-917-6	With 24x Crank Reluctor and Multec 2 Injectors	
LS 4.8/5.3/6.0	LS 4.8/5.3/6.0 LS Truck Engines and LS2/LS3	
HLY550-918-6	With 58x Crank Reluctor, 4x Cam Reluctor, and EV6 Injectors	
HLY550-928-6	With 58x Crank Reluctor, 4x Cam Reluctor, Drive-By Wire, and EV6 Injectors	

Sniper 2 EFI Digital Dash

HLY553-200X

This plug-and-play device comes with a 5" digital touchscreen display pre-loaded with three easy-toread layouts for viewing essential system information such as Throttle Position, Manifold Air Pressure, Air Fuel Ratio, Battery Voltage, Engine Coolant



Temperature, RPM, and vehicle speed. The display includes the same handheld wizard as the 3.5" display, making tuning and data logging a breeze. It also contains two dash mounting standoffs and a suction cup, allowing you to quickly mount the dash to most flat surfaces in the vehicle without drilling any holes.

Sniper 2 Bluetooth Module

HLY558-498

Allows a wireless connection to a vehicle's EFI system using Bluetooth technology. The Sniper 2 EFI Bluetooth module allows real-time monitoring and tuning from any iOS or Android-based smartphone.







CT-2 Saturday Night Special Modified Rear End Package with Tubes, Rotors, and Hubs

DMI4.86MODPKG3-2

Geared for the Saturday night racer, this 4.86 ratio quick change rear features a 100% magnesium center and bells with fill level and drain plugs, O-ringed rear cover with heavy-duty bearings, aluminum spool, precision-ground heat-treated lower shaft, and black thermal coating. Kit includes 2.5" GN axle tubes, gun-drilled axles, billet steel hubs, and 11-3/4" x.810" vented rotors, and features a 2" offset.

CT-2 Modified Rear End Assembly DMICT2-4.86

The Bulldog CT-2 quick change rear end features a 100% magnesium center and bells with fill level and drain plugs, O-ringed gear cover with heavy-duty bearings, aluminum spool, precision-ground heat-treated lower shaft, and black thermal coating. Sold without axle tubes.



The Bulldog XR-4 is the newest open tube rear end from DMI. This quick change rear end is designed to ensure that the snout, axle, and rear cover are 100% perpendicular


to the lower shaft and side bell face. It features a 100% magnesium castings, an O-ringed aluminum gear cover, and heat treated lower shaft, and includes breather assembly, a non-twist shifter mount, torque tube studs, and an Ease-Align shifter arm. Available in multiple configurations.

	· ·		
Part No.	Description	Ratio	Price
DMIXR4-4.12	Rear End with 1-7/8" Axle Tubes	4.12	
DMI410SPRINTXR4	Rear End with Sprint Lightweight Pro Package	4.10	

Bulldog XR-420i Quick Change Rear for Drift Applications

DMIXR-420IV2

Engineered specifically for the drift market, quick change rear features an ultra-strong, aluminum center section with forged aluminum, CNC sculpted side bells, and extremely rigid sub frame mounting locations. Unit is fitted with a Super G ring and pinion, Thor 35-spline aluminum spool, heavy duty lower shafts, forged 1350 series 8.8 front yoke, and 35-spline 930 CV flanges. A six-bolt rear cover is employed to pi



Professional Series Modified Rear End Assemblies

The Professional Series rears include many of the same components as the standard Saturday Night Special but adds several performance and durability enhancing features. Quick changes include a black thermal coating, REM-finished ring and



pinion, gun drilled lower shaft, low-drag seals, Ultralight aluminum spool, Pro Glide treated bearings, and includes 5 quarts of Bulldog Blood gear oil. Available as rear end only without axle tubes, or as a complete package with 2.5" GN axle tubes, gun-drilled axles, billet steel hubs, and 11-3/4" x 0.810" vented rotors.

Part No.	Description	Ratio	Price
DMIMOD24.12PRO	Modified Rear End	4.12	
DMIMOD24.86PRO Modified Rear End		4.86	
Packages			
DMI4.12MODPKG4	Modified Rear End Package	4.12	
DMI4.86MODPKG4	Modified Rear End Package	4.86	

EZ Series Modified Rear End Assemblies

New, EZ Series Modified rears with lightweight magnesium centers offer exceptional strength,

versatility, and simple, bolt-on tube replacement. Shallow aluminum, heavy-duty side bells increase rigidity by nearly 75%. Tubes are retained to the bell with (6) Grade



L9 7/16" studs, allowing tube changes in under 10 minutes without removing the rear from the car. Rigid tube collars remain straight and true, even under extreme conditions. Available in both Saturday Night Special and Professional Series configurations. Rear end packages add 2.5" GN axle tubes, gun-drilled axles, billet steel hubs, and 11-3/4" x .810" vented rotors.

Part No.	Description	Ratio	Price
Saturday Night Sp	pecial		
DMIEZMOD24.12	Modified Rear End	4.12	
DMIEZMOD24.86	Modified Rear End	4.86	
Pro Series			
DMIEZMOD24.12PRO	Modified Rear End	4.12	
DMIEZMOD24.86PRO	DMIEZMOD24.86PRO Modified Rear End		
Packages			
Saturday Night Sp	pecial		
DMI4.12MODPKG1	Modified Rear End Package	4.12	
DMI4.86MODPKG1	Modified Rear End Package	4.86	
Pro Series			
DMI4.12MODPKG2	DMI4.12MODPKG2 Modified Rear End Package		
DMI4.86MODPKG2 Modified Rear End Package		4.86	

Saturday Night Special Modified Rear End Assemblies

The Saturday Night Special line of Modified rear ends feature a 100% magnesium center and bells within inspection and fill level plug, breather assembly, O-ringed rear cover with heavy-duty bearings, aluminum spool, precision-ground heat-treated lower shaft, low-drag seals, and black thermal coating. Available as rear end only without axle tubes, or as a complete package with 2.5" GN axle tubes, gun-drilled axles, billet steel hubs, and 11-3/4" x 0.810" vented rotors.

Part No. Description		Ratio	Price
DMIMOD24.12 Modified Rear End		4.12	
DMIMOD24.86 Modified Rear End		4.86	
Packages			
DMI4.12MODPKG3	Modified Rear End Package	4.12	
DMI4.86MODPKG3 Modified Rear End Package		4.86	





NSTOCK ON A

Pullbar Puck

WEHWM360-100-80

Engineered for use with Wehrs Machine puck-style pull bars, polyurethane puck is 2.250" O.D. x 0.750" I.D. x 1.00" tall and has a durometer rating of 80 (purple).



NOW STOCKING!

WEHWM251-JN-I

Dual-Bearing Spring Slider Components

Description	Price
Fine Thread Jam Nut,	
for Fine Thread Spring Slider	
Jam Nut O-Ring, Installs between (2) Jam Nuts on Spring Slider	
	Fine Thread Jam Nut, for Fine Thread Spring Slider

Steering Shaft Support Bracket WEHWM26210

Innovative bracket installs in the engine compartment, attaching directly to 1" dia. chassis tubing and secures the steering shaft, providing clearance necessary for virtually any exhaust headers. Bracket accepts a standard, 3/4" steering heim.

High Misalignment Spacer

WEHWM750250HM

Steel spacer is 1/4" long and accepts a 3/4" heim and 5/8" bolt. NOTE: Measured from end of spacer to the heim; not total overall length.



19" Steel Non-Adjustable J-Bar WEHWM4019STL

Heavy-duty steel J-bar lacks the double adjuster for added strength, particularly helpful when subjected to rough track conditions. J-bar has a 19 center-to-center length.

Sway Bar Load Stick WEHWM414-SB

Specialized tool is used to accurately set and adjust sway bar load. Load stick is wired to a battery-powered load cell, and replaces the right front shock. A WEHWM394 set-up stick, purchased separately, is then installed in place of the left front shock so that sway bar load may then be set. Load stick is adjustable from 13"-21" long. Sold complete with load cell charger and hard case.

Part No.		Description	Price
	Related Component		
	WEHWM414HC	Hard Case For WM414-7 or WM414-7-R Load Stick	

Weld-On Shock Mount WEHWM4461750

Shock mount welds directly to 1-3/4" chassis tubing and allows changing shock mounting in 1/2" increments. Sold complete with weld plates and mounting hardware.



SB Chevy "602"/"604" Crate Motor Dip Stick

WEHWM714

Used for checking engine oil level on Chevy "602" or "604" crate motors. Compact and easy to use, green plastic dipstick is just 1-1/4" long.



Triple-Shear Suspension Cage

Allowing for a wider spread between the shock mount and four link bars, triple shear bird cage incorporates the Quick Adjust plate package for the four link bars along with a standard shock plate that allows 5"-8" shock drop. Unit additionally allows custom cage plate configuration to meet the needs of virtually any chassis. Choose from standard or zero index versions. Sold complete with clamp rings. NOTE: Shock mounts sold separately.



•		
Part No.	Description	Price
WEHWM200TS	Triple Shear Suspension Cage	
WEHWM200TS-0	Triple Shear Suspension Cage, Zero Index	

Threaded Double-Adjustable Limiter

Double-adjustable limiter provides eased LH and RH suspension limiter length adjustments. Limiter is sold complete with 2' diameter x 1" tall black (70 durometer) or blue (60 durometer) urethane puck.



Part No.	Description	Price
WEHWM499-TA-BLK	With Black (70 Durometer) Bushing	
WEHWM499-TA-BLU	With Blue (60 Durometer) Bushing	

Shaft Checker

WEHWM494

Tool allows quickly checking a variety of shafts for straightness. Includes the same roller design as Wehrs Machine axle checker.

2-1/2" Dual Bearing Spring Slider WEHWM251-0-2.5

The smoothest, most stable slider currently available, unit is 21-1/2" extended with a fine thread body for 2-1/2" I.D. springs. Rigid, hard chrome shaft features a linear DU bushing and shaft stabilizing internal piston. The spring cup is opposite of adjusting nut and may be quickly removed via a clip, eliminating the need to unscrew the nut to remove the spring. A jam nut style locking system with Torrington bearing allows for fine tuning and prevents the nut from moving while racing. NOTE: Measurements are 15" collapsed and 21-1/2" extended.

Raised Adjustable Shock Mount WEHWM446-1-F

Raised style mount allows fine tuning shock mounting in 1/2" increments. Sold complete with flat surface weld plates and hardware.



Quick Adjust Puck 5/8" I.D. WEHWM625QA

Designed for use with Wehrs Machine bearing cages, puck eliminates the need for bolt removal, speeding suspensions adjustments.



SIMPSON®

Checkers Driving Suit

Satin, twill Nomex knit fabric one-piece suit features classic, race inspired graphics. Pleated back panel allows unrestricted freedom of movement and improved flexability. Meets SFI 3.2A/5 specifications. Black only.

Size	Part No.	Price
Small	SIMCK02121	
Medium	SIMCK02221	
Large	SIMCK02321	
X-Large	SIMCK02421	
XX-Large	SIMCK02521	



SD1 Composite

Your Choice -

Lacking front vents, the SD1 is ideal for open wheel dirt track racing. Removable cheek pads and top pads provide a true custom fit. Meets SA2020 specifications. Sold complete with anti-fog, anti-scratch clear visor. Offered in white, black, or matte black.







	Size	Black	Matte Black	White
	Small	SIM7950012	_	SIM7950011
	Medium	SIM7950022	SIM7950028	SIM7950021
	Large	SIM7950032	SIM7950038	SIM7950031
	X-Large	SIM7950042	SIM7950048	SIM7950041
	XX-Large	SIM7950052	SIM7950058	SIM7950051

SD1 Carbon

Your Choice -

Simpson's lightest and most aerodynamic helmet features a autoclave cured, carbon fiber shell. Lacking front vents, the SD1 is ideal for open wheel dirt track racing. Removable cheek pads and top pads provide a true custom fit. Meets SA2020 specifications. Sold complete with anti-fog, anti-scratch clear visor. Natural finish.



Size		Part No.
Medium		SIM795002C
	Large	SIM795003C
	X-Large	SIM795004C

Fueler Apron SIM39042

Fueler Apron combines a fire-retardant fabric finish along with a special fluid-repellent treatment. Apron includes velcro in the neck area and adjustable Kevlar waist straps for quick, easy fitting and release. Meets SFI 52.1 specifications. One size fits all.



Latch-and-Link 5-Point Sprint Harness SIM29066BKH

Wrap-around, Hans-compatible restraints include 55" individual shoulder belts, lap belts, and submarine belt. Pull-down adjust. Meets SFI 16.1 specifications. Black only.

Double Pull-Down Latch and Link Restraints

Patent-pending, double pull-down Latch-and-Link restraints offer superior safety and comfort. Restraints feature an all-new buckle with integrated clamshell style adjusters molded into the buckle. Choose from 2", 3", or 3"-2" HANS-compatible restraints in bolt-in or clip-in configuration. Meets SFI 16.1 specifications. Black only.

Mooto of Fron ope		
Part No.	Description	Price
Bolt-In		
SIM12LD5WB	2" Latch-and-Link Restraint System	
SIM132LD5WB	3"-2" Latch-and-Link Restraint System	
SIM13LD5WB 3" Latch-and-Link Restraint System		
Clip-In		
SIM12LD5WC	2" Latch-and-Link Restraint System	
SIM132LD5WC	3"-2" Latch-and-Link Restraint System	
SIM13LD5WC	3" Latch-and-Link Restraint System	

Carbon Helmet Skirts

Your Choice -

Manufactured from fire resistant CarbonX fleece material, helmet skirts are designed to comfortably protect the head and neck area. Meets SFI 3.3/5 specifications. Black only.

•		,
	Part No.	Description
	SIM23012C	Standard
	SIM23014C	Larger Opening

Pro-Fit Balaclava SIM23091K

Among the most comfortable head socks currently available. Nomex construction provides an added layer of thermal protection. One size fits all. Black only.

Magnata Racing Gloves

The ultimate in comfort and styling, Magnata combines Super-Grip leather and Nomex mesh technology. Gloves deliver exceptional grip while reducing fatigue. Meets FIA 8856-2018 and SFI 3.5/5 specifications. Offered in black/blue, black/gray, black/red, or white/blue.





	Size	Black/Blue	Black/Gray	Black/Red	White/Blue	Price
;	Small	_	SIMMGSK	_	_	
M	1edium	SIMMGMB	SIMMGMK	SIMMGMR	SIMMGMW	
	Large	SIMMGLB	SIMMGLK	SIMMGLR	SIMMGLW	
X	-Large	SIMMGXB	SIMMGXK	SIMMGXR	SIMMGXW	
XΧ	K-Large	SIMMGZB	SIMMGZK	SIMMGZR	SIMMGZW	



Four Link Kits for 1967-69 GM F-Body

Dramatically improve the ride, handling, and stance of first generation GM F-bodies by replacing the OEM leaf springs with coil-overs and triangulated four-link. Ideal for street or track applications, kit provides +2" to -3" of ride height adjustability, while allowing larger wheels and tires. Choose from kits with single- or double-adjustable shock absorbers. NOTE: Welding required.

Part No.	Descriptiona	Price
QA1R156-170	With Single-Adjustable Shocks	
QA1R256-170	With Double-Adjustable Shocks	

Rear Sway Bar Kit for 1967-69 GM F-Body QA152827

Engineered for use with QA1 four-link suspension systems, kit reduces body roll that is often encountered during hard cornering.

Sway bar, which has a 7/8" diameter, hugs the rear axle and suspension for a clean appearance. Sold complete with end links and hardware. NOTE: Must be used in conjunction with a QA1 four-link kit.

Subframe Connector Kit for 1967-69 GM F-Body QA152093

Kit joins the front and rear sub-frames, increasing chassis rigidity, thereby improving handling and performance. Tubular steel connectors offer a bolt-in installation, and are sold complete with solid aluminum body mounts and required hardware.

Body Mount Kit for 1967-69 GM F-Body QA15263


Designed to directly replace the OEM rubber mounts, aluminum units increase chassis rigidity, while reducing flex and body roll. Sold complete with required hardware.





Level 1 Front Drag Kit for 1967-69 GM F-Body QA1DK22-GMF1

All-in-one, drag race front suspension kit delivers improved launches, consistency, and high speed stability. Includes tubular steel upper and lower control arms, double adjustable Pro Coil system, thrust bearing kit, spanner wrench, tie rod adjuster sleeves, and required hardware.



Mustang K-Member Engine Mounts for LS Engines QA152115

Designed exclusively for use with QA1 K-members, mounts allow installation of a GM LS engine into late model Mustana



Level 2 Full Vehicle Handling Kit for 1967-69 GM F-Body

QA1HK42-GMF1

The solution for GM F-body owners that desire to dramatically improve ride quality and handling, while allowing adjustments for shock rebound and compression, ride height, pinion angle, and wheelbase. Includes tubular steel upper and lower control arms, double-adjustable front Pro Coil system, tie rod adjuster sleeves, rear coil-overs, triangulated four-link, coil-over thrust bearings, spanner wrenches,

sub-frame connectors, aluminum body mounts, front and rear sway bars, sway bar end links, and necessary hardware. NOTE: Welding required.

Proma Star Double-Adjustable Coil-Over Strut Kits

Your Choice -

Versatile kits feature a custom-tailored spring rate and strut valving package for improved handling and performance. Aluminum, double-adjustable coil-overs include independent adjustments for rebound and compression, while allowing ride height adjustment 0"-2" lower than stock. Each bolt-on kit includes struts, coil-over springs, caster camber plates, and necessary hardware. Choose from kits best suited to street, handling, or drag

	raomig.		
	Part No.	Description	
	2005-14 Ford Mu	stang	
	QA1HD05-12200	Street, 200 lb. Rate	
	QA1HD05-12300	Handling, 300 lb. Rate	
	QA1HD05-14150	Drag Race, 150 lb. Rate	
	1982-92 GM F-Bo	dy	
	QA1HD06-10350	Handling, 350 lb. Rate	
QA1HD06-12170 Drag Race, 170 lb. Rate			
	QA1HD06-12250	Street, 250 lb. Bate	




K-Members for Ford Mustang

Your Choice -

Part No.

Rigid, tubular steel K-members combine the benefits of significant weight savings, increased header clearance, and improved front end geometry. K-members are a direct bolt-on to OEM com-



QA1MUK01* 1979-93 Ford Mustang K-Member QA1MUK02[†] 1987-04 Ford Mustang K-Member * Retains OEM track width for 1979-86 Mustangs, and 1987-93 non-V8 Mustangs. † Retains the OEM track width for 1987-93 V8 Mustangs.

5Q Series Rebuildable Steel Twin-Tube Dry Shock Six Pack Kits

Your Choice -

Ideally suited to do-it-yourself racers or shock rebuilders, kit includes parts to build six new 5Q Series twin-tube large body shocks. Includes gas bags, seal packs, pistons, piston rods, and more. NOTE: Kits do not include bleed shims and require the proper tuning kit.

6	QA!	0.3	QA!	000	ို့ ႏွံ
	OAT C	949	OA!	* C	
ŧ	ļ	ļ	Į		(147) (147) (147)

	Тор	Bottom			
Part No.	Shock Mount	Shock Mount	Adjustability	Length	Piston
QA15Q93-DRY-6PK	Stud	T-Bar	None	3"	Linear
QA15Q68-DRY-6PK	T-Bar	Eyelet	None	8"	Linear
QA15Q7-DRY-6PK	Eyelet	Eyelet	None	7"	Linear
QA15Q9-DRY-6PK	Eyelet	Eyelet	None	9"	Linear



Forged Narrow Superlite 6R Big Brake Front Brake Kit for 1997-13 Corvette WIL140-8922

Combining FNSL6R six-piston calipers and 14" O.D. GT 72 curved vane rotors, kit delivers unsurpassed braking to 1997-13 Corvette along with a variety of early model muscle cars fitted with Ridetech spindles or Detroit Speed suspension. Includes black powder coated calipers, rotors, aluminum rotor hats, caliper brackets, BP-20 brake pads, and necessary hardware.


NOTE: Kit may fit 18" wheels; please refer to the wheel clearance diagram on the Wilwood web site.

GP200 Left Front Sprint Brake Kit WIL140-16431

Competition-proven kit includes GP200 billet aluminum two-piston caliper, 10.50" O.D. x 0.160" super alloy drilled and scalloped rotor, caliper bracket, dynamic mount rotor plate, and necessary hardware. Dynamic mounting isolates thermal stress and distortion at the rotor mounting points.



Dynamic Lug Rotor Mounting and Snap Ring Kit WIL300-14912





Master Cylinder Reservoir and Cap

WIL330-8315

Replacement reservoir and cap for Wilwood RM 0.8-oz. capacity master cylinders.



BP-28 Smartpad Brake Pads

A medium-high friction, low temperature pad with a flat torque curve and 100°-1,200°F temperature range. Ideal for dirt or pavement racing and track day applications, pads offer medium-low wear characteristics. Sold per axle set.



Part No.	Application	Price
WIL150-28-6211K	GP320 Calipers	
WIL150-28-6812K	Dynalite Single Calipers	
WIL150-28-7112K	Forged Dynalite Calipers	

PRO-KIT

Coil spring kits feature a progressive spring design that provides a lowered ride height and improved handling without compromising ride quality. Includes (4) specially-selected coil springs.



Part No.	Description	Price
EIBE10-27-013-01-22	2021-24 Dodge Durango SRT Hellcat 6.2L; 2018-24 Dodge Durango SRT 6.4L 4WD	
EIBE10-40-043-03-22	2022-24 Honda Civic Type R FWD FL5	
EIBE10-82-087-06-22	2023-24 Toyota GR Corolla 1.6L Turbo AWD E210, -1.1" Front/-1.3" Rear	
EIBE10-201-006-02-22	2023-24 Acura Integra Type S FWD, -1.0" Front/-0.8" Rear	

Conventional 5.0" Dia. Rear Race Springs

Your Choice -

Ultra-lightweight race springs are engineered to deliver maximum travel in combination with the smallest block heights. Manufactured to offer unsurpassed consistency in rate, linearity, and measurement.

Rate	Part No.
5.0" Dia. x 14"	Tall
100 Lb. Rate	EIB1400.500.0100
125 Lb. Rate	EIB1400.500.0125
150 Lb. Rate	EIB1400.500.0150
175 Lb. Rate	EIB1400.500.0175
200 Lb. Rate	EIB1400.500.0200
225 Lb. Rate	EIB1400.500.0225
250 Lb. Rate	EIB1400.500.0250
275 Lb. Rate	EIB1400.500.0275
300 Lb. Rate	EIB1400.500.0300

1.88" Dia. Standard Coil-Over Springs



PRO-LIFT KIT for 2022-24 Ford Bronco Raptor 3.0L

EIBE30-35-063-02-22

Precision engineered for improved off-road capability, coil spring kit offers increased ground and fender clearance without compromising the factory


ride. Includes (4) specially-selected coil springs. NOTE: Designed for use with OEM Fox electronic shocks.



SPORTLINE-KIT for 2021-23 Ford Mustang Mach-E

EIBE20-35-054-01-22

Kit delivers race-car like handling and a lowered stance without compromising the factory ride quality. Fits all 2021-23 Ford Mustang Mach-E Select AWD and 2022-23 Ford Mustang Mach-E RWD. Includes (4) specially-selected coil springs.



Rate	Part No.
1.88" Dia. x 10"	Tall
90 Lb. Rate	EIB1000.188.0090
100 Lb. Rate	EIB1000.188.0100
110 Lb. Rate	EIB1000.188.0110
120 Lb. Rate	EIB1000.188.0120
130 Lb. Rate	EIB1000.188.0130
145 Lb. Rate	EIB1000.188.0145
160 Lb. Rate	EIB1000.188.0160
175 Lb. Rate	EIB1000.188.0175
185 Lb. Rate	EIB1000.188.0185
200 Lb. Rate	EIB1000.188.0200
225 Lb. Rate	EIB1000.188.0225
250 Lb. Rate	EIB1000.188.0250
275 Lb. Rate	EIB1000.188.0275





Quick Change Pinion Shaft Retaining Plate WIN6296

Steel retaining plate fits a variety of Quick Change rears.



Aluminum 8-Bolt Drive Flange

WIN3230-55X8

Forged 7075-T6 aluminum drive flange is engineered specifically for use with all Wide 5 hubs. Extended locator lip with O-ring helps keep the drive flange from loosening up or the need for gaskets or seals.



6-Bolt Gear Cover Gasket WIN12185



Raptor Late Model 1-1/8" 26-Spline Input Shaft

WIN62445



Billet Aluminum Locker Lock Tab WIN1589

Sold each.



Viton Side Bell Seal

WIN7293V

Low drag, Viton seal is designed for use with 0.156" wall axle tubes. Seal has a 2.753" sealing diameter, 1.968" I.D., and is 0.500" wide.

Baby Grand Drive Flange

WIN6548-500

Drive flange includes a four-hole pattern for 1/2" studs.



10-Bolt Sprint Center Gear Covers

Straight finned gear covers are for 8-3/8" and V8 Quick Change rears. Sold complete with bearings and bearing retainers. Cover is also available with black, thermal dispersant coating.



Part No.	Description	Price
WIN3225	10-Bolt Sprint Center Gear Cover	
WIN3225-8208C	10-Bolt Sprint Center Gear Cover with Black Thermal Coating	

Wide 5 Front Hub Kit

WIN6606-FX5BK

Includes permanent mold aluminum hub, push-in black anodized aluminum dust cap, races, and wheel studs.



Falcon Late Model Transmission Components











WIN61897		WIII02071
Part No.	Description	Price

WINOI	031	
Part No.	Description	Price
WIN61736-1	Aluminum Clutch Pack Spacer	
WIN62105	Shuttle Pin	
WIN62158	Late Model Side Cover	
WIN67837	5/16"-24 x 1/2" SHSS	
WIN61691	Reverse Shift Yoke	
WIN68027	1/4"-28 x 1/2" SHSS	
WIN62212	Reverse Shift Shaft	
WIN67685	Rear Shaft Retaining Ring	
WIN67686	Rear Bearing Retaining Ring	
WIN67695	Retaining Ring	
WIN67568	Needle Bearing	
WIN61921	Aluminum Spacer	
WIN61897	Rear Shaft	
WIN61845	Push Rod	
WIN61906	Piston Thrust Washer	
WIN68024	Breather	
WIN65314	Bleeder Adapter	
WIN68042	Compression Fitting	
WIN67682	Input Bearing Retaining Ring	
WIN67563	Needle Bearing	
WIN61912	Clutch Spring	
WIN67687	Retaining Ring	
WIN67585	Thrust Washer, .093" Thick	
WIN68052	Case Plug	
WIN68025	Cap Plug	
WIN67591	Clutch Hub Needle Bearing Insert	
WIN68303	Reverse Idler Retaining Ring	
WIN62871	Aluminum Roller Slide Extension Housing	







AutoTec Forged Pistons - Street/Strip

RTP1000162

RTP1000552

This piston is manufactured using forged side relief, 4032 low-expansion, high-silicon material, making it excellent for street or strip applications. It features CNC precision machined ring grooves for 1.5mm, 1.5mm, and 3.0mm rings, a top ring land gas distribution groove to enhance performance and improve ring seal, and diamond-turned skirts. Wrist pins, wire locks, broached pin oilers and accumulator groove are included.

Part No.	Description	Bore	Oversize	Stroke	Length	Height	Dome Vol.	CID	Weight	Price
Small Block C	Small Block Chevy									
RTP1000162	Dome, 23°, Coated Skirt	4.030"	.030"	3.480"	6.000"	1.260"	11.9cc	355	494g	
RTP1000174	Dome, 23°, Coated Skirt	4.030"	.030"	3.750"	6.000"	1.125"	7.9cc	383	458g	
Big Block Che	vy									
RTP1000680	Large Dome	4.500"	.100"	4.250"	6.385"	1.270"	32.7cc	541	640g	
RTP1000683	Large Dome	4.500"	.130"	4.250"	6.385"	1.270"	28.7cc	565	677g	
RTP1000686	Large Dome	4.310"	.060"	4.250"	6.535"	1.120"	39.8cc	496	571g	
RTP1000690	Large Dome	4.500"	.030"	4.250"	6.535"	1.120"	32.7cc	541	_	
RTP1000693	Large Dome	4.600"	.130"	4.250	6.535"	1.120"	28.7cc	565	620g	
Small Block C	hrysler									
RTP1000552	Flat Top	4.030"	.030"	4.000"	6.123"	1.457"	-7.6cc	408	475g	
RTP1000556	Flat Top	4.030"	.030"	3.580"	6.123"	1.667"	-14.3cc	365	503g	
RTP1000559	Flat Top	4.030"	.030"	4.000"	6.123"	1.457"	-24.6cc	408	465g	
Small Block F	ord									
RTP1001330	Dome, 20°	4.030"	.030"	3.400"	5.400"	1.100"	12.0cc	347	460g	
RTP1001340	Dome, 20°	4.030"	.030"	4.000"	6.200"	1.300"	3.0cc	408	477g	
RTP1000362	Twisted Wedge	4.030"	.030"	3.250"	5.400"	1.165"	-3.8cc	331	460g	
RTP1000365	Twisted Wedge	4.125"	.125"	3.250"	5.400"	1.165"	-3.8cc	347	_	
RTP1000369	Twisted Wedge	4.030"	.030"	3.400"	5.400"	1.100"	-3.8cc	347	449g	
RTP1000372	Twisted Wedge	4.125"	.125"	3.400"	5.400"	1.100"	-3.8cc	363	481g	
GM LS										
RTP1000716	Flat Top, 12°/15°	4.070"	STD.	3.622"	6.125"	1.315"	-3.3cc	377	465g	
RTP1000718	Flat Top, 12°/15°	4.065"	STD.	4.000"	6.125"	1.115"	-3.3cc	416	433g	
RTP1000727	Flat Top, 12°/15°	3.905"	STD.	4.000"	6.125"	1.115"	-3.3cc	382	382g	
RTP1000720	Dished, 15°	4.070"	STD.	3.622"	6.125"	1.310"	-20.0cc	377	457g	
RTP1000736	Dished, 15°	4.010"	STD.	4.125"	6.125"	1.053"	-10.0cc	403	_	
RTP1000738	Dished, 15°	4.030"	STD.	4.125	6.125"	1.053"	-10.0cc	408	399g	
GM LS7										
RTP1000747	Dished, 12°	4.130"	.005"	4.000"	6.125"	1.115"	-4.1cc	429	457g	
RTP1000753	Dished, 12°	4.130"	.005"	4.000"	6.125"	1.115"	-20.9cc	429	_	

AutoTec Forged Pistons - Boosted Applications

This piston uses 2618 material and is suitable for most mild-blown or nitrous applications. The valve pockets are machined to accommodate oversized valves and high-lift cams. The ring grooves are critically machined for 1.5mm, 1.5mm, 3.0mm rings. The top ring land also features gas distribution grooves to enhance performance and improve ring seal. It includes 51 Series wrist pins, pin fit, wire locks, broached double pin oilers, and accumulator groove.



					Rod	Comp.			RTP1001602	
Part No.	Description	Bore	Oversize	Stroke	Length	Height	Dome Vol.	CID	Weight	Price
Small Block C	hevy									
RTP1001602	Dished, 23°	4.030"	.030"	3.480"	6.000"	1.250"	-12.30cc	355	_	
RTP1001604	Dished, 23°	4.040"	.040"	3.480"	6.000"	1.250"	-12.70cc	357	_	
RTP1001630	Dished, 23°	4.030"	.030"	3.750"	6.000"	1.125"	-18.9cc	383	_	
RTP1001632	Dished, 23°	4.040"	.040"	3.750"	6.000"	1.125"	-19.4cc	385	_	
RTP1001651	Dished, 23°	4.125"	STD.	3.750"	6.000"	1.125"	-22.5cc	401	_	
RTP1001655	Dished, 23°	4.155"	.030"	3.750"	6.000"	1.125"	-23.9cc	407	_	





AutoTec Forged Pistons - Boosted Applications - Cont.

RTP1001691

This piston uses 2618 material and is suitable for most mild-blown or nitrous applications. The valve pockets are machined to accommodate oversized valves and highlift cams. The ring grooves are critically machined for 1.5mm, 1.5mm, 3.0mm rings. The top ring land also features gas distribution grooves to enhance performance and improve ring seal. It includes 51 Series wrist pins, pin fit, wire locks, broached double pin oilers, and accumulator groove.

					Rod	Comp.				
Part No.	Description	Bore	Oversize	Stroke	Length	Height	Dome Vol.	CID	Weight	Price
Small Block F	ord- 302									
RTP1001359	Flat Top, 20°	4.030"	.030"	3.250"	5.400"	1.175"	-21.7cc	332	422g	
RTP1001362	Flat Top, 20°	4.030"	.030"	3.400"	5.400"	1.100"	-20.0cc	347	408g	
Small Block F	ord- 351									
RTP1001372	Flat Top, 20°	4.030"	.030"	4.000"	6.200	1.300"	-29.5cc	408	454g	
GM LS										
RTP1001691	LS2, 12°/15°	4.010	.010"	3.622"	6.125"	1.304"	-10.5cc	366	_	
RTP1001692	LS2, 12°/15°	4.030	.030"	3.622"	6.125"	1.304"	-11.4cc	370	_	
RTP1001694	LS3, 12°/15°	4.070"	.005"	3.622"	6.125"	1.304"	-13.2cc	377	_	
RTP1001695	LS3, 12°/15°	4.075"	.010"	3.622	6.125"	1.304"	-13.4cc	378	_	
RTP1001710	LS2, 12°/15°	4.010"	.010"	4.000"	6.125"	1.110"	-19.7cc	404	_	
RTP1001711	LS2, 12°/15°	4.030"	.030"	4.000"	6.125"	1.110"	-20.7cc	408	_	
RTP1001713	LS3, 12°/15°	4.070"	.005"	4.000"	6.125"	1.110"	-22.7cc	416	_	
RTP1001714	LS3, 12°/15°	4.075"	.010"	4.000"	6.125"	1.110"	-22.9cc	417	_	
RTP1001715	LS7, 12°/15°	4.125"	STD.	4.000"	6.125"	1.110"	-25.0cc	428	_	
GM LT Gen V										
RTP1001859	Dished	4.070"	.005"	3.622"	6.125"	1.304"	-8.3cc	377	_	
RTP1001862	Dished	4.070"	.005"	4.000"	6.125"	1.304"	-17.2cc	416	_	



2-1/2" I.D. x 7" Tall **Barrell Type Coil-Over Springs**

Your Choice -

Designed with ease and consistency of vehicle setup, barrel springs have a maximum of 4" outer diameter for necessary clearance from A-arms and other suspension components. Black powder-coated finish.

Rate	Part No.
650 Lbs.	SWI070-250-650B
700 Lbs.	SWI070-250-700B
750 Lbs.	SWI070-250-750B

Flat Wire Progressive Rate Bump Spring SWISBS0800VS

Flat wire bump spring provides zero side shearing under full compression, ideal for race teams that aggressively utilize bump stops and require a greater amount of shock travel. Spring has a 2.3" O.D. x 3.00" length, 1.58" stroke, and a progressive rate of 400-800 lbs. Copper powder-coated finish.



2-1/2" I.D. x 8" Tall **Straight Type Coil-Over Springs**

Your Choice -

Swift Springs combine the benefits of reduced un-sprung mass and more stroke that results in increased traction and handling. Black powder-coated finish.

Part No.
SWI080-250-375
SWI080-250-400
SWI080-250-425
SWI080-250-450
SWI080-250-500
SWI080-250-525
SWI080-250-600
SWI080-250-650
SWI080-250-700



Bulletproof Series 3-1/2" I.D. x 18" Tall Coil-Over Spring SWI180-350-100BP

Robust, resilient, and responsive, Bulletproof Series spring is 3-1/2" I.D. x 18" tall and has a 100 lb. spring rate. Copper powder-coated finish.





M-102 Series Gauge Kit for 1973-87 Chevy/GMC Truck NVG73108-79



Kit installs directly in place of the OEM speedometer and gauges, updating the style and functions, while maintaining an OEM appearance. Includes 4-3/8" programmable speedometer, 4-3/8" programmable, 0-8,000 RPM tachometer, 2-1/16" fuel level, temperature, oil pressure, and voltmeter gauges along with necessary senders, and hardware.

CFR Gauge Kits

Well suited to resto-mods or pro-touring builds, direct fit gauge kit features exotic muscle graphics, colors, and modern LED lighting. Includes large diameter, programmable speedometer, 4-3/8" programmable, 0-8,000 RPM tachometer, 2-1/16" fuel level, temperature, oil pressure, and voltmeter gauges along with necessary senders, and hardware. Choose CFR Red or Blue gauge kits.





		11432001 00
Part No.	Description	Price
CFR Red Gau	ge Kits	
NVG20670-01	1970-78 Camaro, 4-3/8" Speedometer & Tach, 2-1/16" Gauges, Black Dial Faces/White Lighting	
NVG71126-01	1970-81 Firebird, 4-3/8" Speedometer & Tach, 2-1/16" Gauges, Black Dial Faces/White Lighting	
NVG73206-01	1973-87 Chevy/GMC Truck, 4-3/8" Speedometer & Tach, 2-1/16" Gauges, Black Dial Faces/White Lighting	
NVG89311-01	1988-94 Chevy/GMC Truck, 3-3/8" Speedometer & Tach, 2-1/16" Gauges, Black Dial Faces/White Lighting	
CFR Blue Ga	uge Kits	
NVG71126-05	1970-81 Firebird, 4-3/8" Speedometer & Tach. 2-1/16" Gauges.	

69 Series Gauge Kits

Combining the style of European sports car and racing gauges with LED back lighting, 69 series direct fit kits combine a programmable speedometer and 8,000 RPM tachometer with 2-1/16" fuel level, temperature, oil pressure, and voltmeter




gauges. Sold complete with senders, mounting bracket, and necessary hardware.

Black Dial Faces/White Lighting

Part No.	Description	Price
	1967-72 Chevy Truck,	
NVG73691-01	4-3/8" Speedometer & Tach, 2-1/16" Gauges,	
	Black Dial Faces/White Lighting	
	1973-79 Ford Truck,	
NVG73649-01	3-7/16" Speedometer & Tach, 2-1/16" Gauges,	
	Black Dial Faces/White Lighting	
	1970-78 Camaro,	
NVG69670-01	4-3/8" Speedometer & Tach, 2-1/16" Gauges,	
	Black Dial Faces/Green Lighting	

Temperature Sender

NVG99320-04





Performance II Gauge Kits

Performance II, direct fit kits feature a classic gauge appearance with polished, stainless steel bezels and modern, LED back lighting. Includes large diameter, programmable



speedometer and 8,000 RPM tachometer along with fuel level, temperature, oil pressure, and voltmeter gauges. Sold complete with senders, mounting bracket, and necessary hardware.

Part No.	Description	Price
1969-70 Mus	stang	
NVG69790-01	4-3/8" Speedometer & Tach, Dual 3-7/16" Gauges, Black Dial Faces/Blue Lighting	
NVG69790-05	4-3/8" Speedometer & Tach, Dual 3-7/16" Gauges, Black Dial Faces/Green Lighting	
1970-81 Fire		
NVG71026-01	4-3/8" Speedometer & Tach, 2-1/16" Gauges, Black Dial Faces/Blue Lighting	
1973-79 Ford		
NVG79026-01	3-7/16" Speedometer & Tach, 2-1/16" Gauges, Black Dial Faces/Blue Lighting	
1979-86 Mus	stang	
NVG79211-01	4-3/8" Speedometer & Tach, 2-1/16" Gauges, Black Dial Faces/Blue Lighting	
NVG79211-03	4-3/8" Speedometer & Tach, 2-1/16" Gauges, White Dial Faces/Blue Lighting	
1981-93 Dod	ge Ram	
NVG81021-01	4-3/8" Speedometer & Tach, Quad 4-3/8" Gauges, Black Dial Faces/Blue Lighting	
NVG81021-03	4-3/8" Speedometer & Tach, Quad 4-3/8" Gauges, White Dial Faces/Blue Lighting	
1987-91 Ford	F-Series	
NVG88102-01	3-7/16" Speedometer & Tach, 2-1/16" Gauges, Black Dial Faces/Blue Lighting	
NVG88102-03	3-7/16" Speedometer & Tach, 2-1/16" Gauges, White Dial Faces/Blue Lighting	
1978-88 Mor	ite Carlo	
NVG88321-01	4-3/8" Speedometer & Tach with Built-In Gauges, Black Dial Faces/Blue Lighting	
NVG88321-03	4-3/8" Speedometer & Tach with Built-In Gauges, White Dial Faces/Blue Lighting	
1988-94 Che	vy/GMC Full Size Truck	
NVG89211-01	3-3/8" Speedo. & Tach, 2-1/16" Gauges, Black Dial Faces/Blue Lighting	
NVG89211-03	3-3/8" Speedo. & Tach, 2-1/16" Gauges, White Dial Faces/Blue Lighting	
1992-96 Ford	I F-Series	
NVG92201-01	3-7/16" Speedometer & Tach, 2-1/16" Gauges, Black Dial Faces/Blue Lighting	
NVG92201-03	3-7/16" Speedometer & Tach, 2-1/16" Gauges, White Dial Faces/Blue Lighting	

M-153 Series Gauge Kits

NVG05305-53

The M-153 Series combines a nostalgic appearance with cutting-edge gauge technology and modern LED lighting. Each kit includes large-diameter, programmable speedometer

and 8,000 RPM tachometer along with fuel level, temperature, oil pressure, and voltmeter gauges. Sold complete with senders, mounting bracket, and necessary

naraware.		
Part No.	Description	Price
DIY Kits		
NVG05305-53	1967-68 Mustang, 4-3/8" Speedometer & Tach, 2-1/16" Gauges, Black Dial Faces/White Lighting	
Assembled a	nd Wired Kits	
NVG78707-78	1967-68 Mustang, 4-3/8" Speedometer & Tach, 2-1/16" Gauges, Black Dial Faces/White Lighting	
Direc Fit Kits		
NVG53408-53	1969-70 Mustang, 4-3/8" Speedometer & Tach, Dual 3-7/16" Gauges, Black Dial Faces/White Lighting	



Aviator Gauge Kits

Clean, easy to read, and rugged enough for racing, off-road, or the daily driver. Includes large diameter, programmable speedometer and 8,000 RPM tachometer



along with fuel level, temperature, oil pressure, and voltmeter gauges. Sold complete with senders, mounting bracket, and necessary hardware.

Part No.	Description	Price				
1970-78 Cam	iaro					
NVG44670-01	4-3/8" Speedometer & Tach, 2-1/16" Gauges, Black Dial Faces/Red Lighting					
1970-81 Fire	1970-81 Firebird					
NVG71226-01	4-3/8" Speedometer & Tach, 2-1/6" Gauges, Black Dial Faces/Red Lighting					



Dual Pull Power Assist Cylinders



Part No.	Description	Price					
1-3/8" Bore for 18-1/4" Rack							
SWE302-32063-18.25-ASP-I	Integrated, Asphalt Apps.						
SWE302-32063-18.25-DIRTI	Integrated, Dirt Apps.						
1-3/8" Bore for 19-1/4" Rack							
SWE302-32063-19.25-DIRTI	Integrated, Dirt Apps.						

600 Series Power Steering Box SWE209-08235

Four-bolt style steering box includes an 8:1 ratio and 0.235" valving. Weighs 22.3 lbs.



Rear Yoke Pulley

SWE501-30037

Special, fine spline yoke includes a V-belt pulley that allows driving a differential mounted power steering pump.



Steering Coupler

SWE301-30142

16.5mm-36 spline to 3/4" smooth.



Steering U-Joint

SWE401-51275

3/4"-36 spline to 16.5mm-36 spline.





X-Series Race Car Lift DCLX1008



Top-of-the-line race car lift includes the ability to safely lift and support a race vehicle that weighs up to 4,000 lbs. Lift weighs just 64 lbs. and combines a CNC-machined structure with a dual-action, 12-volt 2,300 PSI hydraulic pump with cylinders and quick disconnect couplers, resulting in reliable, power up/power down operation. Unit is 20" tall in rear, 18" tall in front, and 41" total



side-to-side width along with a riser package to compensate for raised RF rail cars. NOTES: Lift is not compatible with wide frame metric cars. Purchase battery and hydraulic fluid separately. Requires a minimum 12V/350 CCA battery and 3-4 qts. of AW-32 hydraulic oil for lift operation.



G3 Transponder Package RCVG3XRECHGPK

Package includes necessary components when utilizing a RACEceiver transponder; Westhold rechargeable transponder, charging unit, and pro mounting pouch. Simply charge the transponder and mount it in the car. NOTE: Does not work with MyLaps.



TRU-COOL®



LPD Engine Oil Coolers

Innovative, LPD (Low Pressure Drop) oil coolers incorporate a special cold weather passive bypass system that allows cold, thick lubricants to flow more efficiently through the cooler at the top of the system. Once fluids heat up and become thinner, the cooler then directs it through the core for optimal cooling.



TRU35-66274-00

TRU35-72172-00

Part No.	Description	Price				
Engine Oil Coolers						
TRU35-66274-00	11" x 11" x 1.5"					
TRU35-66281-00	8" x 11" x 1.5"					
TRU70-64356-80	2-3/4" x 11" x 1-1/2"					
TRU70-64362-80	5-3/4" x 11" x 1-1/2"					
Engine/Transmission Oil Cooler						
TRU35-72172-00	9" x 22-7/8" x 1-1/4"					



Outlaw One-Piece Driving Suit

Offering top notch safety and comfort, the Outlaw is constructed from multiple layers of Nomex for superior fire resistance, and meets SFI 3.2A/5 specifications. Built to withstand the rigors of racing while providing a snug, comfortable fit for enhanced driver mobility. Offered in black/blue, black/gray, or black/red.

Size	Black/Blue	Black/Gray	Black/Red	•	Price	
Small	K1R20-OTL-NB-S	K1R20-OTL-NG-S	K1R20-OTL-NR-S			
Medium	K1R20-OTL-NB-M	K1R20-OTL-NG-M	K1R20-OTL-NR-M			
Medium/Large	K1R20-OTL-NB-ML	K1R20-OTL-NG-ML	K1R20-OTL-NR-ML			
Large	K1R20-OTL-NB-L	K1R20-OTL-NG-L	K1R20-0TL-NR-L			
Large/X-Large	K1R20-OTL-NB-LXL	K1R20-OTL-NG-LXL	K1R20-OTL-NR-LXL			
X-Large	K1R20-0TL-NB-XL	K1R20-0TL-NG-XL	K1R20-OTL-NR-XL			
XX-Large	K1R20-OTL-NB-2XL	K1R20-OTL-NG-2XL	K1R20-OTL-NR-2XL			
XXX-Large	K1R20-OTL-NB-3XL	K1R20-OTL-NG-3XL	K1R20-OTL-NR-3XL			
XXXX-Large	K1R20-OTL-NB-4XL	K1R20-OTL-NG-4XL	K1R20-OTL-NR-4XL			
XXXXX-Large	K1R20-OTL-NB-5XL	K1R20-OTL-NG-5XL	K1R20-OTL-NR-5XL			



Your Choice -

Stylish and protective, Versus pit shoe is designed in sleek black and provides a snug, comfortable fit to crew personnel who are often on their feet for extended periods. Shoes are flame resistant and meet SFI 3.3 specifications.

periods. Orioes are fiame resistant		
Size	Part No.	
7	K1R24-VER-N-7	
7-1/2	K1R24-VER-N-75	
8	K1R24-VER-N-8	
8-1/2	K1R24-VER-N-85	
9	K1R24-VER-N-9	
9-1/2	K1R24-VER-N-95	
10	K1R24-VER-N-10	
10-1/2	K1R24-VER-N-105	
11	K1R24-VER-N-11	
11-1/2	K1R24-VER-N-115	
12	K1R24-VER-N-12	
12-1/2	K1R24-VER-N-125	
13	K1R24-VER-N-13	
13-1/2	K1R24-VER-N-135	
14	K1R24-VER-N-14	
14-1/2	K1R24-VER-N-145	



scribnerplastics

Cylinder Head Shipping and Storage Container SCR5148

Rotationally molded from polyethylene, container has interior dimensions of 9" wide x 24" long x 6" high, and is large enough to accept most Pro Stock heads. A cinch strap secures the head within the base, while the domed cover bolts securely over a double wall base.







Drift Radiator Module PWRCR-UC-SPR001C

The ultimate cooling solution for a variety of drift applications, dual pass radiator is handcrafted and tig welded in the USA. Aluminum module is 18-1/2" high x 31-1/2" wide x 6" deep overall, and includes -20AN female inlets and outlets, -12AN drain ports, and twin Spal 14" 500W brushless fans rated at 4790 CFM.



Upper Ball Joint Sleeve Tap COL30834

Required when repairing damaged threads in upper control arms with screw-in ball joint sleeves. Designed for use with sleeves that accept K719/K772 upper ball joints.



COL21904

Constructed from high-grade, solid spring steel, "Torque Tough" 49-spline sway bar is 37-1/2" long x 1-1/4" dia., and stepped down to 1" dia. Sway bar is CNC-machined, double heat treated, polished, and zinc coated.









Gapless Diesel Piston Rings


Soot contamination can increase engine wear and reduce oil life. Closing the gap on the 2nd ring stops soot contamination and reduces blow-by. Total Seal® Gapless® second rings help diesel engines unleash their full potential, boosting horsepower and torque.


Part No.	Bore	Piston Rings	Price
1994-2009 Dod	ge 5.9L Cu	ımmins	
T0TS4194	4.016"	3.0mm, 2.35mm, 4.0mm	
T0TS4194-20	4.036"	3.0mm, 2.35mm, 4.0mm	
2007-2013 Dod	ge 6.7L Cui	nmins	
T0TS2785	4.212"	2.87mm, 2.5mm, 3.46mm	
T0TS2785-20	4.232"	2.87mm, 2.5mm, 3.46mm	
2003-2007 Ford	6.0L Dies	el	
T0TS4914	3.740"	3.0mm, 2.35mm, 4.0mm	
T0TS4914-20	3.760"	3.0mm, 2.35mm, 4.0mm	
2007-10 Ford 6.	4L Diesel		
T0TS1475	3.866"	2.5mm, 2.0mm, 3.0mm	
T0TS1475-20	3.886"	2.5mm, 2.0mm, 3.0mm	
2007-2013 Ford	6.7L Diese	el	
T0TS3585	3.898"	2.87mm, 2.5mm, 3.46mm	
T0TS3585-20	3.917"	2.87mm, 2.5mm, 3.46mm	
2001-2016 GM	6.6L Duran	ax	
T0TS9091	4.055"	(R & L) 3.0mm, 2.0mm, 3.0mm	
T0TS9091-20	4.075"	(R & L) 3.0mm, 2.0mm, 3.0mm	



Deck Mount Oil Cooler

AFC80278-12







Lightweight double-pass radiator measures 26" wide x 19" tall x 1-1/2" wide and is 100% TIG-welded with no epoxy. Optimum fin per inch ratio provides exceptional cooling. Includes a -16AN male inlet and 1-3/4" male outlet. Radiator has a dry weight of 12.5 lbs.



Nitrogen 40cc Gas Cell

AFC1001302

Required when rebuilding AFCO nitrogen-filled shock absorbers.



Dual-Port Billet Remote Reservoir

Designed to directly replace leak prone plastic master cylinder remote reservoirs, billet aluminum unit includes (2) 1/8" NPT ports to accept the desired barb or fitting.



Part No.	Description	Price
H0W524361	Dual Port Billet Remote Reservoir	
H0W524371	Standard Plastic Cap for HOW524361 & HOW524360	
H0W524373	Billet Aluminum Cap for HOW524361 & HOW524360	

STOCKING NEW LENGTHS/ANGLESI

Precision Max Upper A-Frames

Rigid, tubular steel A-frames feature a sealed, dual-row ball bearing for full, bind-free movement, even under severe braking. A-frames listed accept screw-in ball joints and utilize a steel cross shaft with a slot and key design. Key set (HOW22001) must be purchased separately.



Part No.	Description	Price
Steel Shaft/SI	ot and Key	
H0W2214315	10.75" A-Frame, 15° Angle	
H0W2214700	11.75" A-Frame, 0° Angle	

Replacement Stud for Howe 22424 Ball Joint


HOW224240





Oval Track Exhaust Tubing

High-performance, mandrel-bent exhaust tubing offers exceptional flow, while the oval design provides necessary ground clearance to the lowest slung circle track chassis. Mild steel tubing is 0.065" wall.





zamp

ZR-Drag Racing Suits

Manufactured with high-quality materials to meet stringent, SFI 3.2A/20 specifications, nine-layer suit features built-in arm restraints, aramid wrist and ankle cuffs, and box quilt stitching. Offered in one- or two-piece (jacket and pants) versions in black only.

Size	Part No.	Price
One-Piece	Suits	
Medium	ZAMR090003M	
Large	ZAMR090003L	
X-Large	ZAMR090003XL	
XX-Large	ZAMR0900032XL	
XXX-Large	ZAMR0900033XL	
Jackets		
Medium	ZAMR09J003M	
Large	ZAMR09J003L	
X-Large	ZAMR09J003XL	
XX-Large	ZAMR09J0032XL	
XXX-Large	ZAMR09J0033XL	
XXXX-Large	ZAMR09J0034XL	
XXXXX-Large	ZAMR09J0035XL	
Pants		
Medium	ZAMR09P003M	
Large	ZAMR09P003L	
X-Large	ZAMR09P003XL	
XX-Large	ZAMR09P0032XL	
XXX-Large	ZAMR09P0033XL	
XXXX-Large	ZAMR09P0034XL	
XXXXX-Large	ZAMR09P0035XL	





Ear Cups with Elite Speakers ZAMKITEAR003COMEL

Kits allows one- or two-way communication in virtually any helmet. Ear cups include high-quality, 28mm dia. speakers and wiring with 3.5mm stereo plug.





STOCKING NEW RATES!

1-7/8" I.D. x 10" Tall Coil-Over Springs

Your Choice -

Among the lightest coil-over springs with the highest travel currently available, springs are popularly employed on Legends, Bandoleros, Dwarfs, Midgets, Mod Lites, and Micro-Sprints. Purple powder-coated finish.

Rate	Part No.
110 Lbs.	DRSDRAL10.1.875.110
170 Lbs.	DRSDRAL10.1.875.170
230 Lbs.	DRSDRAL10.1.875.230





Billet Mechanical Fuel Pumps for Stock Chassis

Manufactured from rigid, billet aluminum, pumps are designed to outperform traditional high-performance models. The 7.5 PSI model has a free flow rate of over 200 GPH, sufficient to feed up to 1,200 gasoline-fed horsepower. Stock chassis style pumps have the inlet and outlet next to each other and clocked toward the front of the engine for eased plumbing.



Pumps listed are compatible with pump gas, race gas, E85, or alcohol.

Part No.	Description	Price
Small Block Chevy		
PRC9351-SC	Stock Chassis, 7.5 PSI	
PRC9350-SC	Stock Chassis, 15 PSI	
PRC9350-1-SC	Stock Chassis, 11 PSI	
Big Block Chevy		
PRC9370-SC	Stock Chassis, 7.5 PSI	
PRC9371-SC	Stock Chassis, 11 PSI	
PRC9372-SC	Stock Chassis, 15 PSI	
Small Block Ford		
PRC9382	15 PSI	
	·	



Ultimate Body Brace Kit DOM1259



Durable and affordable, six-piece kit includes (4) 67" long x 1-1/4" wide, 90° angled body braces, and (2) 30" long x 1-1/4" wide, 120° angled body braces. Black only.

Predator Hood Scoop Extensions

Your Choice -

Designed for use with the Predator DOM-500 hood scoop, high-impact plastic (unless specified) 5-1/2" tall extension fits close to the air cleaner for clean appearance and extends scoop height to 7". May be trimmed. Offered in a variety of colors.

	Color	Part No.
	Red	DOM500-EX-RD
	White	DOM500-EX-WH
	Blue	DOM500-EX-BL
	Gloss Black	DOM500-EX-GBK
	Yellow	DOM500-EX-YE
	Fluorescent Yellow	DOM500-EX-FLOYE
	Orange	DOM500-EX-OR
	Fluorescent Orange	DOM500-EX-FLOOR
	Purple	DOM500-EX-PU
	Xtreme Green	DOM500-EX-XG
	Pink	DOM500-EX-PK
	Gray	DOM500-EX-GRY
	Tinted	DOM500-EX-TINT-LEXAN
	Clear	DOM500-EX-CLEAR-LEXAN
	Carbon Fiber	DOM500-EX-CF





Child 14" Adjustable Containment Seat Kit KIR35120KIT

Ideally suited to Caged Karts, Dwarfs, Legends, Mod Lites, Street Stocks, etc., 14" child seat is MIG-welded from 0.100" and 0.190" thick 5052 aluminum and features a 18° layback. Three-piece design allows for up to 6" of vertical adjustment. Seat accommodates all head and neck restraint systems along with 5- or 6-point seat belts. Sold complete with black cloth seat cover.





Single Sided Adjustable Pinion Mount PPM0450

Manufactured from durable, billet aluminum, single sided pinion mount accepts a panhard bar and may be easily adjusted with a ratchet. Black anodized.



Aluminum Adjustable J-Bar PPM0790-5-C

J-bar features a 5-1/4" drop design and adjusts from 20-1/4" to 21-1/2" long.

and adjusts from 20-1/4 to 21-1/2 long.

Constructed from billet aluminum and black anodized finished. Sold complete with CMR rod end and spherical bearing. NOTE: Length is determined by measuring from the center of rod end to center of spherical bearing.



Your Choice -

Brackets are manufactured from 1/4" thick billet aluminum and finished in black powder coat. Sold per pair, brackets include a double slot design, and are fully adjustable. Offered for most popular chassis.



Part No.	Description
PPM1000BL	Longhorn Chassis, Left Rear
PPM1000BR	Longhorn Chassis, Right Rear
PPM1005BL	Rocket XR1 Chassis, Left Rear
PPM1005BR	Rocket XR1 Chassis, Right Rear
PPM1007BL	Longhorn Chassis, Left Rear
PPM1007BR	Longhorn Chassis, Right Rear

Longhorn Chassis Mid-Plates

Engineered exclusively for Longhorn chassis, mid-plates are constructed from 1/4" thick billet aluminum, and include both Chevy and Ford bolt patterns. May be adjusted in 1/2" increments. Black powder-coated finish.



Part No.	Description	Price
PPM1316	Longhorn Mid-Plate	
PPM1316-1	Longhorn Mid-Plate, 1" Raised	

Lower Control Arms

Constructed from tubular steel, control arms are designed to accept a screw-in ball joint. Offered for popular chassis. Black powder-coated finish.

Part No.	Description	Price
PPM16516-S1PCRX	Rocket XR1, Left, 16-5/8" Long	
PPM16517-L19	Longhorn, Left, 2019-Up, 17-5/8" Long	
PPM16519-L19R	Longhorn, Right, 2019-Up, Reverse Strut, 19-1/8" Long	
PPM16519-S-DS	Two-Pc. Double Drop Shock Mount Style, 19-1/8" Long	
PPM16519-S-ND	Two-Pc. No Drop Shock Mount Style, 19" Long	

Bearing Shear Plate Birdcages

Your Choice -

PPM4000B

Premium quality birdcages are complete with shock mounts, clamp rings, and four-bar bushings. Offered for popular chassis. Black powder-coated finish.

Part No.	Description
PPM2600LH-L	Longhorn, Left
PPM2600LH-R	Longhorn, Right
PPM2600RKT-L	Rocket, Left
PPM2600RKT-R	Rocket, Right

Panhard Frame Plate Assembly for Longhorn Chassis

Replacement billet aluminum frame plate assembly is a full 1/2" thick and is double slotted. Sold per pair, complete with bungs. Fits Longhorn chassis.



Bent Steel Adjustable Suspension Tube PPM5815BA

Designed for use with four-bar suspension, adjustable 7/8" round steel tube is 15" long, center-to-center. Sold complete with 5/8"-18 RH and LH rod ends, and adjuster. Black powder-coated finish.

2019-Up Longhorn Spindles

Your Choice -

Manufactured exclusively for 2019-up Longhorn chassis, precision fabricated spindles include 3-1/2" brake mounts and are designed for use with 0.810" thick rotors. Black powder-coated finish. **NOTE: Recommended spindle slug is PPM161-SG-3, purchased separately.**

Part No.	Description	
PPML153-19	Left Front	
PPML273-19	Right Front	





Battery Disconnect Switch Mounting Bracket

ALL60365

Track Mats

Part No.

ALL10610

ALL10612

Weld-on bracket provides a secure mounting location for most battery disconnect switches so they can be mounted directly to the cage within easy reach of the driver or track safety team in the event of an emergency. The bracket is pre-notched for welding to 1-1/2" round tubing and features a 5/8" mounting hole for most battery disconnect switches or our switch with panel.

Price

Black Powder Coated Water Necks

Aluminum water necks fit most Chevrolet V8's. Two-piece design necks swivel 360° to accommodate LH and RH radiator inlets. An O-ring seal and two chrome-plated socket head cap screws are included.



Part No.	Description	Price
ALL30270	90° Neck	
ALL30271	45° Neck	
ALL30272‡	Straight Neck	
ALL30273	75° Neck	
‡ One-Piece Fixed Neck		

Black Dollies with Support Tabs

ALL10626

Dollies feature mounting tabs to mount a custom support rod (not included) between the dollies for added support. Dollies are rated up to 2000 lbs. per set and sold



Carb Drain/Primer Bottle

ALL40091

Durable plastic 8-oz. squeeze bottle is ideal to assist draining and priming carburetors when making jet changes. Cap has an angled filler tube, with tapered tip that fits easily into the vent tube of carburetor fuel bowl.




ALL40124

5-gallon utility jug features an O-ring sealed cap and includes a 12" flexible filler hose with a capped end for a secure seal.







Wheel Cover Holder

ALL12205

Aluminum holder fastens to trailer or shop wall to keep most wheel covers for 15" wheels within easy reach and organized. Holder is predrilled 9" on center for mounting.

fort when kneeling or laying on the ground. Mat is oil resistant and can be easily washed without absorbing

Description

20" x 30" 28" x 45"




8" Wheel/Tire Cover

ALL44255

Canvas cover is ideal for open wheel cars to keep tire out of direct sunlight. Designed for 8" wheel/tire combination.



Kit includes all components needed to attach an air cleaner assembly onto a carburetor including a 6" long 5/16"-18 threaded stud, an adjustable threaded stop and an air cleaner nut with a O-ring seal. The adjustable threaded stop allows the air cleaner lid to be secured against the stop without crushing the air filter. **Note: This kit is designed for use on carburetors**



Quick Turn Fastener Tool with Screwdriver Handle ALL19401

The guick turn fastener tool fits slot head fasteners and reduces the risk of body panel or fastener damage from using screwdrivers for loosening or tightening

To see more great new products from Allstar Performance as well as our complete selection of sale items and specials, visit www.allstarperformance.com