## **ENA 4: Specifications**

## **ENA 4: Specifications**

Products Products Products  Number of speciality coffees  Aspecific advantages Intelligent preheating  3D brewing technology  WiFi connection to home network  Transmitter supplied as standard  JURA standards  Pulse Extraction Process (PE.P®)  Vaniable brewing unit  Grinder  High-performance pump, 15 bar  Thermoblock heating system  Fluid systems  Powder chute for ground coffee  Aroma preservation cover  Operating and programming standards  Espresso Coffee Coffee Spresso Coffee Spresso doppio Espresso doppio  Espresso doppio Espresso depio Carle de Spresso doppio Espresso doppio Coffee 4  4  Compatible with J.O.E.®   Symbol display	Print Datasheet	
Number of speciality coffees 4  Specific advantages  Intelligent preheating ✓ 3D brewing technology ✓ WiFi connection to home network ✓ Transmitter supplied as standard -  JURA standards  Pulse Extraction Process (P.E.P.®) ✓ Variable brewing unit 6-10 g  Grinder Professional Aroma Grinder  High-performance pump, 15 bar 1  Thermoblock heating system 1  Pluid systems 1  Powder chute for ground coffee ✓ Aroma preservation cover ✓  Operating and programming standards  Compatible with J.O.E.® ✓	Specialities	
Intelligent preheating	Products	Coffee Caffè doppio
Intelligent preheating  3D brewing technology  WiFi connection to home network  Transmitter supplied as standard  JURA standards  Pulse Extraction Process (P.E.P.®)  Variable brewing unit  Grinder  High-performance pump, 15 bar  High-performance pump, 15 bar  Thermoblock heating system  Fluid systems  1  Powder chute for ground coffee  Aroma preservation cover  Operating and programming standards  Compatible with J.O.E.®  V	Number of speciality coffees	4
3D brewing technology  WiFi connection to home network  Transmitter supplied as standard  JURA standards  Pulse Extraction Process (P.E.P.®)  Variable brewing unit  6 - 10 g  Grinder  High-performance pump, 15 bar  High-performance pump, 15 bar  Thermoblock heating system  1  Fluid systems  1  Powder chute for ground coffee  Aroma preservation cover  Operating and programming standards  Compatible with J.O.E.®  ✓	Specific advantages	
WiFi connection to home network  Transmitter supplied as standard  JURA standards  Pulse Extraction Process (P.E.P.®)  Variable brewing unit  6 - 10 g  Grinder  Professional Aroma Grinder  High-performance pump, 15 bar  1  Thermoblock heating system  1  Fluid systems  1  Powder chute for ground coffee  Aroma preservation cover  Operating and programming standards  Compatible with J.O.E.®   V	Intelligent preheating	✓
Transmitter supplied as standard  JURA standards  Pulse Extraction Process (PE.P.®)  Variable brewing unit  Grinder  Professional Aroma Grinder  High-performance pump, 15 bar  Thermoblock heating system  1  Fluid systems  1  Powder chute for ground coffee  Aroma preservation cover  ✓  Operating and programming standards  Compatible with J.O.E.®   ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓	3D brewing technology	✓
JURA standards   Pulse Extraction Process (P.E.P.®) ✓   Variable brewing unit 6 - 10 g   Grinder Professional Aroma Grinder   High-performance pump, 15 bar 1   Thermoblock heating system 1   Fluid systems 1   Powder chute for ground coffee ✓   Aroma preservation cover ✓   Operating and programming standards ✓   Compatible with J.O.E.® ✓	WiFi connection to home network	✓
Pulse Extraction Process (P.E.P.®)  Variable brewing unit  Grinder  Professional Aroma Grinder  High-performance pump, 15 bar  1  Thermoblock heating system  1  Fluid systems  1  Powder chute for ground coffee  ✓  Aroma preservation cover  ✓  Operating and programming standards  Compatible with J.O.E.®  ✓	Transmitter supplied as standard	-
Variable brewing unit6 - 10 gGrinderProfessional Aroma GrinderHigh-performance pump, 15 bar1Thermoblock heating system1Fluid systems1Powder chute for ground coffee✓Aroma preservation cover✓Operating and programming standardsCompatible with J.O.E.®✓	JURA standards	
GrinderProfessional Aroma GrinderHigh-performance pump, 15 bar1Thermoblock heating system1Fluid systems1Powder chute for ground coffee✓Aroma preservation cover✓Operating and programming standards✓Compatible with J.O.E.®✓	Pulse Extraction Process (P.E.P.®)	✓
High-performance pump, 15 bar  Thermoblock heating system  1  Fluid systems  1  Powder chute for ground coffee  ✓  Aroma preservation cover  Operating and programming standards  Compatible with J.O.E.®  ✓	Variable brewing unit	6 - 10 g
Thermoblock heating system 1  Fluid systems 1  Powder chute for ground coffee ✓  Aroma preservation cover ✓  Operating and programming standards  Compatible with J.O.E.® ✓	Grinder	Professional Aroma Grinder
Fluid systems 1  Powder chute for ground coffee   Aroma preservation cover   Operating and programming standards  Compatible with J.O.E.®  1   V	High-performance pump, 15 bar	1
Powder chute for ground coffee  Aroma preservation cover  Operating and programming standards  Compatible with J.O.E.®  ✓	Thermoblock heating system	1
Aroma preservation cover  Operating and programming standards  Compatible with J.O.E.®  ✓	Fluid systems	1
Operating and programming standards  Compatible with J.O.E.®  ✓	Powder chute for ground coffee	✓
Compatible with J.O.E. <sup>®</sup> ✓	Aroma preservation cover	✓
	Operating and programming standards	
Display Symbol display	Compatible with J.O.E.®	✓
	Display	Symbol display

Programmable and individually adjustable amount of water	✓
Programmable and individually adjustable coffee strength (Levels)	3
Hygiene standards	
Intelligent Water System (I.W.S.)	$\checkmark$
CLARIS filter cartridge	CLARIS Smart
Integrated rinsing, cleaning and descaling programme	✓
Monitored drip tray	✓
JURA hygiene: TÜV-certified	✓
Energy standards	
Energy Save Mode (E.S.M. <sup>©</sup> )	✓
Zero-Energy Switch or power switch	✓
Programmable switch-off time	✓
In figures	
Height-adjustable coffee spout	75 - 105 mm
Water tank capacity	1.1 L
Bean container holding capacity	125 g
Coffee grounds container (approx. servings)	10
Cable length (approx.)	1.1 m
Voltage / Power	230 V~ / 1450 W
Ampacity	10 amp
Energy efficiency class / energy consumption	A / 59.3 kWh/annum
Stand-by power	0 W
Weight	8.4 kg
Dimensions (W $\times$ H $\times$ D)	27,1 × 32,3 × 44,5 cm
Article Number	15508
Product code	Full Metropolitan Black (UKB)

Width	27.1 cm
Height	32.3 cm
Depth	44.5 cm