



CONCRETE CREATIONS FIRE BOWL MATCH LIT FOR LIQUID PROPANE (LP)

All Brass Cross Fire Burner Propane Installation Specs - 1


WARNING:

- When valve is not installed in the bowl, only one flex line will connect the burner to the gas line.
- For safety, valve should always be accessible and by the bowl.

WARNING:

- Fire Media MUST be 1/2" or larger to allow airflow.
- Place Fire Media loosely and NEVER over 1/2" above the jets.

Burner and Fire Media



Key

WARNING:

* Never leave key in fire bowl when not in use.

WARNING:

Never leave fire unsupervised.

WARNING:

Always use a licensed heating & plumbing professional to install your Fire Bowl.


Ventilation Holes

WARNING:

Never block ventilation holes.


CONCRETE CREATIONS FIRE BOWL MATCH LIT FOR LIQUID PROPANE (LP)

All Brass Cross Fire Burner Propane Installation Specs - 2



CONCRETE CREATIONS FIRE BOWL MATCH LIT FOR LIQUID PROPANE (LP)

All Brass Cross Fire Burner Propane Installation Specs - 3





* Glass, Lava

** Glass, Lava, Fire Pebbles, Fire Balls, Fire Logs, and more

CONCRETE CREATIONS FIRE BOWL MATCH LIT FOR LIQUID PROPANE (LP)

Side View

All Brass Cross Fire Burner Propane Installation Specs - 4




* Install Gas line 1.5"- 2" off the center of the bowl, and 3.5"- 6" above ground level, subject to local codes.

CONCRETE CREATIONS FIRE BOWL MATCH LIT FOR LIQUID PROPANE (LP)

Top View

All Brass Cross Fire Burner Propane Installation Specs - 5



WARNING:

* Never touch fire media when fire is on, or still warm.

CONCRETE CREATIONS FIRE BOWL MATCH LIT FOR LIQUID PROPANE (LP)

Bottom View

All Brass Cross Fire Burner Propane Installation Specs - 6

