



## CONCRETE CREATIONS FIRE BOWL MATCH LIT FOR NATURAL GAS

All Brass Cross Fire Burner Installation Specs - 1


### WARNING:

- When valve is not installed in the bowl, only one flex line will connect the burner to the gas line.
- For safety, valve should always be accessible and by the bowl.

### WARNING:

- Fire Media MUST be 1/2" or larger to prevent the jets from getting clogged.

Burner and Fire Media



Key

### WARNING:

- \* Never leave key in fire bowl when not in use.

### WARNING:


Never leave fire unsupervised.

### WARNING:

Always use a licensed heating & plumbing professional to install your Fire Bowl.

## CONCRETE CREATIONS FIRE BOWL MATCH LIT FOR NATURAL GAS

All Brass Cross Fire Burner Installation Specs - 2




## CONCRETE CREATIONS FIRE BOWL MATCH LIT FOR NATURAL GAS

All Brass Cross Fire Burner Installation Specs - 3

**WARNING:**

- Fire Media MUST be 1/2" or larger to prevent the jets from getting clogged.




\* Glass, Lava

\*\* Glass, Lava, Fire Pebbles, Fire Balls, Fire Logs, and more

## CONCRETE CREATIONS FIRE BOWL MATCH LIT FOR NATURAL GAS

Side View

All Brass Cross Fire Burner Installation Specs - 4




**\* Install Gas line 1.5"- 2" off the center of the bowl, and 3.5"- 6" above ground level, subject to local codes.**

## CONCRETE CREATIONS FIRE BOWL MATCH LIT FOR NATURAL GAS

Top View

All Brass Cross Fire Burner Installation Specs - 5



### WARNING:

\* Never touch fire media when fire is on, or still warm.

## CONCRETE CREATIONS FIRE BOWL MATCH LIT FOR NATURAL GAS

Bottom View

All Brass Cross Fire Burner Installation Specs - 6

