


CONCRETE CREATIONS FIRE BOWL MATCH LIT FOR NATURAL GAS

Fire Ring Installation Specs - 1

WARNING:

- When valve is not installed in the bowl, only one flex line will connect the burner to the gas line.
- For safety, valve should always be accessible and by the bowl.

Burner and Fire Media



WARNING:

- * Never leave key in fire bowl when not in use.

WARNING:

Always use a licensed heating & plumbing professional to install your Fire Bowl.

WARNING:


Never leave fire unsupervised.

CONCRETE CREATIONS FIRE BOWL MATCH LIT FOR NATURAL GAS

Fire Ring Installation Specs - 2


WARNING:

- Sand should not be used as fire media as sand might clog the fire ring when wet.



CONCRETE CREATIONS FIRE BOWL MATCH LIT FOR NATURAL GAS

Fire Ring Installation Specs - 3




* Glass, Lava

** Glass, Lava, Fire Pebbles, Fire Balls, Fire Logs, and more

CONCRETE CREATIONS FIRE BOWL MATCH LIT FOR NATURAL GAS

Side View

Fire Ring Installation Specs - 4




*** Install Gas line 1.5"- 2" off the center of the bowl, and 3.5"- 6" above ground level, subject to local codes.**

CONCRETE CREATIONS FIRE BOWL MATCH LIT FOR NATURAL GAS

Top View

Fire Ring Installation Specs - 5



WARNING:

* Never touch fire media when fire is on, or still warm.

CONCRETE CREATIONS FIRE BOWL MATCH LIT FOR NATURAL GAS

Bottom View

Fire Ring Installation Specs - 6

