

SAFETY DATA SHEET
EASY EFFLORESCENCE REMOVER+

Page: 1

Compilation date: 01/06/2016

Revision date: 20/06/2016

Revision No: 5

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: EASY EFFLORESCENCE REMOVER+

Product code: 2670

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Mild cleaner for the removal of salts

1.3. Details of the supplier of the safety data sheet

Company name: AZPECTS LTD

UNIT 13 RIVERSIDE INDUSTRIAL PARK

RAPIER STREET

IPSWICH

IP2 8JX

Tel: 01473 760777

Email: info@azpects.co.uk

1.4. Emergency telephone number

Emergency tel: 01473 760777 (office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1B: H314

Most important adverse effects: Causes severe skin burns and eye damage.

2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion



Precautionary statements: P260: Do not breathe fumes/vapours.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

[cont...]

SAFETY DATA SHEET

EASY EFFLORESCENCE REMOVER+

Page: 2

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P315: Get immediate medical attention.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

GLYCOLIC ACID

EINECS	CAS	PBT / WEL	CLP Classification	Percent
201-180-5	79-14-1	-	Acute Tox. 4: H332; Skin Corr. 1B: H314; Eye Dam. 1: H318	9.9-20%

SODIUM XYLENE SULPHONATE

-	1300-72-7	-	Eye Irrit. 2: H319	4.9-9.9%
---	-----------	---	--------------------	----------

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

[cont...]

SAFETY DATA SHEET
EASY EFFLORESCENCE REMOVER+

Page: 3

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

[cont...]

SAFETY DATA SHEET
EASY EFFLORESCENCE REMOVER+

Page: 4

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

Hazardous ingredients:

GLYCOLIC ACID

Type	Exposure	Value	Population	Effect
DNEL	Inhalation - Acute	9.2 mg/m ³	Workers	Systemic
DNEL	Inhalation - ACute	9.2 mg/m ³	Workers	Local
DNEL	Skin Contact - Long Term	57.69 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation - Long Term	10.56 mg/m ³	Workers	Systemic
DNEL	Inhalation - Long Term	1.53 mg/m ³	Workers	Local
DNEL	Inhalation - Acute	2.3 mg/m ³	Consumers	Systemic
DNEL	Skin Contact - Long Term	28.85 mg/kg bw/day	Consumers	Systemic
DNEL	Inhalation - Long Term	2.3 mg/m ³	Consumers	Local
DNEL	Ingestion - Long Term	0.75 mg/kg bw/day	Consumers	Systemic
DNEL	Inhalation - Long Term	2.6 mg/m ³	Consumers	Systemic
PNEC	Fresh water	0.0312mg/l	-	-
PNEC	Marine water	0.0031 mg/l	-	-
PNEC	Fresh water sediments	0.115 mg/kg	-	-
PNEC	Marine sediments	0.0115 mg/kg	-	-
PNEC	Soil (agricultural)	0.007 mg/l	-	-
PNEC	Sewage Treatment Plants	7 mg/l	-	-
PNEC	Food chain	16.66 mg/kg	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Off-white

[cont...]

SAFETY DATA SHEET
EASY EFFLORESCENCE REMOVER+

Page: 5

Odour: Characteristic odour
Evaporation rate: Slow
Oxidising: No data available.
Solubility in water: Soluble
Viscosity: Non-viscous
Boiling point/range°C: 100
Flammability limits %: lower: No data available.
Flash point°C: >93
Autoflammability°C: No data available.
Relative density: No data available.
VOC g/l: 0

Melting point/range°C: No data available.
upper: No data available.
Part.coeff. n-octanol/water: No data available.
Vapour pressure: No data available.
pH: 4

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

GLYCOLIC ACID

DERMAL	MAN	-	>5,000	mg/kg
--------	-----	---	--------	-------

[cont...]

SAFETY DATA SHEET
EASY EFFLORESCENCE REMOVER+

Page: 6

ORAL	RAT	LD50	2,040	mg/kg
VAPOURS	RAT	4H LD50	3.6	mg/l

SODIUM XYLENE SULPHONATE

DERMAL	RBT	LD50	2,000	mg/kg
ORAL	RAT	LD50	7,200	mg/kg

Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

GLYCOLIC ACID

Daphnia magna	48H EC50	141	mg/l
GREEN ALGAE (Selenastrum capricornutum)	72H ErC50	44	mg/l
GREEN ALGAE (Selenastrum capricornutum)	72H NOEC	20	mg/l
Pimephales (Fathead Minnow)	96H LC50	164	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	5,000	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

[cont...]

SAFETY DATA SHEET
EASY EFFLORESCENCE REMOVER+

Page: 7

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1760

14.2. UN proper shipping name

Shipping name: CORROSIVE LIQUID, N.O.S.

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: II

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

[cont...]

SAFETY DATA SHEET
EASY EFFLORESCENCE REMOVER+

Page: 8

453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H314: Causes severe skin burns and eye damage.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.