


# Beach Baby

Quilt Design by Toby Lischko



Quilt size: approximately 50" x 60"

*Beach Baby*  
by Retro Vintage  
for P&B Textiles



P&B Textiles • [pbtex.com](http://pbtex.com) • 800-351-9087 • 208 Clock Tower Square, Portsmouth, RI 02871

# Beach Baby

Fabric collection by Retro Vintage for P&B Textiles

Sails & Pails quilt design by Toby Lischko

Skill level: Advanced Beginner • Finished Quilt Size: approximately 50" x 60"

## Quilt Yardages:

Fabric A: <b>BBAB 4634 B</b> .....	5/8 yard
Fabric B: <b>SUES 299 Y</b> .....	3/8 yard
Fabric C: <b>BBAB 4631 R</b> .....	1/2 yard
Fabric D: <b>BBAB 4634 LB</b> .....	2/3 yard
Fabric E: <b>SUED 300 N</b> .....	1/8 yard
Fabric F: <b>BBAB 4633 B</b> .....	3/8 yard
Fabric G: <b>BBAB 4632 Y</b> .....	1/4 yard
Fabric H: <b>BBAB 4630 DB</b> .....	3/8 yard
Fabric I: <b>BBAB 4631 DB</b> .....	1/2 yard
Fabric J: <b>BBAB 4632 B</b> .....	1/4 yard
Fabric K: <b>BBAB 4630 R</b> .....	3/8 yard
Fabric L: <b>BBAB 4634 R</b> .....	5/8 yard
Fabric M: <b>SUE7 303 EW</b> .....	2/3 yard
Fabric N: <b>BBAB 4629 DB</b> .....	1 yard
Backing: <b>BBAB 4629 MU suggested</b> .....	3 1/4 yards
Batting: .....	58" x 68"

## Cutting Instructions:

Please read all instructions carefully before beginning. Strips are cut across the width of fabric (perpendicular to selvages) unless otherwise stated. All seams are sewn with a 1/4" seam unless otherwise stated. Label all pieces. Tip: When cutting triangles out of rectangles, always cut the diagonal in the same direction. Some knowledge of paper piecing is necessary for the construction of this quilt.

### From Fabric A:

1. Cut one 9 1/2" strip. Subcut ten 4" x 9 1/2" rectangles.
2. Cut two 3" strips. Subcut twenty 3" x 3 3/4" rectangles for paper piecing.

### From Fabric B:


1. Cut two 4 1/2" strips. Sub cut twenty 4" x 4 1/2" rectangles for paper piecing.

### From Fabric C:

1. Cut one 7" strip. Subcut five 6" x 7" rectangles for paper piecing.
2. Cut five of Template A.

### From Fabric D:

1. Cut two 6" strips. Subcut ten 3 1/2" x 6" and ten 2 1/4" x 6" rectangles.
2. Cut one 5" strip. Subcut five 5" x 6 1/4" rectangles. Cut each rectangle in half diagonally once right side of fabric up per cutting diagram.
3. Cut two 3/4" strips. Subcut ten 3/4" x 4 1/2" rectangles. 6 1/4"



Cutting Diagram for D2, G1 and J1.

### From Fabric E:

1. Cut three 3/4" strips. Subcut ten 3/4" x 4 1/2" and ten 3/4" x 6" rectangles.

### From Fabric F:

1. Cut two 4 1/4" strips. Subcut ten 4 1/4" x 4 7/8". Cut five rectangles in half diagonally once from upper left to lower right corners. Then cut remaining five rectangles from upper right to lower left corners for paper piecing.
2. Cut two 1" strips. Sub cut ten 1" x 9 1/2" rectangles.

### From Fabric G:

1. Cut one 5" strip. Sub cut five 5" x 6 1/4" rectangles. Cut each rectangle in half diagonally once right side of fabric up per cutting diagram.

### From Fabric H:

1. Cut one 9 1/2" strip. Subcut five 3 3/4" x 9 1/2" rectangles for paper piecing.

### From Fabric I:

1. Cut one 7" strip. Subcut five 6" x 7" rectangles for paper piecing.
2. Cut five of Template A.

### From Fabric J:

1. Cut one 5" strip. Subcut five 5" x 6 1/4" rectangles. Cut each rectangle in half diagonally once right side of fabric up per cutting diagram.

### From Fabric K:

1. Cut one 9 1/2" strip. Subcut five 3 3/4" x 9 1/2" rectangles for paper piecing.

### From Fabric L:

1. Cut two 1 1/2" strips. Subcut thirty 1 1/2" squares for cornerstones.
2. Cut six 2 1/4" strips for binding.

### From Fabric M:

1. Cut two 9 1/2" strips. Sub cut forty-nine 1 1/2" x 9 1/2" for sashing.

### From Fabric N:

1. Cut six 5" strips for border.

## Piecing Instructions:

### Block 1A (Follow the numbering on each paper pieced section)

1. Print ten copies each of paper piece Section 1 and paper piece Section 2.
2. Using the 3" x 3 3/4" A rectangles and 4" x 4 1/2" B rectangles, make five of Section 1. (Figure 1)
3. Using the 3" x 3 3/4" A rectangles, 4" x 4 1/2" B rectangles, and 6" x 7" C rectangles, make five of Section 2. (Figure 2)
4. Sew Sections 1 & 2 together. (Figure 3)




Figure 1  
Make 5.




Figure 2  
Make 5.



Figure 3  
Make 5.



5. Sew one 4" x 9 1/2" A rectangle to the top of the section. (Figure 4)
6. Appliqué the handle (Template A) to the top of the pail. (Figure 5)




Figure 4  
Make 5.



Figure 5  
Make 5. Block should be 9 1/2" square.

### Block 1B

7. Follow Steps 2-6 substituting Fabric I for Fabric C. All other fabrics are the same. Make five with Fabric I. (Figure 6)



Figure 6  
Make 5.  
Block should be 9 1/2" square.

### Block 2A

8. Print ten copies of paper piece Section 3.
9. Using 3 3/4" x 9 1/2" H rectangles and 4 1/4" x 4 7/8" F rectangles, paper piece Section 3. Make five. Take off the paper. (Figure 7)



Figure 7  
Make 5.

10. Sew one 1 1/4" x 9 1/2" F rectangle to each bottom of the paper pieced sections. (Figure 8)




Figure 8  
Make 5.

11. Sew 5" x 6 1/4" D and G triangles together. Trim to 4 1/2" x 5 1/2". Make five. (Figure 9)




Figure 9  
Make 5.

12. Sew one 3/4" x 4 1/2" E strip to each bottom of the half triangle units. (Figure 10)
13. Sew one 3/4" x 4 1/2" D strip to each bottom. (Figure 11)
14. Sew one 3/4" x 6" E strip to the right of the triangles. (Figure 12)




Figure 10




Figure 11




Figure 12

15. Sew one 2 1/4" x 6" D rectangle to the left side and one 3 1/2" x 6" D rectangle to the right side of the unit from Step 14. (Figure 13)
16. Sew the two units from step 10 and 14 together. Make five (Figure 14).




Figure 14




Figure 14  
Make 5. Block should be 9 1/2" square.

### Block 2B

17. Following steps 9 through 16 make five of Block 2B substituting Fabric J for the triangle and Fabric K for the paper pieced section. (Figure 15)




Figure 15  
Make 5.  
Block should be 9 1/2" square.

## Quilt Assembly: (Refer to the Quilt Diagram)

1. Following the quilt layout, starting with a M sashing and L cornerstone row, alternating with block and sash rows.
2. Sew the sashing rows together.
3. Sew the block rows together.
4. Sew the block and sash rows together, matching seams.
5. Sew six 5" N strips together with diagonal seams. Press seams open.

6. Measure through the vertical center of the quilt and trim two strips to this length. Match centers and sides, pin and sew to sides of the quilt. Press to border.
7. Measure through the horizontal center and trim two strips to this width. Match centers and sides, pin and sew to top and bottom of quilt. Press to border.


## Finishing:

1. Prepare backing using two widths with horizontal seams. Press seams open. Trim backing to 58" x 68".



2. Layer quilt, batting, and backing. Baste layers together.
3. Quilt as desired.
4. Trim layers even with quilt top.
5. Join six 2 1/4" L binding strips with diagonal seams. Press seams open. Attach binding using your favorite method.  
*Tip: Lay binding on the quilt before sewing to make sure that none of the binding seams do not meet any of the corners.*
6. Make a label and sew to the back of the quilt.






Quilt Diagram



Scale Check for pdf files. When you print these templates, this ruler should measure 2 inches long. If it does not, change, "page scaling" to "none" in the print dialog box.





**Scale Check for pdf files.**  
When you print these templates, this ruler should measure 2 inches long. If it does not, change, "page scaling" to "none" in the print dialog box.



# Beach Baby

Fabric Collection  
by Retro Vintage for P&B Textiles




BBAB 4629 B



BBAB 4629 DB\*




BBAB 4629 MU†



BBAB 4630 B



BBAB 4630 DB\*



BBAB 4630 R\*




BBAB 4631 B




BBAB 4631 DB\*




BBAB 4631 R\*



BBAB 4632 B\*




BBAB 4632 R




BBAB 4632 Y\*



BBAB 4633 B\*



BBAB 4633 DB



BBAB 4633 E



BBAB 4634 B\*



BBAB 4634 LB\*



BBAB 4634 R\*



BBAB 4634 Y



BBAB 4635 DB




BBAB 4635 MU



BBAB 4635 R



BBAB 4636 B



BBAB 4636 MU



BBAB 4636 Y



SUES 299 Y\*



SUED 300 N\*



SUE7 303 EW\*



BOUTIQUE

P&B Textiles • pbtex.com • 800-351-9087 • 208 Clock Tower Square, Portsmouth, RI 02871

\*Fabrics used in quilt or pillow

†Backing