By the Sea





Table Runner size: approximately 18" x 78"

Featuring fabrics from By The Sea by Maria Over



By the Sea

Fabric collection by Maria Over Quilt designed by Cyndi Hershey

Skill level: Confident Beginner • Finished Table Runner Size: approximately 18" x 78"

Table Runner Yardages:

| Fabric A: | BTSE 5169 WB | 1/4 yard |
|-----------|-----------------------|--------------------|
| Fabric B: | BTSE 5170 N | 1/4 yard |
| Fabric C: | BTSE 5170 WB | 1/8 yard |
| Fabric D: | BTSE 5171 B | 1/8 yard |
| Fabric E: | BTSE 5172 N | 1/4 yard |
| Fabric F: | BTSE 5172 WB | 3/8 yard |
| Fabric G: | BTSE 5173 WB | 1/8 yard |
| Fabric H: | BTSE 5174 B | 1/8 yard |
| Fabric I: | BTSE 5174 LB | 1/4 yard |
| Fabric J: | SERE 4492 BV | 5/8 yard |
| | | (Includes binding) |
| Fabric K: | RAM6 716 W | 1/2 yard |
| Backing: | BTSE 5169 N suggested | 2 1/4 yards |
| Batting | | 26" x 86" |

Cutting Instructions:

Please read all instructions carefully before beginning. Strips are cut across the width of fabric (perpendicular to selvedges) unless otherwise stated. All seams are sewn with a 1/4" seam unless otherwise stated. Label all pieces.

From Fabric A:

 Cut four 1 1/2" strips; subcut six 1 1/2" x 12 1/2" strips and six 1 1/2" x 11 1/2" strips. (Blocks)

From Fabric B:

 Cut three 2" strips; subcut six 9" strips and six 7 1/2" strips. (Blocks)

From Fabric C:

1. Cut two 1 1/2" strips; subcut six 1 1/2" x 5" strips and six 1 1/2" x 4" strips. (Blocks)

From Fabric D:

1. Cut two 2" strips; subcut six 2" x 6 1/2" strips and six 2" x 5" strips. (Blocks)

From Fabric E:

 Cut four 2" strips; subcut six 2" x 11 1/2" strips and six 2" x 10" strips. (Blocks)

From Fabric F:

- Cut three 1 1/2" strips; subcut six 1 1/2" x 7 1/2" strips and six 1 1/2" x 6 1/2" strips. (Blocks)
- 2. Cut five 1 1/2" strips. Sew strips together end to end with diagonal seams. Trim seams to 1/4" and press open. From this pieced strip, cut two 1 1/2" x 14 1/2" strips and two 1 1/2" x 74 1/2" strips. (2nd Border)

From Fabric G:

1. Cut one 1 1/2" strip; subcut six 1 1/2" x 2 1/2" rectangles and six 1 1/2" x 1 1/2" squares. (Blocks)

From Fabric H:

 Cut one 2" strip; subcut six 2" x 4" rectangles and six 2" x 2 1/2" rectangles. (Blocks)

From Fabric I:

1. Cut three 1 1/2" strips; subcut six 1 1/2" x 10" strips and six 1 1/2" x 9" strips. (Blocks)

From Fabric J:

- 1. Cut one 1 1/2" strip; subcut eighteen 1 1/2" squares. (Blocks and Cornerstones)
- 2. Cut six 2 1/2" strips. (Binding)

From Fabric K:

1. Cut ten 1 1/2" strips. Sew strips together end to end with diagonal seams. Trim seams to 1/4" and press open. From this pieced strip, cut two 1 1/2" x 12 1/2" strips, two 1 1/2" x 16 1/2" strips, two 1 1/2" x 72 1/2" strips and two 1 1/2" x 76 1/2" strips. (1st and 3rd Borders)

Piecing Instructions:

NOTE: This is an off-center Log Cabin block. The two widths of strips contribute to the illusion of a curve within the block.

 Refer to labeled Block Diagram to sew appropriate strips in counterclockwise order to make one block. Press all seams away from the center of block. Repeat to make six blocks. (Figure 1)




Figure 1 Make 6. 12 1/2" x 12 1/2" unfinished.


- Referring to Quilt Diagram, sew the six blocks together into a row; press.
- Sew one 1 1/2" x 12 1/2" K strip to both ends of the runner. Press toward K. Sew one 1 1/2" J square to both ends of both 1 1/2" x 72 1/2" K strips. Press toward J. Sew one strip to the top and bottom of the runner; press.
- 4. Sew one 1 1/2" x 14 1/2" F strip to both ends of the runner. Press toward F. Sew one 1 1/2" J square to both ends of both 1 1/2" x 74 1/2" F strips. Press toward J. Sew one strip to the top and bottom of the runner; press.
- 5. Sew one 1 1/2" x 16 1/2" K strip to both ends of the runner. Press toward K. Sew one 1 1/2" J square to both ends of both 1 1/2" x 76 1/2" K strips. Press toward J. Sew one strip to the top and bottom of the runner; press.

Finishing:

- 1. Press backing and trim to 26" x 86".
- 2. Layer quilt, batting, and backing. Baste layers together.
- 3. Quilt as desired.
- 4. Trim layers even with runner top, squaring corners.
- Join six 2 1/2" J binding strips with diagonal seams.
 Press seams open. Attach binding using your favorite method.
- 6. Make a label and sew to the back of the runner.



Quilt Diagram



Block Diagram



