

Hot Cider

Table Runner Design by Wendy Sheppard



Table Runner size: approximately 15" x 45"

*Featuring fabrics from Hot Cider
by Olga Akbarova for P&B Textiles*



P&B Textiles • pbtex.com • 800-351-9087 • 208 Clock Tower Square, Portsmouth, RI 02871

Hot Cider

Fabric collection by Olga Akbarova for P&B Textiles

Table Runner designed by Wendy Sheppard

Skill level: Confident Beginner • Finished Table Runner Size: approx. 15" x 45"

Table Runner Yardages:

Fabric A: SUES 299 E	5/8 yard
Fabric B: HCID 5141 G	1/4 yard
Fabric C: HCID 5142 LG	1/4 yard
Fabric D: HCID 5143 MU	1/4 yard
Fabric E: HCID 5144 E	1/8 yard
Fabric F: HCID 5144 T	1/8 yard
Fabric G: HCID 5145 O	1/4 yard
Fabric H: HCID 5145 R	1/2 yard
Fabric I: HCID 5146 RO	1/8 yard
Backing: HCID 5139 MU suggested	1 1/2 yards
Batting	one 19" x 49" piece

Cutting Instructions:

Please read all instructions carefully before beginning. Strips are cut across the width of fabric (perpendicular to selvages) unless otherwise stated. All seams are sewn with a 1/4" seam unless otherwise stated. Label all pieces.

From Fabric A:

1. Cut one 1" strip. Subcut twenty-four 1" squares. (Pieced Blocks)
2. Cut four 1 1/2" strips. Subcut four 1 1/2" squares, eight 1 1/2" x 6 1/2" and eight 1 1/2" x 8 1/2" rectangles. (Pieced Blocks)
3. Cut two 2" strips. Subcut eight 2" x 3" rectangles and twelve 2" squares (Pieced Blocks)
4. Cut three 2" strips. Subcut two 2" x 12 1/2" strips from one strip. Piece leftover and remaining two strips and subcut two 2" x 45 1/2" strips. (Outer Border)

From Fabric B:

1. Cut one 4 1/2" strip. Subcut one 4 1/2" x 5", one 1" x 1 1/2" and two 1" x 2" rectangles. (Pieced Blocks)
2. Cut one 2 1/2" strip. Subcut eight 2 1/2" squares. (Inner Border and Sashing Patch Blocks)

From Fabric C:

1. Cut one 4 1/2" strip. Subcut one 4 1/2" x 5", one 1" x 1 1/2" and two 1" x 2" rectangles. (Pieced Blocks)
2. Cut one 2 1/2" strip. Subcut seven 2 1/2" squares. (Inner Border and Sashing Patch Blocks)

From Fabric D:

1. Cut one 4 1/2" strip. Subcut one 4 1/2" x 5", one 1" x 1 1/2" and two 1" x 2" rectangles. (Pieced Blocks)
2. Cut one 2 1/2" strip. Subcut nine 2 1/2" squares. (Inner Border and Sashing Patch Blocks)

From Fabric E:

1. Cut one 2 1/2" strip. Subcut eight 2 1/2" squares. (Inner Border and Sashing Patch Blocks)

From Fabric F:

1. Cut one 1" strip. Subcut two 1" x 5" rectangles. (Pieced Blocks)
2. Cut one 2 1/2" strip. Subcut eight 2 1/2" squares. (Inner Border and Sashing Patch Blocks)

From Fabric G:

1. Cut one 4 1/2" strip. Subcut one 4 1/2" x 5", one 1" x 1 1/2" and two 1" x 2" rectangles. (Pieced Blocks)
2. Cut one 2 1/2" strip. Subcut eight 2 1/2" squares. (Inner Border and Sashing Patch Blocks)

From Fabric H:

1. Cut one 1" strip. Subcut two 1" x 5" rectangles. (Pieced Blocks)
2. Cut one 2 1/2" strip. Subcut seven 2 1/2" squares. (Inner Border and Sashing Patch Blocks)
3. Cut four 2 1/4" strips. (Binding)

From Fabric I:

1. Subcut six 2 1/2" squares and four 2" x 2 1/2" rectangles. (Pieced Blocks, Inner Border and Sashing Patch Blocks)

Piecing Instructions:

Pieced Blocks

1. Draw a diagonal line on the wrong side of one 2" A square. Place square, right sides together, at the top left corner of one 2" (vertical) x 2 1/2" (horizontal) I rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal corner triangle. Repeat with another 2" A square at the bottom right corner of the same I rectangle to make a parallelogram unit. Sew one 2" x 3" A rectangle to the previously sewn unit. (Figure 1)



Figure 1

2. Draw a diagonal line on the wrong side of one 1" A square. Place square, right sides together, at the bottom left corner of one 4 1/2" (vertical) x 5" (horizontal) Print 1 rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal corner triangle. Repeat with another 1" A square at the bottom right corner of the same Print 1 rectangle. (Figure 2)




Figure 2

3. Draw a diagonal line on the wrong side of one 1" A square. Place square, right sides together, at a corner of one 1" x 5" Print 2 rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal corner triangle. Repeat with another 1" A square at the opposite corner of the same Print 2 rectangle. (Figure 3)




Figure 3

4. a. Sew together one 1 1/2" x 1 1/2" A square and one 1" x 1 1/2" Print 1 rectangle. (Figure 4)



Figure 4

- b. Draw a diagonal line on the wrong side of one 1" A square. Place square, right sides together, at a corner of one 1" x 2" Print 1 rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal corner triangle. (Figure 5)



Figure 5

- c. Repeat to make a mirror-imaged unit, and sew both units to the top and bottom of step 4a unit. (Figure 6)




Figure 6

5. Sew together units made in steps 1-3. (Figure 7)




Figure 7

6. Sew one 2" x 3" A rectangle to the top, and one 2" A square to the bottom of step 4 unit to make a column unit, and add to the right of step 5 unit to complete mug unit. Unit measures 6 1/2" x 6 1/2" unfinished. (Figure 8)




Figure 8
6 1/2" square
unfinished.

7. Sew two 1 1/2" x 6 1/2" A rectangles to the opposite sides of step 6 unit, followed by two 1 1/2" x 8 1/2" A rectangles to the remaining opposite sides of step 6 unit to complete one pieced block. Block measures 8 1/2" x 8 1/2" unfinished. (Figure 9)




Figure 9
8 1/2" square
unfinished.

8. Make one block each for the following Print 1/Print 2 fabric combinations:

B/H



C/H



D/F



G/F




Table Runner Assembly:

1. Refer to table runner diagram for fabric placement guide, arrange and sew four 2 1/2" squares of assorted prints to make a column unit. Make a total of five column units. Sew together column units, alternating with four pieced blocks to make a row unit.
2. Arrange and sew together twenty-one 2 1/2" x 2 1/2" squares of assorted prints to make a pieced row. Make a total of two pieced rows and sew to the opposite long sides of step 1 row unit.
3. Sew two 2" x 12 1/2" A strips to the opposite short sides of step 2 unit, followed by two 2" x 45 1/2" A strips to the remaining opposite long sides of step 2 unit to complete runner.

Finishing:

1. Prepare backing by pressing well.
2. Layer runner top, batting, and backing. Baste layers together.
3. Quilt as desired.
4. Trim layers even with runner top squaring corners.
5. Join four 2 1/4" H binding strips with diagonal seams for each runner. Press seams open. Attach binding using your favorite method
6. Make a label and sew to the back of runner.




Table Runner Diagram

Hot Cider

Fabric Collection
by Olga Akbarova
for P&B Textiles



HCID 5139 MU†



HCID 5140 E



HCID 5141 G*



HCID 5142 LG*



HCID 5143 MU*



HCID 5144 E*



HCID 5144 R



HCID 5144 T*



HCID 5145 G



HCID 5145 O*



HCID 5145 R*




HCID 5145 T



HCID 5146 RO*



HCID 5146 TG



SUES 299 E*