SET SAIL

Table Runner Design by Wendy Sheppard






Table Runner size: approximately 53" x 21"

Featuring fabrics from Set Sail by Jetty Home



SET SAIL

Fabric collection by Jetty Home Table Runner designed by Wendy Sheppard

Skill level: Confident Beginner • Finished Table Runner Size: approximately 53" x 21"

Table Runner Yardages:

Fabric A:	SSAI 5249 LB	1 repeat/12 blocks
Fabric B:	SSAI 5250 W	3/8 yard
Fabric C:	SSAI 5254 B	1/8 yard
Fabric D:	SSAI 5255 B	1/4 yard
Fabric E:	SSAI 5255 LS	1/4 yard
Fabric F:	SSAI 5255 DB	3/8 yard
Backing:	SSAI 5250 DB suggested	3 1/2 yards
Batting		61" x 29"

Cutting Instructions:

Please read all instructions carefully before beginning. Strips are cut across the width of fabric (perpendicular to selvedges) unless otherwise stated. All seams are sewn with a 1/4" seam unless otherwise stated. Label all pieces.

From Fabric A:

1. Cut three 13 1/2" x 13 1/2" squares, encompassing four panel squares in each 13 1/2" square, centering design. (Pieced Blocks)

From Fabric B:

1. Cut four 2 1/2" strips. Subcut two 2 1/2" x 17 1/2" strips from one strip. Piece remaining three strips and subcut two 2 1/2" x 53 1/2" strips. (Outer Border)

From Fabric C:

1. Cut two 1 1/2" strips. Subcut two 1 1/2" x 13 1/2" and two 1 1/2" x 15 1/2" rectangles. (Pieced Blocks)

From Fabric D:

1. Cut four 1 1/2" strips. Subcut four 1 1/2" x 13 1/2" and four 1 1/2" x 15 1/2" rectangles. (Pieced Blocks)

From Fabric E:

 Cut four 1 1/2" strips. Subcut four 1 1/2" x 15 1/2" rectangles from two strips. Piece together leftover and remaining two strips and subcut two 1 1/2" x 49 1/2" strips. (Sashing and Inner Border)

From Fabric F:

1. Cut five 2 1/4" strips. (Binding)

Piecing Instructions: Pieced Blocks

 Sew two 1 1/2" x 13 1/2" C rectangles to the opposite sides of one 13 1/2" x 13 1/2" A square. Press. Sew two 1 1/2" x 15 1/2" C rectangles to A square to complete one pieced block. Press. Block measures 15 ½" x 15 ½" unfinished. (Figure 1)



Figure 1
Make 1.
15 1/2" x 15 1/2"
unfinished.

2. Repeat to make two pieced blocks using D rectangles to frame two A squares. (Figure 2)





Figure 2 Make 2. 15 1/2" x 15 1/2" unfinished.

Table Runner Assembly:

Refer to Table Runner Diagram

- 1. Sew together three pieced blocks as shown, alternating with one 1 1/2" x 15 1/2" E rectangles. Press. Sew one 1 1/2" x 49 1/2" E strip to each opposite long side. Press.
- 2. Sew two 2 1/2" x 17 1/2" B strips to the opposite short sides of runner center. Press. Sew two 2 1/2" x 53 1/2" B strips to the opposite long sides of runner center to complete runner top. Press.

Finishing:

- 1. Press backing well and trim to 61" x 29".
- Layer runner, batting, and backing. Baste layers together.
- 3. Quilt as desired.
- 4. Trim layers even with runner top squaring corners.
- Join five 2 1/4" F binding strips with diagonal seams.
 Press seams open. Attach binding using your favorite method.
- 6. Make a label and sew to the back of the runner.




Table Runner Diagram

SET SAIL





SSAI 5250 W*



SSAI 5249 LB*



SSAI 5251 B


SSAI 5254 B*







SSAI 5254 NE



SSAI 5252 MU



SSAI 5254 S





SSAI 5253 MU





SSAI 5255 DB*



SSAI 5255 LS*



SSAI 5255 NE



SSAI 5255 W