

# Southern Hospitality

Table Runner Design by Cyndi Hershey



Table Runner size: approximately 17" x 53"

*Featuring fabrics from  
Southern Hospitality by Heather Dutton  
of Hang Tight Studio for P&B Textiles*



P&B Textiles • [pbtex.com](http://pbtex.com) • 800-351-9087 • 208 Clock Tower Square, Portsmouth, RI 02871

# Southern Hospitality

Fabric collection by Heather Dutton of Hang Tight Studio for P&B Textiles

Table Runner designed by Cyndi Hershey

Skill level: Advanced Beginner • Finished Table Runner Size: approximately 17" x 53"

## Table Runner Yardages:

Fabric A: <b>SOUH 4422 G</b> .....	1/4 yard
Fabric B: <b>SOUH 4422 MU</b> .....	1/4 yard
Fabric C: <b>SOUH 4425 P</b> .....	3/8 yard
Fabric D: <b>SOUH 4425 Z</b> .....	2/3 yard
Fabric E: <b>SOUH 4427 G</b> .....	3/8 yard
Fabric F: <b>SOUH 4427 R</b> .....	1/4 yard
Fabric G: <b>RA10 766 W</b> .....	5/8 yard
Backing: <b>SOUH 4426 MU suggested</b> .....	1 3/4 yards
Batting .....	25" x 61"

## Cutting Instructions:

Please read all instructions carefully before beginning. Strips are cut across the width of fabric (perpendicular to selvages) unless otherwise stated. All seams are sewn with a 1/4" seam unless otherwise stated. Label all pieces.

### From Fabric A:

- Cut one 7 1/2" strip; subcut two 7 1/2" squares. (Blocks Center)

### From Fabric B:

- Cut one 7 1/2" strip; subcut two 7 1/2" squares. (Blocks Center)

### From Fabric C:

- Cut one 1 1/2" strip; subcut sixteen 1 1/2" squares. (Outer Block Frame)
- Cut three 2" strips. (Outer Block Frame)

### From Fabric D:

- Cut seven 1 1/2" strips; subcut two 1 1/2" x 15 1/2" strips from one strip. Sew remaining strips together end to end with diagonal seams. Press seams open. From this pieced strip, cut two 1 1/2" x 12 1/2" strips, two 1 1/2" x 50 1/2" strips and two 1 1/2" x 53 1/2" strips. (First & Third Borders)
- Cut four 2 1/2" strips. (Binding)

### From Fabric E:

- Cut one 1 1/2" strip; subcut sixteen 1 1/2" squares. (Outer Block Frame)
- Cut three 2" strips. (Outer Block Frame)

### From Fabric F:

- Cut two 3" strips; subcut thirty-two 1 1/2" x 3" rectangles. (Block Accent)

### From Fabric G:

- Cut four 1" strips. Sew strips together end to end with diagonal seams. Press seams open. From this pieced strip, cut two 1" x 14 1/2" strips and two 1" x 51 1/2" strips. (Second Border)
- Cut eight 1 1/2" strips. Use two strips to subcut thirty-two 1 1/2" squares. (Inner Block Frame)

## Piecing Instructions:

- Sew one 2" C strip to one 1 1/2" G strip. Press toward the C strip. Repeat to make three strip sets. Cut eight half-trapezoid shapes as shown and eight reverse half-trapezoids. Cut 5 7/8" from straight edge to tip of 45-degree angle. (Figure 1).



Figure 1 Make 8 and 8 reverse half-trapezoids.

- Repeat Step 1 using 2" E strips and 1 1/2" G strips (Figure 2).




Figure 2 Make 8 and 8 reverse half-trapezoids.

- Draw a diagonal line of the back side of each 1 1/2" C and G squares. With right sides together, place one marked C square at the end of one 1 1/2" x 3" F rectangle. Sew on the line and trim seam to 1/4". Press toward the resulting triangle. Place one marked G square at the opposite end paying attention to the correct position of the square. Sew and trim. Repeat to make eight units and eight reverse units (Figure 3).



Figure 3 Make 8 and 8 reverse units.

- Sew one of each unit together as shown. Press seam open. Repeat to make eight units. Units measure 2 1/2" x 3" unfinished (Figure 4).



Figure 4 Make 8 units.

- Repeat Step 3 using 1 1/2" E and G squares (Figure 5).



Figure 5 Make 8 and 8 reverse units.

6. Repeat Step 4 using units from Step 5 (Figure 6).



Figure 6 **Make 8 units.**

7. Sew one of each shape from Step 1 to both sides of one unit from Step 4. Press seams open. Repeat to make eight frame sections (Figure 7).




Figure 7  
**Make 8.**

8. Repeat Step 7 using shapes from Step 2 with units from Step 6 (Figure 8).




Figure 8  
**Make 8.**

9. Matching seam points, sew two units from Step 7 and two units from Step 8 to sides of one 7 1/2" A square. Press seams toward the square. Close corners with mitered seams. Press seams open. Repeat, make two (Figure 9).

10. Repeat Step 9 using 7 1/2" B squares, make 2 (Figure 10).




Figure 9  
**Make 2.**



Figure 10  
**Make 2.**

11. Referring to table runner image and diagram for correct placement, sew blocks alternately together. Press seams open or to one side.
12. Sew one 1 1/2" x 12 1/2" D strip to both ends of runner. Press toward the strips. Sew one 1 1/2" x 50 1/2" D strip to the top and bottom of the runner. Press toward the strips.
13. Sew one 1" x 14 1/2" G strip to both ends of the runner. Press toward the strips. Sew one 1" x 51 1/2" G strip to the top and bottom of the runner. Press toward the strips.
14. Sew one 1 1/2" x 15 1/2" D strip to both ends of the runner. Press toward the strips. Sew one 1 1/2" x 53 1/2" D strip to the top and bottom of the runner. Press toward the strips.

### Finishing:

1. Trim backing fabric to 25" x 61" and press well.
2. Layer table runner top, batting, and backing. Baste layers together.
3. Quilt as desired.
4. Trim layers even with table runner top squaring corners.
5. Join 2 1/2" D binding strips with diagonal seams. Press seams open. Attach binding to table runner using your favorite method.
6. Make a label and sew to the back of the table runner.



Table Runner Diagram

# Southern Hospitality

Fabric Collection by Heather Dutton  
of Hang Tight Studio for P&B Textiles



SOUH 4422 G\*†



SOUH 4422 MU\*



SOUH 4423 MU



SOUH 4424 R



SOUH 4424 Y



SOUH 4425 P\*



SOUH 4425 Z\*




SOUH 4426 MU†




SOUH 4426 Z



SOUH 4427 G\*



SOUH 4427 R\*



RA12 800 W\*