Star Bright

Double Star Quilt Design by Cyndi Hershey







Star Bright

Fabric collection by Jennifer Ellory for P&B Textiles Double Star Quilt design by Cyndi Hershey

Skill level: Confident Beginner • Finished Quilt Size: approximately 47" x 58"

Yardages:

	Grey/Pink			Navy/Blue	
Fabric A:	SBRI 4596 PA	1 panel	Fabric A:	SBRI 4597 PA	.1 panel
Fabric B:	SBRI 4598 MU	1/2 yard	Fabric B:	SBRI 4598 DB	. 1/2 yard
Fabric C:	SBRI 4600 J	1 1/3 yards	Fabric C:	SBRI 4600 LT	.1 1/3 yards
Fabric D:	SBRI 4600 Y	3/4 yard	Fabric D:	SBRI 4600 Y	.3/4 yard
Fabric E:	SBRI 4601 MU	1 yard	Fabric E:	SBRI 4601 DB	.1 yard
Fabric F:	SERE 4492 S	7/8 yard	Fabric F:	SUE6 302 DN	.7/8 yard
Backing:	SBRI 4601 MU	3 1/8 yards	Backing:	SBRI 4601 DB	.3 1/8 yards
Batting		55" x 66"	Batting		.55" x 66"

Cutting Instructions:

Please read all instructions carefully before beginning. Strips are cut across the width of fabric (perpendicular to selvedges) unless otherwise stated. All seams are sewn with a 1/4" seam unless otherwise stated. Label all pieces.

From Fabric A:

1. Center and cut eight blocks 9" square.

From Fabric B:

1. Cut ten 1 1/4" strips; subcut sixteen 1 1/4" x 9" rectangles and sixteen 1 1/4" x 10 1/2" rectangles. (Panel Block Frames)

From Fabric C:


- 1. Cut one 1 3/4" strip; subcut sixteen 1 3/4" squares. (Block A)
- 2. Cut six 2 1/2" strips. (Binding)
- 3. Cut four 3" strips; subcut thirty-two 3" squares and sixteen 1 3/4" x 3" rectangles. (Block A)
- 4. Cut one 3" strip; subcut twelve 3" squares. (Block B)
- 5. Cut one 5 1/2" strip; subcut twelve 3" x 5 1/2" rectangles. (Block B)

From Fabric D:

- Cut ten 1 1/4" strips. Sew strips together end to end with diagonal seams. Press seams open. From this pieced strip, cut six 1 1/4" x 50 1/2" strips and two 1 1/4" x 41" strips. (Vertical Sashing & Inner Border)
- 2. Cut three 1 3/4" strips; subcut fifty-six 1 3/4" squares. (Block A/B Inner Stars)
- 3. Cut one 3" strip; subcut seven 3" squares. (Block A/B Inner Stars)

From Fabric E:

Cut eight 3 1/2" strips. Sew strips together end to end with diagonal seams. Press seams open. From this pieced strip, cut two 3 1/2" x 52" strips, two 3 1/2" x 47" strips and two 3 1/2" x 50 1/2" strips. (Vertical Sashing & Outer Border)



From Fabric F:

- 1. Cut one 1 3/4" strip; subcut twelve 1 3/4" squares. (Block B)
- 2. Cut four 3" strips; subcut forty 3" squares. (Blocks A/B)
- 3. Cut two 5 1/2" strips; subcut sixteen 3" x 5 1/2" rectangles. (Block A)
- 4. Trim remainder of 5 1/2" strip to 3" wide; subcut twelve 1 3/4" x 3" rectangles. (Block B)

Piecing Instructions:

NOTE: Diagrams are shown using the Navy Quilt colorway.

Panel Blocks

1. Sew one 1 1/4" x 9" B rectangle to both sides of one 9" A block. Press toward the strips. Sew one 1 1/4" x 10 1/2" B rectangle to the top and bottom of the block. Press toward the strips. Repeat to make eight panel blocks that measure 10 1/2" square (Figure 1).



Figure 1 Make 8.

Block A

1. Draw a diagonal line on the back side of thirty-two 3" C squares. With right sides together, place one marked square on one end of one 3" x 5 1/2" F rectangle. Sew on line then trim seam to 1/4". Press toward resulting triangle. Repeat at opposite end of F rectangle. Repeat to make sixteen flying-geese units that measure 3" x 5 1/2" (Figure 2).



Figure 2 Make 16.

2. Draw a diagonal line on the back side of thirty-two 1 3/4" D squares. With right sides together, place one marked square on one end of one 1 3/4" x 3" C rectangle. Sew on line then trim seam to 1/4". Press toward resulting triangle. Repeat at opposite end of C rectangle. Repeat to make sixteen flying-geese units that measure 1 3/4" x 3" (Figure 3).




Figure 3 Make 16.

3. Sew together into rows: four units from Step 2, four 1 3/4" C squares and one 3" D square. Press row seams open or in alternate directions from row to row. Sew rows together. Press seams open or to one side. Repeat to make four inner star units that measure 5 1/2" square (Figure 4).



Figure 4 Make 4.

4. Sew together into rows: four units from Step 1, four 3" F squares and one unit from Step 3. Press row seams open or in alternate directions from row to row. Sew rows together. Press seams open or to one side. Repeat to complete four Block A that measure 10 1/2" square (Figure 5).



Figure 5 Make 4.

Block B

1. Draw a diagonal line on the back side of twenty-four 3" F squares. With right sides together, place one marked square on one end of one 3" x 5 1/2" C rectangle. Sew on line then trim seam to 1/4". Press toward resulting triangle. Repeat at opposite end of C rectangle. Repeat to make twelve flying-geese units that measure 3" x 5 1/2" (Figure 6).



Figure 6 Make 12.

2. Draw a diagonal line on the back side of twenty-four 1 3/4" D squares. With right sides together, place one marked square on one end of one 1 3/4" x 3" F rectangle. Sew on line then trim seam to 1/4". Press toward resulting triangle. Repeat at opposite end of F rectangle. Repeat to make twelve flying-geese units that measure 1 3/4" x 3" (Figure 7).



Figure 7 Make 12.

3. Sew together into rows: four units from Step 2, four 1 3/4" F squares and one 3" D square. Press row seams open or in alternate directions from row to row. Sew rows together. Press seams open or to one side. Repeat to make three inner star units that measure 5 1/2" square (Figure 8)




Figure 8 Make 3.

4. Sew together into rows: four units from Step 1, four 3" C squares and one unit from Step 3. Press row seams open or in alternate directions from row to row. Sew rows together. Press seams open or to one side. Repeat to complete three Block A that measure 10 1/2" square.




Figure 9 Make 3.

Quilt Assembly: (Refer to the Quilt Diagram)

- 1. Sew one 1 1/4" x 50 1/2" D strip to both sides of one 3 1/2" x 50 1/2" E strip. Press toward the E strip. Repeat to make two vertical sashing rows.
- Referring to quilt diagram for placement, sew together three framed panel blocks alternately with two Block A. Press seams open or toward panel blocks to complete Row 1.
- 3. Repeat Step 2 using two framed panel blocks and three Block B to complete Row 2.
- 4. Repeat Step 2 to complete Row 3.
- Sew one vertical sashing row between block rows. Press seams open or toward sashing rows. Repeat to complete quilt center.


- Sew one 1 1/4" x 50 1/2" D strip to opposite sides of quilt center. Press toward the strips. Sew one 1 1/4" x 41" D strip to the top and bottom of quilt center. Press toward the strips.
- 7. Sew one 3 1/2" x 52" E strip to opposite sides of quilt. Press toward the strips. Sew one 3 1/2" x 47" E strip to the top and bottom of the quilt. Press toward the strips.

Finishing:

- 1. Prepare backing using two widths horizontal seam/s. Press seam/s open. Trim backing to 55" x 66".
- 2. Layer quilt, batting, and backing. Baste layers together.
- 3. Quilt as desired.
- 4. Trim layers even with quilt top.
- 5. Join six 2 1/2" C binding strips with diagonal seams. Press seams open. Attach binding using your favorite method.
- 6. Make a label and sew to the back of the quilt.



Quilt Diagram









SUE6 302 DN*

SBRI 4600 Y* SERE 4492 S*

