## Wheeling Winter Wonderland

Quilt Design by Wendy Sheppard





Featuring fabrics from Wheeling Winter Wonderland by Robin Roderick for P&B Textiles



# Wheeling Winter Wonderland

Fabric collection by Robin Roderick for P&B Textiles Quilt designed by Wendy Sheppard Skill level: Confident Beginner • Finished Quilt Size: approx. 74" x 77"

## Quilt Yardages:

	SUE7 303 EW	
Fabric A:	WWWO 5005 PA	1 panel
Fabric B:	WWWO 5006 G	
Fabric C:	WWWO 5007 E	
Fabric D:	WWWO 5007 M	
Fabric E:	WWWO 5008 MU	
Fabric F:	WWWO 5009 E	
Fabric G:	WWWO 5010 T	
Fabric H:	WWWO 5011 T	
	WWWO 5012 G	
Fabric J:	WWWO 5012 T	
Fabric K:	WWWO 5012 R	
Backing:	WWWO 5006 G suggested	
Batting		

## **Cutting Instructions:**

Please read all instructions carefully before beginning. Strips are cut across the width of fabric (perpendicular to selvedges) unless otherwise stated. All seams are sewn with a 1/4" seam unless otherwise stated. Label all pieces.

#### From Background:

- 1. Cut twenty-seven 1" strips, subcut:
  - a. twelve 1" x 9 1/2" rectangles from three strips.
  - b. two 1" x 14 1/2" and one 1" x 9 1/2" rectangles from each of remaining twenty-four strips for a total of twenty-four 1" x 14 1/2" and twelve 1" x 9 1/2" rectangles. (Pieced Blocks)
- 2. Cut two 3" strips. Subcut twenty-four 3" squares. (Pieced Blocks)
- 3. Cut one 10 1/2" strip. Subcut twenty-four 1 1/2" x 10 1/2" rectangles. (Pieced Blocks)
- 4. Cut one 14 1/2" strip. Subcut twenty-four 1 1/2" x 14 1/2" rectangles. (Pieced Blocks)
- 5. Cut nine 1 1/2" strips. Subcut eight 1 1/2" x 14 1/2" and nine 1 1/2" x 18 1/2" rectangles. (Sashing)
- 6. Cut six 2" strips. Piece strips and subcut four 2" x 59 1/2" strips. (Inner Border)

#### From Fabric A:

- 1. Cut four 9 1/2" x 13 1/2" rectangles, centering gnome image. (Pieced Blocks)
- 2. Cut two 9 1/2" squares, centering snowglobes. (Pieced Blocks)

#### From Fabric B:

1. Cut one 9 1/2" strip; subcut two 9 1/2" x 13 1/2" rectangles. (Pieced Blocks)

#### From Fabric C:

1. Cut one 9 1/2" strip; subcut two 9 1/2" x 13 1/2" rectangles. (Pieced Blocks)

#### From Fabric D:

1. Cut one 9 1/2" strip; subcut two 9 1/2" x 13 1/2" rectangles. (Pieced Blocks)

#### From Fabric E:

1. Cut four 8" x 81" <u>lengthwise</u> strips, capturing the following design. (Outer Border)



#### From Fabric F:

1. Cut one 9 1/2" strip; subcut four 2 1/2" x 9 1/2" rectangles. (Pieced Blocks)

#### From Fabric G:

- 1. Cut five 1 1/2" strips. Subcut six 1 1/2" x 10 1/2" and six 1 1/2" x 14 1/2" rectangles. (Pieced Blocks)
- 2. Cut one 3" strip. Subcut six 3" squares. (Pieced Blocks) **From Fabric H:**
- 1. Cut five 1 1/2" strips. Subcut six 1 1/2" x 10 1/2" and six 1 1/2" x 14 1/2" rectangles. (Pieced Blocks)
- 2. Cut one 3" strip. Subcut six 3" squares. (Pieced Blocks) **From Fabric I:**
- 1. Cut five 1 1/2" strips. Subcut six 1 1/2" x 10 1/2" and six 1 1/2" x 14 1/2" rectangles. (Pieced Blocks)
- 2. Cut one 3" strip. Subcut six 3" squares. (Pieced Blocks)

### From Fabric J:


- 1. Cut five 1 1/2" strips. Subcut six 1 1/2" x 10 1/2" and six 1 1/2" x 14 1/2" rectangles. (Pieced Blocks)
- 2. Cut one 3" strip. Subcut six 3" squares and six 1 1/2" squares. (Pieced Blocks)

#### From Fabric K:

1. Cut nine 2 1/4" strips. (Binding)

#### Piecing Instructions: Gnome & Patch Print Rectangles

 Sew two 1" x 9 1/2" Background rectangles to the left and right sides of one 9 1/2" x 13 1/2" gnome panel or patch print rectangles, followed by two 1" x 14 1/2" Background rectangles to the top and bottom of the same panel or print rectangle. (Figure 1)



2. Sew together one 1 1/2" x 10 1/2" Background rectangle and one 1 1/2" x 10 1/2" print rectangle to make a sewn unit. Make a total of two sewn units and sew to the left and right sides of step 1 unit, as shown. (Figure 2)





Figure 2


3. Draw a diagonal line on the wrong side of one 3" Background square. Place square, right sides together, on one 3" print square. Sew 1/4" away from each side of drawn line. Cut along drawn line to yield two Half-Square Triangle (HST) units. Open and press. Align diagonal seams of HST against 45 degree line on quilting ruler, trim HST units to measure 2 1/2" x 2 1/2" unfinished. Sew together one 1 1/2" x 14 1/2" Background rectangle and one 1 1/2" x 14 1/2" print rectangle to make a sew unit. Add two HST units to the opposite short sides to make a row unit. Make a total of two row units and sew to the top and bottom of step 2 unit, as shown, to complete one block. Block measures 14 1/2" x 18 1/2" unfinished. (Figure 3)



4. Refer to quilt image for fabric placements, make a total of ten blocks.

#### **Snowglobe Rectangles**

1. Sew two 2 1/2" x 9 1/2" F rectangles to the left and right sides of one panel snowglobe square to make a pieced unit measure 9 1/2" x 13 1/2" unfinished. (Figure 4)



2. Referring to quilt image for fabric placements, and following steps 1-3 in constructing pieced blocks using panel rectangles to complete two blocks. Block should measure 14 1/2" x 18 1/2" unfinished. (Figure 5)




Figure 5 14 1/2" x 18 1/2" unfinished.

### Quilt Assembly:

- 1. Refer to Quilt Diagram for block placement, arrange and sew together three blocks and two 1 1/2" x 14 1/2" Background rectangles to make a pieced row. Make a total of four pieced rows.
- 2. Arrange and sew together three 1 1/2" x 18 1/2" Background rectangles and two 1 1/2" x 1 1/2" J squares to make a pieced sashing rows. Make a total of three pieced sashing rows.
- 3. Sew together pieced rows and pieced sashing rows to complete quilt center, alternating.
- Inner border. Sew two 2" x 59 1/2" Background strips to the opposite long sides of quilt center, followed by two
  2" x 59 1/2" Background strips to the remaining opposite short sides of quilt center.
- 5. Outer border. Sew two E strips to the sides of quilt center, matching the strip center to quilt center. Begin and end seams a general 1/4" from each end. Repeat process with top and bottom borders. Close corners with mitered corners. Trim excess. Press open to complete quilt top.

### Finishing:

- 1. Prepare backing using two widths with a horizontal seam/ seams. Press seams open. Trim backing to 82" x 85".
- 2. Layer quilt top, batting, and backing. Baste layers together.
- 3. Quilt as desired.


- 4. Trim layers even with quilt top squaring corners.
- 5. Join nine 2 1/4" K binding strips with diagonal seams for each runner. Press seams open. Attach binding using your favorite method
- 6. Make a label and sew to the back of each quilt.



Quilt Diagram

## Wheeling Winter Wonderland

#### Fabric Collection by Robin Roderick for P&B Textiles



WWWO 5012 E

WWWO 5012 G\*

SUE7 303 EW\*



\*Fabrics used in quilt <sup>†</sup>Backing