




Welcome Baby! c. 1925

Fabric Collection by Sara Morgan
Baby Love quilt design by Debby Kratovil



Quilt size: approximately 36 3/4" x 37 1/2"

Washington Street Studio



Welcome Baby! c. 1925

Baby Love quilt design by Debby Kratovil

Skill Level: Confident Beginner • Finished Block Size: 6" x 7 1/2" • Finished Quilt Size: 36 3/4" x 37 1/2"

Yardage Requirements:

Fabric A: WELC 3011 LM	Fat Eighth
Fabric B: WELC 3015 LM	5/8 yard
Fabric C: WELC 3011 P	Fat Eighth
Fabric D: WELC 3015 J	3/8 yard
Fabric E: WELC 3011 B	Fat Eighth
Fabric F: WELC 3015 Y	Fat Eighth
Fabric G: WELC 3010 Y	Fat Eighth
Fabric H: WELC 3010 LM	Fat Eighth
Fabric I: WELC 3010 BB	Fat Eighth
Fabric J: WELC 3014 BB	1/4 yard
Fabric K: WELC 3009 MU	1/4 yard
Fabric L: WELC 3013 BB	1/2 yard
Backing: WELC 3012 BB suggested	1 1/4 yards
Batting:	45" x 46"

Additional supplies: 1/2 yard fusible webbing, freezer paper and thread to match fabrics for raw edge appliqué

Cutting Instructions:

Please read all instructions carefully before beginning. Strips are cut across the width of fabric unless otherwise stated. LOF - parallel to selvages. All seams are sewn with a 1/4" seam unless otherwise stated.

Fabric A: WELC 3011 LM

1. Cut (3) 6 1/2" squares for block background.

Fabric B: WELC 3015 LM

1. Cut (1) 2" strip. Subcut (3) 2" x 6 1/2" rectangles.
2. Cut (1) 2" strip for horizontal sashing strip.
3. Cut (1) 5 1/2" strip. Subcut (3) 5 1/2" squares for letters and (4) 3 1/2" squares for corners.
4. Cut (4) 2 1/4" strips for binding.

Fabric C: WELC 3011 P

1. Cut (2) 6 1/2" squares for block background.

Fabric D: WELC 3015 J

1. Cut (1) 2" strip. Subcut (2) 2" x 6 1/2" rectangles.
2. Cut (1) 5 1/2" strip. Subcut (2) 5 1/2" squares for letters.
3. Cut (2) 2" strips for horizontal sashing strip.

Fabric E: WELC 3011 B

1. Cut (3) 6 1/2" squares for block background.

Fabric F: WELC 3015 Y

1. Cut (1) 2" strips. Subcut (3) 2" x 6 1/2" rectangles.
2. Cut (1) 5 1/2" strip. Subcut (3) 5 1/2" squares for letters.

Fabric G: WELC 3010 Y

1. Cut (1) 2 3/4" strip. Subcut (2) 2 3/4" x 8" strips for vertical sashing.

Fabric H: WELC 3010 LM

1. Cut (1) 2 3/4" strip. Subcut (2) 2 3/4" x 8" strips for vertical sashing.

Fabric I: WELC 3010 BB

1. Cut (1) 2 3/4" strip. Subcut (2) 2 3/4" x 8" strips for vertical sashing.

Fabric J: WELC 3014 BB

1. Cut (1) 6 1/2" strip for horizontal band.

Fabric K: WELC 3009 MU

1. Cut (1) 6 1/2" strip for horizontal band.

Fabric L: WELC 3013 BB

1. Cut (4) 3 1/2" strips for border.

Piecing Instructions:

1. Cut eight 5 1/2" squares of fusible webbing and transfer to wrong side of 5 1/2" B, D and F squares. Trace letter templates to freezer paper and cut out. Iron templates to RIGHT side of fabric squares and cut out letters.
2. Pair the letters with the coordinating 6-1/2" background squares as shown on quilt diagram and Figure 1. Remove fusible backing from letters and center on squares. Fuse in place.



Figure 1

3. Stitch the letters to the block backgrounds using your preferred stitch. **Note:** I like to use a simple machine zigzag stitch and always audition my threads and stitches on scrap fabric.
4. Sew a coordinating 2" x 6-1/2" strip to each letter block, referring to the quilt diagram and Figure 2.



Some strips are stitched on the top, some on the bottom. Press seams toward the strips.



Figure 2

5. Refer to the quilt diagram and Figure 3, join the letters and 2 3/4" x 8" vertical sashing strips to make the two rows. Press seams toward the vertical strips.



Figure 3

6. Measure quilt from side to side. It should measure 31 1/4" wide BUT use your own measurement for the next step.
7. Trim both K and J 6 1/2" strips and B and D horizontal 2" strips to the measurement

you got in Step 6 above. Sew the Letter rows, 2" horizontal strips and 6 1/2" strips to complete the quilt center. Press seams well.

8. Measure quilt from side to side and trim two 3 1/2" L border strips to this length; sew to quilt top and bottom. Press toward border.
9. Trim remaining 3 1/2" L border strips to fit sides (allowing for 1/2" seams) and sew one 3 1/2" B square to each short end. Sew these to quilt sides to complete quilt center. Press toward border.

Finishing:


1. Press fabric well. Prepare backing to measure 45" x 46".
2. Layer backing, batting and quilt top. Baste layers together.
3. Quilt as desired.
4. Trim layers even with top.
5. Join (4) 2 1/4" B binding strips with diagonal seams. Press seams open. Press strip in half lengthwise with wrong sides together to make double-fold binding. Sew binding to quilt using your favorite method.
6. Make a label and sew to back of the quilt.




Quilt Diagram





Cut two
100%
WELC 3015 LM






Cut one
100%
WELC 3015 Y



Cut one
100%
WELC 3015 J




Scale Check for pdf files. When you print these templates, this ruler should measure 2 inches long. If it does not, change, "page scaling" to "none" in the print dialog box.




Scale Check for pdf files. When you print these templates, this ruler should measure 2 inches long. If it does not, change, "page scaling" to "none" in the print dialog box.

**Cut one
100%
WELC 3015 Y**



**Cut one
100%
WELC 3015 J**



Scale Check for pdf files. When you print these templates, this ruler should measure 2 inches long. If it does not, change, "page scaling" to "none" in the print dialog box.

Welcome Baby! c. 1925

Fabric Collection by Sara Morgan



WELC 3009 MU*




WELC 3010 BB*




WELC 3010 LM*



WELC 3010 Y*



WELC 3011 BB*



WELC 3011 LM*



WELC 3011 P*



WELC 3012 BB†



WELC 3012 P



WELC 3013 BB*



WELC 3013 P



WELC 3014 BB*



WELC 3014 MU



WELC 3014 P



WELC 3015 J*



WELC 3015 LM*



WELC 3015 Y*

* Used in project
† Suggested backing

Washington Street Studio



www.washingtonstreetstudio.com

Washington Street Studio • 208 Clock Tower Square, Portsmouth, RI 02871 • 800-351-9087

▲ 100% cotton ♦ Cold wash & dry ♦ 43" / 44" ♦ Colors may vary due to printing process