

SARAH ELLISON.

FABRIC SPECIFICATIONS

| Collection | Avalon | Bronte | Byron |
|----------------------------|--|--------------------------------------|---|
| Colour(s) | Piccolo Fawn (USA only) | La Creme, Whipped Cream | Biscuit, Oyster, Wheat Dove (USA only) |
| Fabric Type | Velvet Domestic | Woven Boucle Knit Domestic | Slub Plain Weave Domestic |
| Composition | 100% Polyester | 81% Polyester 19% Acrylic | 30% Linen 20% Viscose 50% Polyester |
| Weight (gsm) | 480gsm | 630gsm | 520gsm |
| Origin | China | China | China |
| Cleaning Code | S | S | W |
| Care Icons | | | |
| Testing Results | | | |
| Abrasion Testing | Exceed 50,000 ISO 12947-2:2016; | Exceed 50,000 ISO 12947-2:2016; | Exceed 40,000 ISO 12947-2:2016 |
| Colour Fastness to Rubbing | Dry 4-5 Wet 4-5 ISO 105-X12:2016 | Dry 4-5 Wet 4 ISO 105-X12:2016 | Dry 4-5 Wet 4-5 AATCC TM8-2016e |
| Colour Fastness to Light | 4 ISO 105-BO2 ; 2014 | 4-5 ISO 105-B02:2014; | 3-5 AATCC 16.3-20 |
| Pilling Resistance | 4-5 ISO 12945-2:2000; | 4 ISO 12945-2:2000; | 3-5 D3514/D3514M-16 (2020) |

| Collection | Collaroy (Outdoor) | Malibu | Montauk |
|----------------------------|--------------------------------------|---------------------------------------|---------------------------------------|
| Colour(s) | Static | Caramel, Dune Agave (USA only) | Off-White |
| Fabric Type | Woven Fabric | Woven Tufted Velvet Domestic | Faux Shearling Domestic |
| Composition | 60% Olefin 40% Polyester | 100% Polyester | 100% Polyester |
| Weight (gsm) | 330gsm | 460gsm | 520gsm |
| Origin | China | China | China |
| Cleaning Code | SW | SW | X |
| Care Icons | | | |
| Testing Results | | | |
| Abrasion Testing | Exceed 30,000 ASTM D4966-12(2016) | Exceed 30,000 ASTM D4966-12(2016) | Exceed 40,000 ISO 12947-2:2016 |
| Colour Fastness to Rubbing | Dry 5 Wet 5 AATCC TM8-2016e | Dry 4-5 Wet 4-5 AATCC TM8-2016e | Dry 4-5 Wet 4-5 ISO 105X12:2016 |
| Colour Fastness to Light | 4.5 AATCC TM 16.3-2020 | 3 AATCC 16.3-2014 | 4-5 AATCC 16.3-20 |
| Pilling Resistance | 4 ASTM D3512M-16 | 4 ASTM D3512/D3512M-16 | 4 ISO 12945-2:2000 |

SARAH ELLISON.

FABRIC SPECIFICATIONS

| | | | |
|-----------------------------------|--------------------------------------|--|----------------------------------|
| Collection | Palermo (Outdoor) | Sandon | Shearling |
| Colour(s) | Sand | Burnt Butter, Crumpet | Natural |
| Fabric Type | Woven Fabric | Woven Fabric | Shearling Wool |
| Composition | 100% Polyester | 100% Recycled Polyester | 100% Leather |
| Weight (gsm) | 240gsm | 490gsm | N/A |
| Origin | China | China | Australia / China |
| Cleaning Code | SW | X | X |
| Care Icons | | | |
| Testing Results | | | |
| Abrasion Testing | Exceed 30,000 ASTM D4966-12(2016) | Exceed 50,000 ISO 12947-2:2016; | N/A |
| Colour Fastness to Rubbing | Dry 5 Wet 5 AATCC TM8-2016e | Dry 4-5 Wet 4-5 ISO 105-X12:2016 | Dry 4 Wet 4 ISO 11640-2012 |
| Colour Fastness to Light | 4.5 AATCC TM 16.3-2020 | 5 ISO 105-BO2 ; 2014 | 3 ISO 105-BO2 ; 2014 |
| Pilling Resistance | 4 ASTM D3512M-16 | 4-5 ISO 12945-2:2000; | N/A |

| | |
|-----------------------------------|---------------------------------------|
| Collection | Sorrento |
| Colour(s) | Moon |
| Fabric Type | Velvet Corduroy Domestic |
| Composition | 100% Polyester |
| Weight (gsm) | 391gsm |
| Origin | China |
| Cleaning Code | W |
| Care Icons | |
| Testing Results | |
| Abrasion Testing | Exceed 15,000 ISO 12947-2:2016 |
| Colour Fastness to Rubbing | Dry 4-5 Wet 4-5 ISO 105X12:2016 |
| Colour Fastness to Light | 4 AATCC 16.3-20 |
| Pilling Resistance | 4-5 ISO 12945-2:2000 |

SARAH ELLISON.

FABRIC SPECIFICATIONS

Standard Cleaning Codes

Industry standard cleaning codes indicate the correct cleaning method based on the type of fabric.

O: Spot clean in cold water using biodegradable detergent or eco-friendly soap; air dry. Organic dry cleaning is also recommended.

W: Spot clean using distilled water and water-based cleaning agents or foam only.

S: Spot clean with mild, water-free cleaning solvents only. Do not use water or dry clean.

SW: Spot clean using distilled water and water-based cleaning agents, foam or mild water-free cleaning solvents.

X: Vacuum or lightly brush to remove overall soil. Never use water, foam or liquid cleaning agents.

Note: For prewashed fabrics upholstered onto the frame, follow the S cleaning code.

Upholstery Care

Rotate cushions and pillows weekly to distribute wear. Vacuum upholstery weekly using the upholstery attachment and crevice tool of your vacuum to remove loose particles.

Periodic cleaning by a professional upholstery cleaning service is the only recommended cleaning method for your upholstery, annual cleaning is suggested, but this may vary depending on use.

To prevent possible "bleeding" of ink onto fabric, do not leave newspapers or other printed materials lying on upholstery.

Take special care when spraying household chemicals and commercial products near upholstery.

Avoid placing your furniture in direct sunlight. All fabric and leather will fade over time. Applying non-commercial scented fabric fresheners, neutralizers and fabric protectors is never recommended.

Spills and Spot Cleaning

In some cases, spot cleaning can cause a ring or fading. It is best to have the entire piece or cushion casing cleaned by a professional upholstery cleaner to ensure uniform results. If you decide to spot clean on your own, check the standard cleaning code to determine the correct type of product to use. Always blot never rub spills immediately with a clean, absorbent white cloth. Blot from the outside to the middle of the affected area to prevent rings.

Pile fabrics may require brushing with a nonmetallic, stiff bristle brush to restore appearance. Always pretest cleaning agents in a small inconspicuous area. Never use strong chemicals or detergents.

SARAH ELLISON.

FABRIC SPECIFICATIONS

Standard Cleaning Codes

Industry standard cleaning codes indicate the correct cleaning method based on the type of fabric.

O: Spot clean in cold water using biodegradable detergent or eco-friendly soap; air dry. Organic dry cleaning is also recommended.

W: Spot clean using distilled water and water-based cleaning agents or foam only.

S: Spot clean with mild, water-free cleaning solvents only. Do not use water or dry clean.

SW: Spot clean using distilled water and water-based cleaning agents, foam or mild water-free cleaning solvents.

X: Vacuum or lightly brush to remove overall soil. Never use water, foam or liquid cleaning agents.

Note: For prewashed fabrics upholstered onto the frame, follow the S cleaning code.