

Journal of Clinical Medical Research

ISSN: 2582-6751

**Clinical Study** 

# **Innovative Nutraceutical Effectively Manages Canine Atopy**

Joel Ehrenzweig<sup>1\*</sup>, James St Clair<sup>2</sup>

<sup>1</sup>Veterinary Health Research Centers, LLC, USA

<sup>2</sup>Meriden Animal Hospital, Meriden, CT, USA

\*Corresponding Author: Joel Ehrenzweig, DVM, Veterinary Health Research Centers, LLC, USA; Email: j.ehrenzweig@vhrcenters.com

**Received Date:** 18-11-2022; **Accepted Date:** 01-12-2022; **Published Date:** 08-12-2022

**Copyright**<sup>®</sup> **2022** by Ehrenzweig J, et al. All rights reserved under CC BY-NC-ND. This is an open access article distributed under the terms of the Creative Commons Attribution License, which provides freedom to read, share, copy and redistribution of material in any of the medium, provided with the original author and source are credited.

# Abstract

Like people, dogs may be allergic to numerous substances that their bodies touch or are found in the air or in food. These allergens enter the body by inhalation, direct contact or absorption, i.e., through the skin or respiratory or gastrointestinal tracts. Recognized as foreign entities, the canine response is the release of inflammatory cells and the regulation of histamine levels as defence mechanisms. Innumerable prescription and over-the-counter treatments have been advanced in attempts to relieve the clinical signs associated with canine seasonal allergies.

The primary aim of this multisite, prospective open label trial was to support anecdotal postmarketing surveillance reports that the non-prescription canine chew under study provided significant benefits for the treatment of canine allergic dermatitis. A secondary aim was to elicit responses from groomers and pet parents who used the product for their dogs.

Animals presented at random with lesions consistent with a diagnosis of allergic dermatitis were enrolled during the normal course of business at the veterinary hospital and groomers' shops.

Pet parents, groomers and veterinarians reported that a twice-a-day treatment regimen resulted in the reduction or alleviation of one or more cardinal signs of canine allergic dermatitis in 83.3% of the enrolled dogs. These findings warrant the use of Dermabliss Seasonal Allergy Chews alone or in conjunction with other treatments for dogs with allergic dermatitis.

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

### **Keywords**

Canine Atopic Dermatitis; Pyoderma; Allergic Dermatitis; Nutraceutical; All-Natural; Seasonal Allergy; Colostrum, Pododermatitis

### Introduction

Like people, dogs may be allergic to numerous substances that their bodies touch or are found in the air or in food. These allergens enter the body by inhalation, direct contact or absorption, i.e., through the skin or respiratory or gastrointestinal tracts. Recognized as foreign entities, the canine response is the release of inflammatory cells and the regulation of histamine levels as defence mechanisms, thus initiating the healing process.

An animal's health and well-being depend on this protective immune response. Unfortunately, for some of them and for many different reasons, a chronic allergic condition may develop when the body continues to produce inflammatory materials and cells long after the initial threat has passed or when healthy tissues are targeted and aggravated.

There are hundreds of potential causative agents and multiple, extremely complex and dynamic interactions that may contribute to, induce or sustain an allergic reaction in a pet. Some of these may be internal factors, such as immune status or genetics [1]. External factors include regional or seasonal environmental exposure.

In addition, the concentration of allergen is a determinant of allergic reaction as is the presence of parasites, e.g., fleas.

### **Internal Factors**

#### **Immune Response**

It is not uncommon for pets with allergy-based immune responses to experience itching and redness of their ears and abdomen; licking or chewing their front paws, legs or feet; and rubbing their faces and eyes. Scratching causes more itching and a cycle of itch-scratch-itch develops. This results in chronic skin irritation, open wounds, secondary bacterial and fungal skin infections, hair loss and dry, flaky skin [2].

A dog's immune system will determine whether the pet will react adversely to an allergen and how vigorously the reaction will be when a specific tissue or area of the body is targeted. It is important to note that each animal's immune response is unique and each one can respond to a challenge in a different manner. Over time, a specific allergen or mixture of allergens can cause dissimilar reactions in specific areas of the same animal.

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.

#### **Breed Predisposition**

Although any purebred or mixed-breed dog may develop allergies, certain breeds are known to develop them more frequently, including [3]

- Bulldogs
- Pit Bulls
- Labrador and Golden Retrievers
- German Shepherds
- Terriers (ex. Jack Russell Terriers, Boston Terriers, etc.)
- Shar-Peis
- Dalmatians
- Boxers
- Lhasa Apsos

### **Onset of Allergies**

Canine allergies typically manifest between six months and three years of age and may occur seasonally or throughout the year. Allergic dermatitis can be caused by inhalation or contact with an allergen and often progresses into a lifelong health issue.

In order to prevent itching from developing into a severe skin infection or initiating an anal gland infection or abscess, caregivers must remain vigilant, provide long-term supervision and may need to schedule frequent veterinary visits. As a result of the physical toll taken on a pet, its human family is frequently burdened with emotional and financial stressors.

The problem is further complicated because infrequently will a single type of treatment provide sustained relief from allergic symptoms. With a wide variety of available treatment options, dog owners face the challenge of identifying an effective treatment regimen.

Due to the variability of underlying causes of an allergic reaction, veterinarians must employ a multifaceted approach in the management of canine dermatological conditions. Positive results often require a combination of interventions: routine bathing using a medicated shampoo; dietary changes; allergen avoidance and/or specific immunotherapy; antibiotics; or anti-inflammatory therapy, e.g., steroids [4,5]. In addition to traditional pharmaceutical approaches, natural and/or complementary products have been popularized for treating seasonal allergies [6-9].

The primary objectives in managing cases of dogs with allergies are to: reduce irritation; alleviate discomfort, eliminate infection; and improve quality of life for both the pet and the family [6].

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.

• Steroids: A course of treatment with steroids can effectively reduce the intense itching which occurs during flare-ups but can have both short-term and long-term side effects.

• Antibiotics: To reduce and control bacterial infections, a regimen of antibiotics may be necessary.

• Allergy Testing: Immunotherapy treatments to desensitize a dog to an allergen present a mixed bag of therapeutic options. It is expensive and not a quick fix. It may take six months for any noticeable improvement and a year-long series of hypoallergenic injections is frequently recommended to determine the efficacy of the therapy. Allergy testing and allergenspecific injections may improve the condition but are not a cure. Medication may still be required to address seasonal flare-ups.

• Prescription Medicines: A dog's itching can be treated effectively with several recently introduced pharmaceuticals, such as Apoquel<sup>TM</sup>, Cytopoint<sup>TM</sup> and Atopica<sup>TM</sup>. However, certain factors should be considered, including the costs of recommended blood work and laboratory monitoring and the need for frequent veterinary visits to administer and oversee the course of treatment [10,11]. COVID-19, which has forced most veterinary practices to reduce office hours and staff, can make this a challenge.

Veterinarians stress that it is critical that the caregivers of allergic dogs recognize and accept that: allergic reactions cannot be cured; effective management requires lifelong vigilance; treatments minimize the effects of an allergic reaction; patience and realistic expectations are essential.

Since it is impossible to modify a pet's genetic predisposition to allergies or to avoid the environmental factors that may contribute to an allergic reaction, the most effective treatment options are those that target and moderate the underlying causes of and impact on the immune system.

There are several sensible ways to mitigate some of the effects of external factors, including:

• The elimination or minimization of exposure to, or contact with, allergens that are known to cause allergic reactions

• Routine grooming, to remove allergens from the skin and fur

• Control of external parasites on the pet and in the home environment

### **At-Home Management of Allergic Dermatitis**

Since the pandemic outbreak, veterinary care has become more expensive and logistically more challenging. When an allergic reaction occurs, the sooner treatment is initiated the more likely it is that a dog can be made more comfortable and trips to the veterinary clinic can be reduced.

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.

Nowadays, pet parents have access to a wide range of products developed for dogs with allergies. The gold standard criteria for these are as follows:

- Effectively supports the immune system
- Long term potency and safety
- Ease of administration
- Tolerance of treatment ingredients
- Rapid, successful resolution of allergen-related problems

To address some of the challenges facing pet parents with dogs suffering from allergies, Vetnique Labs has created a proprietary blend of all-natural ingredients for an at-home treatment of hypersensitivities.

To substantiate positive post-launch anecdotal reports affirming its effectiveness in the treatment of dogs with seasonal allergies, Dermabliss<sup>TM</sup> Seasonal Allergy Chews were evaluated in a clinical trial.

# **Clinical Trial Design**

A multi-site observational, open label study was designed and conducted to reflect the types of treatments offered by veterinarians and groomers for seasonal allergic dermatitis in real world cases. The trial addressed patients' need for relief and the pet parents' experience of having an atopic dog and their expectations regarding treatment.

Dogs that randomly presented to veterinary clinics and grooming establishments with pet parents' complaints of varying types and degrees of skin allergies were offered Dermabliss Seasonal Allergy Chews if they met the enrollment criteria (Table 1). Breeds known to be predisposed to atopy were enrolled where possible, but no animal was excluded based on breed characteristics.

For Veterinary Clinic Patients: Dermabliss Seasonal Allergy Chews were dispensed following initial routine laboratory testing and photography, with rechecks scheduled for days 14 and 28 of the month-long treatment periods.

For Grooming Shop Clients: Pets that presented with allergic skin irritation were photographed and Dermabliss Seasonal Allergy Chews were dispensed. Follow-up visits were scheduled on Days 14 and 28.

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

Inclusion Criteria	Exclusion Criteria		
<ul> <li>History of seasonal allergy</li> <li>Free of disease, external parasites</li> <li>Over 20 lbs.</li> <li>3-12 years old</li> <li>Previous veterinary visit for itching</li> <li>No dietary changes during study</li> <li>Not on skin medication or</li></ul>	<ul> <li>Abnormal laboratory results</li> <li>Steroids in previous month</li> <li>Surgery within the last three months</li> <li>Open lesions</li> <li>History of cancer, inflammatory</li></ul>		
supplements <li>Body Condition Score 3-7 [Appendix A]</li> <li>Short coat</li>	disease <li>Sign of Flea Allergy Dermatitis</li> <li>Pregnant or lactating</li> <li>BCS 1-2 or 8-9 [Appendix A]</li> <li>Long coat</li>		

**Table 1:** Inclusion and exclusion criteria.

### Results

A total of 28 dogs were screened, eighteen were enrolled and twelve completed the trial. No adverse events were reported. For the twelve dogs completing the study, all but two showed improvements in one or more of the key clinical signs associated with allergic dermatitis. Pet parents' subjective observations tracked with those of the investigating veterinarians (Table 2-6).

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.

	DBA #1	M Pointer	1 yo, 61 lbs	BCS 6	DBA #2	M Pit Bull	6 yo, 63 lbs	BCS 6	DBA #3	F Pit Bull	6 yo, 58 lbs	BCS 6
Clinical Scores	Veterinarian	Пації	Dau 14	Dan 28	Veterinariar	Пації	Dan 14	Пав 28	Veterinaria	Паш О	Dan 14	Пан 28
0 = None	Panules	2	1	0	Papules	0	0	0	Papules	2	1	Day 20
1 = Mild	Pustules	ō	0	Ő	Pustules	Ő	Ő	ő	Pustules	ō	Ö	Ő
2 = Moderate	Collarettes	Ő	0	Ő	Collarettes	Ő	Ő	Ő	Collarettes	Ő	Ō	Ő
3 = Moderate Sever	Crusts	ň	ů	ň	Crusts	ů	ů	ň	Crusts	Ň	ň	ů
4 = Severe	Alonecia	2	ĩ	ů l	Alonecia	Ň	Ő	ů l	Alopecia	3	2	2
T - Gevele	Inflammation	1	ò	ň	Inflammation	1	2	ň	Inflammati	ň	ñ	ñ
	Total	5	2	ů.	Total		2	ů l	Total	5	ž	2
	Total		-		Total			, in the second	Total			-
Owner Scores	wner Observation	Day 0	Day 14	Day 28	Owner	Day 0	Day 14	Day 28	Owner	Day 0	Day 14	Day 28
0 = Normal	How much scratchin	3	1	1	Scratching	1	1	0	Scratching	2	1	1
1 = Mild	How much shedding	2	1	1	Shedding	3	1	1	Shedding	1	0	1
2 = Moderate	Appearance of fur	1	1	1	Fur	3	0	0	Fur	1	1	0
3 = Moderate Sever	Health of skin	1	0	0	Skin	3	1	0	Skin	1	0	0
4 = Severe	Total	7	3	3	Total	10	3	1	Total	5	2	2
			0				1					
	DBA #4	F Bulldog	3 yo, 50 lbs	BCS 7	DBA #5	F Bozer	7 yo, 50 lbs	BCS 8	DBA #6	F Veinmarner	2 yo, 56 lbs	BCS 5
	Veterinarian	Day 0	Day 14	Day 28	Veterinariar	Day 0	Day 14	Day 28	Veterinaria	Day 0	Day 14	Day 28
	Papules	Ő	Ó	Ő	Papules	2	Ó	Ő	Papules	2	1	Ő
	Pustules	0	0	0	Pustules	0	0	0	Pustules	1	1	1
	Collarettes	0	0	0	Collarettes	0	0	0	Collarettes	2	1	0
	Crusts	0	0	0	Crusts	0	0	0	Crusts	2	1	1
	Alopecia	3	3	3	Alopecia	3	2	i	Alopecia	2	1	Ō
	Inflammation	0	0	0	Inflammation	2	0	0	Inflammati	0	0	0
	Total	3	3	3	Total	7	2	1	Total	9	5	2
	Owner	Dan 0	Dag 14	Dag 28	Owner	Пан О	Dag 14	Dag 28	Owner	Dag 0	Dan 14	Dag 28
	Seratebing	2	3	2	Scratching	2	1	1	Scratching	1	1	1
	Skadding	2	3	2	Shadding	2			Skadding	2	2	2
	Snedding	2	3	2	Eur		8	0	Eur	2.5	2	2
	Ckin	2	2	2	Ckin	2	ò	ů l	Ckin	3.5	3	
	Total	10	10	10	Total	7	3	2	Total	115	2	6
	Tovar	10	10	10	Total			2	- rovar	11.0	0	0
	DBA #7	French Buildo	3 yo, 32 lbs	BCS 8	DBA #8	M Sp. Span.	4 yo, 43lbs	BC\$ 5	DBA #9	M Doberman	1 yo, 54 lbs	BC\$ 8
	Veterinarian Deceler	Day 0	Day 14	Day 28	Veterinariar	Day 0	Day 14	Day 28	Veterinaria Decelar	Day 0	Day 14	Day 28
	Pustulos	ů	ő	ň	Pustulas	ň	ő	ň	Pustulos	3	2	2
	Collarettes	ő	ň	ň	Collarettes	ň	ő	ő	Collocattes	2	1	1
	Crusts	ň	ň	ň	Crusts	ñ	ň	ň	Grusts	1	1	
	Alopecia	3	2	1	Alopecia	1	1	1	Alopecia	2	i	i
	Inflammation	3.5	2	i	Inflammation	100	3	10 I I I I I I I I I I I I I I I I I I I	Inflammatio	7	x	1
1.4	Total	6.5	4	2	Total	4	3	1	Total	11	7	7
	Owner	Day 0	Day 14	Day 28	Owner	Day 0	Day 14	Day 28	Owner	Day 0	Day 14	Day 28
	Scratching	3	1	1	Scratching	2	2		Scratching	2.5	2	1
	Shedding		1		Shedding	2	1		Shedding	2.5	1	- 1
	Fur	2	U	U	Pur	2	1		Fur	3	1	1
1	Total	8	2	2	Total	8	6	3	Total	11	5	3
		1								110	1	1
	DBA \$10	F Black Lab	8 yo, 54 lbs	BCS 6	DBA \$11	Bulldog	11 yo, 73 lbs	BC\$ 7	DBA #12	F Chow Chow	11 yo, 45lbs	BCS 4
	Veterinarian	Dae 0	Day 14	Day 28	Veterinarian	Dae 0	Day 14	Day 28	Veterinaria	Dae 0	Day 14	Day 28
	Papules	0	0	0	Papules	4	4	4	Papules	0	0	0
	Pustules	0	0	0	Pustules	4	1		Pustules	0	0	0
	Collarettes	0	0	ō	Collarettes	0	0	0	Collarettes	ō	0	ō
	Crusts	0	0	0	Crusts	0	0	0	Crusts	0	0	0
	Alopecia	3	3	1	Alopecia	0	0	0	Alopecia	0	0	0
1.1	Inflammation	0	0	0	Inflammation	0	0	0	Inflammatio	3	2	1
	Total	3	3	1	Total	8	8	8	Total	3	2	1
	Owner	Day 0	Day 14	Day 28	Owner	Day 0	Day 14	Day 28	Owner	Day 0	Day 14	Day 28
	Scratching	2	2	2	Scratching	3	2	1	Scratching	3	2	1
	Shedding	3	2	1	Shedding	1			Shedding	-	1	0
	r ur	2	2	2	F ur	U	U		r ur	1	U	0
	Tatal	2	2		Total	4	2	2	Skin	6		1
	local	3	0	0	1 ocal	0		2	Total	0		2

**Table 2:** Clinician and owner observation.

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.

DOI: http://dx.doi.org/10.46889/JCMR.2022.3310

7



Table 3: Clinical observations.



#### Table 4: Owner observations.

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.



**Table 5:** Observations of owners and veterinarians.



**Table 6:** Veterinarians and owners reported a decrease in presenting signs throughout the study.

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.

#### **Synergistic Active Ingredients**

#### **Nutritional Fatty Acids**

• Omega 3-6-9. This supplement provides a healthy balance of essential fatty acids that are fundamental for heart, skin, joint and immune system health. Polyunsaturated Fatty Acids (PUFA) are known to exhibit a variety of health benefits in dogs, including anti-inflammatory effects [12,13].

• Wild Alaskan Salmon Oil. Rich in omega-3s, this fish oil can promote healthy skin by:

- Enhancing the protective barrier function of the skin
- o Reducing the symptoms of dry skin and itching caused by dermatitis
- Accelerating wound healing [14].

#### **Plant Extracts**

• Quercetin: Quercetin is commonly referred to as "nature's Benadryl" and is believed to reduce the severity of atopic dermatitis [15]

• Licorice Root: It has been shown in experimental and clinical studies that Glycyrrhiza uralensis has anti-inflammatory, antioxidant and antimicrobial properties [16]

• Bromelain: It is efficacious in several conditions and diseases associated with inflammation [17,18-39]

#### **Probiotics**

These are substances which stimulate the growth of microorganisms in the gastrointestinal tract. They are live bacteria and/or yeasts that naturally live in the body. This is the microbiome - "good bacteria" - that supports the immune system and maintains balance in the gut. Every microbiome is unique!

• Lactospore: Clinically validated for its ability to maintain the skin's protective barrier, strengthen skin integrity and optimize surface microflora [40].

#### Vitamins

• Biotin: Vitamin B7 benefits dogs suffering from skin conditions by synthesizing fatty acids [19]

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.

• Vitamin C: Well known as an antioxidant, it plays a vital role in maintaining healthy skin [20,21]

• Vitamin A: It has been shown to be an effective complementary treatment for several dermatological conditions [22,23]

• Vitamin E: Protecting the immune system from oxidative stress, it supports healthy muscles, the heart, liver and skin. A significant potential benefit of Vitamin E is used as an adjunctive treatment for allergic dermatitis because of its antioxidant and anti-inflammatory properties [24]

#### Colostrum

Colostrum is critical in promoting the growth and health of newborns but is only produced for a short period of time following birth. Bovine colostrum has been proven to be beneficial to many species, including pets and humans. It is a comprehensive "superfood" that contains macro- and micronutrients, immune modulators, growth factors and immunoglobulins [25-30]. There is mounting evidence that it is useful in treating a variety of medical conditions, including the health and well-being of domestic pets [31-35].

### **Clinical Cases**

Case 1: Generalized Atopic Dermatitis- Neck, Axillae

Day 0: Two-year-old male German Short Hair Pointer presented with papules, hair loss due to inflammation and scratching of the neck and axillae (Fig. 1-3).

Day 14: There was some hair regrowth neck but still scratching axillae causing a lesion at the left axilla.

Day 30: Owner: itching had improved and "rash" was gone.

Veterinarian: "total resolution" of the presenting signs (Table 7) (Fig. 4-9).

Vet Clinical Signs	Baseline	Recheck 1	Recheck 2	<b>Clinical Scores</b>
Papules	2	1	0	0 = Normal
Pustules	0	0	0	1 = Mild
Collarettes	0	0	0	2 = Moderate
Crusts	0	0	0	3 = Moderate +
Alopecia	2	1	0	4 = Severe

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.

Inflammation	1	0	0	
Total	5	2	0	
<b>Owner Observations</b>	Baseline	Recheck 1	Recheck 2	<b>Owner Scores</b>
How much scratching?	3	1	1	0 = None
How much shedding?	2	1	1	1 = Mild-normal
Appearance of fur	1	1	1	2 = Moderate
Health of skin	1	0	0	3 = Severe
Total	7	3	3	4 = Critical

**Table 7:** Case 1: Clinician and owner observation.



Figure 1: Case 1. Ventral neck. Day 0.

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.



Figure 2: Case 1. Ventral neck. Day 14.



Figure 3: Case 1. Ventral neck. Day 30.

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.



Figure 4: Case 1. L axilla. Day 14.



Figure 5: Case 1. Detail L axilla. Day 14.

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.



Figure 6: Case 1. L axilla. Day 30.



Figure 7: Case 1. R axilla. Day 0.

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.



Figure 8: Case 1. R axilla. Day 14.



Figure 9: Case 1. R axilla. Day 30.

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.

### **Case 2: Atopic Dermatitis-Abdomen**

Day 0: Four-year-old American Pit Bull, 63lbs, presented when owner first noticed excessive hair loss two weeks prior, no pruritis.

Day 14: Overall decrease of inflammation and licking.

Day 30: Vet: "90-95% less inflammation and shedding"; hair regrowing (Table 8) (Fig. 10-12).

Vet Clinical Signs	Baseline	Recheck 1	Recheck 2	<b>Clinical Scores</b>
Papules	0	0	0	0 = Normal
Pustules	0	0	0	1 = Mild
Collarettes	0	0	0	2 = Moderate
Crusts	0	0	0	3 = Moderate +
Alopecia	0	0	0	4 = Severe
Inflammation	4	2	0	
Total	4	2	0	
<b>Owner Observations</b>	Baseline	Recheck 1	Recheck 2	<b>Owner Scores</b>
How much scratching?	1	1	0	0 = None
How much shedding?	3	1	1	1 = Mild-normal
Appearance of fur	3	0	0	2 = Moderate
Health of skin	3	1	0	3 = Severe
Total	10	3	1	4 = Critical

 Table 8: Case 2: Clinician and owner observation.

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.



Figure 10: Case 2. Abdomen. Day 0.



Figure 11: Case 2. Abdomen. Day 14.

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.



Figure 12: Case 2. Abdomen. Day 30.

# **Case 3: Atopic Dermatitis- Abdomen**

Day 0: Seven-year-old, 9 lb Pit Bull presented with a history of on/off scratching; worse in spring; currently itching for one month; erythema groin.

Day 14: Owner: improved within a week; now only occasional itching.

DVM: Hair has started to regrow; areas of erythema have resolved; overall inflammation significantly reduced.

Day 30: Complete resolution of presenting problems (Table 9) (Fig. 13,14).

Vet Clinical Signs	Baseline	Recheck 1	Recheck 2	<b>Clinical Scores</b>
Papules	2	0	0	0 = Normal
Pustules	0	0	0	1 = Mild
Collarettes	0	0	0	2 = Moderate
Crusts	0	0	0	3 = Moderate+

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.

Alopecia	3	2	0	4 = Severe
	2	2	0	
Inflammation	3	2	0	
Total	8	2	0	
<b>Owner Observations</b>	Baseline	Recheck 1	Recheck 2	<b>Owner Scores</b>
How much scratching?	2	1	0	0 = None
How much shedding?	2	1	0	1 = Mild-normal
Appearance of fur	1	1	1	2 = Moderate
Health of skin	2	0	0	3 = Severe
Total	7	3	1	4 = Critical

**Table 9:** Case 3: Clinician and owner observation.



Figure 13: Case 3. Inguinal. Day 0.

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.



Figure 14: Case 3. Inguinal. Day 14.

# **Case 4: Face Fold Pyoderma, Pododermatitis**

Day 0: Four-year-old French Bulldog, 22 lbs. Groomer's personal pet has had chronic moderate to severe moist face-fold dermatitis and pododermatitis since adoption one year ago. Has been on several rounds of prescription medication, but always comes back. Paws often bleed due to obsessive licking/biting.

Day 14: Noticeable reduction in inflammation after a few days but paws continued to be very red.

Day 35: Significant reduction in inflammation; occasional licking, face rubbing. Face folds "look as good as they have ever been" (Table 10) (Fig. 15-22).

Vet Clinical Signs	Baseline	Recheck 1	Recheck 2	<b>Clinical Scores</b>
Papules	0	0	0	0 = Normal
Pustules	0	0	0	1 = Mild
Collarettes	0	0	0	2 = Moderate
Crusts	0	0	0	3 = Moderate +
Alopecia	3	2	1	4 = Severe
Inflammation	3	2	1	
Total	6	4	2	

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.

<b>Owner Observations</b>	Baseline	Recheck 1	Recheck 2	<b>Owner Scores</b>
How much scratching?	3	1	1	0 = None
How much shedding?	1	1	1	1 = Mild-normal
Appearance of fur	2	0	0	2 = Moderate
Health of skin	2	0	0	3 = Severe
Total	8	2	2	4 = Critical

**Table 10:** Case 4: Clinician and owner observation.



Figure 15: Case 4. R face. Day 0.

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.



Figure 16: Case 4. R face. Day 16.



Figure 17: Case 4. R face. Day 35.

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.



Figure 18: Case 4. L face. Day 0.



Figure 19: Case 4. L face. Day 16.

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.



Figure 20: Case 4. L face. Day 35.



Figure 21: Case 4. Interdigital pododermatitis. Day 0.

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.



Figure 22: Case 4. Interdigital pododermatitis. Day 17.

# Conclusion

Over the last century, innumerable conventional medical and over-the-counter treatments have been advanced in attempts to relieve the clinical signs of seasonal allergies. As scientists continue to uncover the intricacies of the body's immune system, more targeted pharmaceutical therapies have become available that are aimed at preventing, treating and elimination allergies [36-39].

The study under review was designed to support post-marketing surveillance reports that nonprescription Dermabliss Seasonal Allergy Chews provided significant benefits for the treatment of canine allergic dermatitis.

From the in-trial responses of both pet parents and veterinarians, a regimen of Dermabliss Seasonal Allergy Chews was shown to reduce or alleviate the expression of one or more of the cardinal signs of canine allergic dermatitis in 83.3% of the enrolled dogs.

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.

Allergic dermatitis is incurable and there are numerous agents, conditions and individual responses that can initiate and sustain the condition [41]. The availability of this all-natural product that alone or in conjunction with other treatments may successfully alleviate distresses and discomfort, warrants considering its inclusion as an option in treating seasonal canine allergic dermatitis.

# Appendix A



# **Body Condition Scoring (BCS) Systems**

Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.

### **Ethical Statement**

This study is done by Veterinary Health Research Centers, USA under the proper government guidelines.

# **Conflict of Interest**

The author declares no conflicts of interest.

### References

- 1. Olivry T, LaVoy A, Dunston SM, Brown RS, Lennon EM, Warren SJ, et al. Desmoglein-1 is a minor autoantigen in dogs with pemphigus foliaceus. Veterinary Immunol Immunopathol. 2006;110(3-4):245-55.
- 2. <u>https://www.merckvetmanual.com/dog-owners/skin-disorders-of-dogs/congenital-and-inherited-skin-disorders-in-dogs</u> [Last accessed on: December 02, 2022]
- 3. Wilhem S, Kovalik M, Favrot C. Breed-associated phenotypes in canine atopic dermatitis. Veterinary Dermatol. 2011;22(2):143-9.
- Olivry T, DeBoer DJ, Favrot C, Jackson HA, Mueller RS, Nuttall T, et al. Treatment of canine atopic dermatitis: 2015 updated guidelines from the International Committee on Allergic Diseases of Animals (ICADA). BMC Veterinary Res. 2015;11(1):1-5.
- 5. Olivry T, Bizikova P. A systematic review of randomized controlled trials for prevention or treatment of atopic dermatitis in dogs: 2008–2011 update. Veterinary Dermatol. 2013;24(1):97-e26.
- 6. Di Cerbo A, Morales-Medina JC., Palmieri B, Pezzuto F, Cocco R, Flores G, et al. Functional foods in pet nutrition: Focus on dogs and cats. Res Vet Sci. 2017;112:161-6.
- 7. Di Cerbo A, Palmieri B, Canello S, Guidetti G, Iannitti T. Functional foods in pets and humans. Int J Appl Res Vet Med. 2014;12:193-200.
- Mazzeranghi F, Zanotti C, Di Cerbo A, Verstegen JP, Coccoa R, Guidetti G, et al. Clinical efficacy of nutraceutical diet for cats with clinical signs of Cutaneus Adverse Food Reaction (CAFR). Pol J Veterinary Sci. 2017;20(2).
- 9. <u>http://www.mdpi.com/journal/vetsci.Table1</u> [Last accessed on: December 02, 2022]
- 10. <u>https://www.petdermatologyclinic.com/apoquel-information</u> [Last accessed on: December 02, 2022]
- 11. https://www.cytopoint.ca/about-cytopoint.aspx [Last accessed on: December 02, 2022]
- 12. Siriwardhana N, Kalupahana NS, Moustaid-Moussa N. Health benefits of n-3 polyunsaturated fatty acids: eicosapentaenoic acid and docosahexaenoic acid. Adv Food Nutr Res. 2012;65:211-22.
- 13. Olivry T, Marsella R, Hillier A. The ACVD task force on canine atopic dermatitis (XXIII): are essential fatty acids effective? Veterinary Immunol Immunopathol. 2001;81:347-62.
- 14. Huang TH, Wang PW, Yang SC, Chou WL, Fang JY. Cosmetic and therapeutic applications of fish oil's fatty acids on the skin. Marine Drugs. 2018;16(8):256.
- Witzel-Rollins A, Murphy M, Becvarova I, Werre SR, Cadiergues MC, Meyer H. Non-controlled, open-label clinical trial to assess the effectiveness of a dietetic food on pruritus and dermatologic scoring in atopic dogs. BMC Veterinary Res. 2019;15(1):1-0.
- 16. Hosseinzadeh H, Nassiri-Asl M. Pharmacological effects of glycyrrhiza spp. and its bioactive constituents: update and review. Phytother Res. 2015.

#### Ehrenzweig J | Volume 3, Issue 3 (2022) | JCMR-3(3)-070 | Clinical Study

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.

- 17. Urška J, Selestina G, Umile GS. Academic Editor, Bromelain and Nisin: The natural antimicrobials with high potential in biomedicine. Pharmaceutics. 2022;14(1):76.
- 18. Colletti A, Li S, Marengo M, Adinolfi S, Cravotto G. Recent advances and insights into bromelain processing, pharmacokinetics and therapeutic uses. Applied Sci. 2021;11(18):8428.
- 19. Frigg M, Schulze J, Völker L. Clinical study on the effect of biotin on skin conditions in dogs. Schweizer Archiv fur Tierheilkunde. 1989;131(10):621-5.
- 20. Leveque ND. High iron and low ascorbic acid concentrations in the dermis of atopic dermatitis patients. Dermatol. 2003;207(3):261-4.
- Shin J, Kim YJ, Kwon O, Kim NI, Cho Y. Associations among plasma vitamin C, epidermal ceramide and clinical severity of atopic dermatitis. Nutr Res Pract. 2016;10(4):398-403.
- 22. Sousa CA. Nutritional therapy in veterinary dermatology, Proceedings of the Proc AVMA Convention. Baltimore, MD, USA. 1998;713-5.
- 23. Codner E, Thatche C. Nutritional management of skin disease. Compendium. 1993;15:411-23.
- 24. Plevnik Kapun A, Salobir J, Levart A, Tavčar Kalcher G, Nemec Svete A, Kotnik T. Plasma and skin vitamin E concentrations in canine atopic dermatitis. Veterinary Quarterly. 2013;33(1):2-6.
- 25. Teo CW, Tay SH, Tey HL, Ung YW, Yap WN. Vitamin E in atopic dermatitis: from preclinical to clinical studies. Dermatol. 2021;237(4):553-64.
- 26. Ushijima H, Dairaku M, Honnma H, Mukoyama A, Kitamura T. Immunoglobulin components and anti-viral activities in bovine colostrum. Kansenshogaku zasshi. J Japanese Assoc Infectious Dis. 1990;64(3):274-9.
- 27. Playford RJ, MacDonald CE, Johnson WS. Colostrum and milk-derived growth factors for the treatment of gastrointestinal disorders. Am J Clin Nutr. 2000;72:5-14.
- Palmeira P, Carbonare SB, Silva ML, Trabulsi LR, Carneiro-Sampaio MM. Inhibition of Enteropathogenic Escherichia Coli (EPEC) adherence to HEp-2 cells by bovine colostrum and milk. Allergol Immunopathol (Madr). 2001;29:229-37.
- 29. Seifert J, Molkewehrum M, Oesser S, Nebermann L, Schulze C. Endotoxin inactivation by enterally applied colostrum of different composition. Eur Surg Res. 2002;34:68-72.
- 30. Warny M, Fatimi A, Bostwick EF, Laine DC, Lebel F, LaMont JT, et al. Bovine immunoglobulin concentrateclostridium difficile retains C difficile toxin neutralising activity after passage through the human stomach and small intestine. Gut. 1999;44(2):212-7.
- Panahi Y, Falahi G, Falahpour M, Moharamzad Y, Khorasgani MR, Beiraghdar F, et al. Bovine colostrum in the management of nonorganic failure to thrive: a randomized clinical trial. J Pediatric Gastroenterol Nutrition. 2010;50(5):551-4.
- Playford RJ, Macdonald CE, Calnan DP, Floyd DN, Podas T, Johnson W, et al. Co-administration of the health food supplement, bovine colostrum, reduces the acute non-steroidal anti-inflammatory drug-induced increase in intestinal permeability. Clin Sci. 2001;100:627-33.
- Buckley JD, Brinkworth GD, Abbott MJ. Effect of bovine colostrum on anaerobic exercise performance and plasma insulin-like growth factor I. J Sports Sci. 2003;21:577-88.
- 34. Kotsis Y, Mikellidi A, Aresti C, Persia E, Sotiropoulos A, Panagiotakos DB, et al. A low-dose, 6-week bovine colostrum supplementation maintains performance and attenuates inflammatory indices following a Loughborough Intermittent Shuttle Test in soccer players. Euro J Nutrition. 2018;57(3):1181-95.
- 35. Satyaraj E, Reynolds A, Pelker R, Labuda J, Zhang P, Sun P. Supplementation of diets with bovine colostrum influences immune function in dogs. Br J Nutr. 2013;110:2216-21.
- 36. <u>https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3651049/</u> [Last accessed on: December 02, 2022]
- 37. <u>https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4761089/</u> [Last accessed on: December 02, 2022]
- 38. https://www.jacionline.org/article/S0091-6749(10)01853-1/pdf [Last accessed on: December 02, 2022]
- 39. Ferguson BJ, Golla S. Allergies for the Otolaryngologist. Otolaryngologic Clinics of North America. 2011;44(3).

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.

- 30
- 40. Majeed M, Vaidyanathan P, Paschapur M, Majeed S. Role of probiotics for balanced skin microflora, Euro Cosmetics, 2015;9(1).
- 41. Falissard B, Simpson EL, Guttman-Yassky E, Papp KA, Barbarot S, Gadkari A, et al. Qualitative assessment of adult patients' perception of atopic dermatitis using natural language processing analysis in a cross-sectional study. Dermatol Ther. 2020;10(2):297-305.

**Citation:** Ehrenzweig J, et al. Innovative Nutraceutical Effectively Manages Canine Atopy. Jour Clin Med Res. 2022;3(3):1-30.