


SIM7600E-L1C

Multi-Band LTEFDD/HSPA+/UMTS/EDGE/GPRS/GSM module



The SIM7600E-L1C is Multi-Band LTEFDD/HSPA+/UMTS/EDGE/GPRS/GSM module solution in a SMT type which supports LTE CAT1 up to 10Mbps data transfer. It has strong extension capability with rich interfaces including UART,USB2.0, GPIO etc. The module provides much flexibility and ease of integration for customer's application. The package of SIM7600E-L1C is LCC. AT commands of SIM7600E-L1C are compatible with SIM7500/SIM7600 Series modules. This also minimize the investments of customers, and enables a short time-to-market. It is designed for applications that need high throughput data communication in a variety of radio propagation conditions. Due to the unique combination of performance, security and flexibility, this module is ideally suited for many applications.

Product

General Features

- Supply voltage range: 3.4V ~ 4.2V, Typ: 3.8V
- Control Via AT Commands
- Operation temperature: -40°C to +85°C
- Dimensions: 30.0*30.0*2.9mm
- Weight: 5.7g
- LTE-FDD: B1/B3/B7/B8/B20
- UMTS/HSPA/HSPA+: B1/B8
- GSM/GPRS/EDGE: B3/B8
- GNSS: GPS / GLONASS / BeiDou

Interfaces

- USB Driver for Microsoft Windows 2000/ XP / Vista / Win7 / Win8 / Win10
- USB Driver for Linux /Android
- RIL supporting for Android 4.4/5.0/6.0/7.0/8.0
- MBIM to Win8
- Firmware update via USB
- TCP/IP/IPV4/IPV6/Multi-PDP/FTP/FTPS /HTTP/HTTPS/DNS
- SSL3.0/TLS1.0/TLS1.2
- DTMF (Sending and Receiving) • USB Audio and VoLTE



Otto Wireless Solutions

58 Wakis Avenue, Strijdompark

Randburg, 2155

PO BOX 55536 Northlands 2116

Republic of South Africa

Tel: +27 11 791 1033 | Fax: +27 11 791 1187

wireless@otto.co.za | www.otto.co.za

Data

- LTE CAT1
 - Uplink up to 5Mbps
 - Downlink up to 10Mbps
- HSDPA/HSUPA
 - Uplink up to 2.2Mbps
 - Downlink up to 2.8Mbps
- HSPA+
 - Uplink up to 5.76Mbps
 - Downlink up to 42.0Mbps
- UMTS
 - Uplink/Downlink up to 384.0Kbps
- EDGE
 - Uplink/Downlink up to 236.8Kbps
- UMTS
 - Uplink/Downlink up to 85.6Kbps

Other features

- USB2.0 with High speed up to 480Mbps
- UART
- (U)SIM card (1.8V /3.0V)
- Digital Audio through PCM
- MMC/SD
- ADC
- I2C
- GPIO
- Antenna: Primary/GNSS

Approvals

CE