

united chair[®]

A GROUPE LACASSE BRAND



Canada – Price List

Effective April 2018

Canadian Federal Government
SA: Supply Arrangement
E60PQ-120001/009/PQ

WE ARE UNITED CHAIR®

United Chair makes your workspace a better place to be, simply.

Embrace the simplicity of a straightforward design approach. Based on your needs, United Chair products are innovative, comfortable and functional. We are proud of them and we want to share this pride with you.

Choose the simplicity of a high-quality service. Putting our customers' satisfaction at the forefront of our success, we strive to provide the best client experience in the office seating business. This is why we respect sustainability principles, to be always one step ahead of this ever-changing world.

So take a seat and enjoy the United Chair experience.

Groupe Lacasse is certified ISO 9001:2015 and ISO 14001:2015.



United Chair has achieved GREENGUARD GOLD Certification.

GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit ul.com/gg.



The majority of Groupe Lacasse products are certified LEVEL® 1, BIFMA's sustainability certification program for furniture. Please refer to the **Environment** section on www.grouperlacasse.com for the list of certified products.



The management system of Groupe Lacasse Inc. has been assessed and certified as meeting the requirements of the FSC Chain of Custody®. For more information about FSC Certification®, please visit www.fsc.org.





ROTARY OFFICE AND CONFERENCE CHAIR

SPECIFICATIONS

- All models ship assembled.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.
- All models meet ANSI/BIFMA 5.1 and CAN/CGSB 44.232 standards.
- Upholstery, foam and arm selections are Cal-117 compliant (California Technical Bulletin).
- Limited lifetime warranty.

ROTARY OFFICE CHAIR

SAMPLE ORDER: BR16-E3-CPT85-P-NB-HDW-UDA

BR16



Weight: 49 lbs – 22,23 kg
Volume: 17.5 ft³ – 0,5 m³

Standard features

2:1 Synchronous control
2-position back lock
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front
Standard backrest height
Fixed lumbar support
Height adjustable arms
Medium fixed seat depth
Seat and backrest lock in multiple positions
Concurrent tilt mechanism

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
UDA: Height adjustable arms with 9" armrests

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
BR16	E3 Black	Grade 2 960	P Std	NB Std	HDW Std SDW (1)	UDA Std	

ROTARY OFFICE AND CONFERENCE CHAIR

SAMPLE ORDER: BR11-E3-CPT85-P-NB-HDW-UDA

BR11



Weight: 47 lbs – 21,32 kg
Volume: 17.5 ft³ – 0,5 m³

Standard features

2:1 Synchronous control
Rugged outer polymer shell
Waterfall seat front
Standard backrest height
Fixed lumbar support
Height adjustable arms
Medium fixed seat depth
Seat and backrest lock in multiple positions
Concurrent tilt mechanism

P: Pneumatic seat height
NB: Nylon base
HDW: Hard dual-wheel casters
UDA: Height adjustable arms with 9" armrests

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
BR11	E3 Black	Grade 2 910	P Std	NB Std	HDW Std SDW (1)	UDA Std	

(1) **SDW:** Soft dual-wheel casters (non-marking), black.



SIDE CHAIR

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- BR32C guest chair comes with 2" (51 mm) hard plastic black dual-wheel casters.
- All models meet ANSI/BIFMA 5.1 and CAN/CGSB 44.232 standards.
- Upholstery, foam and arm selections are Cal-117 compliant (California Technical Bulletin).
- Limited lifetime warranty.

SIDE CHAIRS

SAMPLE ORDER: BR32-E3-CPT85-BB05-SP

BR32



Weight: 60 lbs – 27,22 kg
Volume: 17.5 ft³ – 0,5 m³

Standard features

Ships 2 per carton **DP: Double pack**
Integrated lumbar support
Stackable up to 6 high on dolly
Rugged outer polymer shell
Waterfall seat front
Injection-molded fixed arms
1", 14-gauge steel tubing
Four legs

Model	Frame	Upholstery / List (\$)	Other options (\$)
BR32	E3 Black E8 Metallic Silver	Grade 2 485 x 2 = 970	DP Std SP ⁽¹⁾ 50 /chair

BR31



Weight: 56 lbs – 25,40 kg
Volume: 17.5 ft³ – 0,5 m³

Standard features

Ships 2 per carton **DP: Double pack**
Integrated lumbar support
Stackable up to 6 high on dolly
Rugged outer polymer shell
Waterfall seat front
1", 14-gauge steel tubing
Four legs

Model	Frame	Upholstery / List (\$)	Other options (\$)
BR31	E3 Black E8 Metallic Silver	Grade 2 440 x 2 = 880	DP Std SP ⁽¹⁾ 50 /chair

BR32C



Weight: 33 lbs – 14,97 kg
Volume: 17.5 ft³ – 0,5 m³

Standard features

Ships in a single pack **HDW: Hard dual-wheel casters**
Integrated lumbar support
Rugged outer polymer shell
Waterfall seat front
Injection-molded fixed arms
1", 14-gauge steel tubing
Four legs
Non-stacking

Model	Frame	Upholstery / List (\$)	Casters (\$)	Other options (\$)
BR32C	E3 Black E8 Metallic Silver	Grade 2 520	HDW Std SDW ⁽²⁾ 15	

(1) **SP:** Single pack.

(2) **SDW:** Soft dual-wheel casters (non-marking), black.



ROTARY OFFICE CHAIR

SPECIFICATIONS

- All models ship assembled.⁽¹⁾
- Soft mesh backrest with fabric upholstery is available. First code indicates the color choice of the soft mesh material for the backrest and optional headrest, the second code is for the upholstered seat.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.
- All models meet ANSI/BIFMA 5.1 and CAN/CGSB 44.232 standards.
- Upholstery, foam and arm selections are Cal-117 compliant (California Technical Bulletin).
- Limited lifetime warranty.
- Made in Canada.

ROTARY OFFICE CHAIR

SAMPLE ORDER: M11-E3-MME-XM36-SYN-P-AB-HDW-HR

M11



Weight: 50 lbs – 22,68 kg
Volume: 18 ft³ – 0,51 m³

Standard features

Side tilt tension adjustment
High backrest
Adjustable lumbar support
Height and width adjustable arms
Adjustable seat depth
Seat and backrest lock in multiple positions
Concurrent tilt mechanism
Soft mesh backrest
Upholstered seat

SYN: 4:1 synchronous control
P: Pneumatic seat height
AB: Nylon angel base
HDW: Hard dual-wheel casters
HW8: Height and width adjustable arms

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
M11	E3 Black	MMB Balance	Grade 2 915	SYN Std	P Std	AB Std	HDW Std	HW8 Std	HR ⁽¹⁾ 100
		MMC Exact					SDW ⁽²⁾ 15	M3D ⁽³⁾ 25	
		MME Elegance							
		MMP Perfection							
		MMS Passion							

- (1) **HR:** Headrest, requires minimal assembly.
 (2) **SDW:** Soft dual-wheel casters (non-marking), black.
 (3) **M3D:** Height and width adjustable arms with pivoting armrests.



ROTARY OFFICE AND CONFERENCE CHAIR

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.
- All models meet ANSI/BIFMA 5.1 and CAN/CGSB 44.232 standards.
- Upholstery, foam and arm selections are Cal-117 compliant (California Technical Bulletin).
- Limited lifetime warranty.
- Made in Canada.

ROTARY OFFICE CHAIR

SAMPLE ORDER: ON16-E3-CPT85-CPT85-FTL-P-NB-HDW-RPA

ON16



Weight: 53 lbs – 24,04 kg
Volume: 17.5 ft³ – 0,5 m³

Standard features

Waterfall seat	FTL: Synchronous control with forward tilt, 4-position back lock
Back height adjustment	
Pneumatic seat height	
High backrest	NB: Nylon base
Fixed lumbar support	HDW: Hard dual-wheel casters
Height/width/swivel adjustable "T" arms	RPA: Height and width adjustable arms with pivoting armrests
Medium fixed seat depth	
Seat and backrest lock in multiple positions	
Concurrent tilt mechanism	

Model	Frame	Upholstery / List (\$)		Control (\$)		Base (\$)		Casters (\$)		Arms (\$)	
ON16	E3 Black	Grade 2	890	FTL	Std	NB	Std	HDW	Std	RPA	Std
								SDW (1)	15		

ROTARY OFFICE AND CONFERENCE CHAIR

SAMPLE ORDER: ON11-E3-XM36-XM36-FTL-P-NB-HDW-RPA

ON11



Weight: 52 lbs – 23,59 kg
Volume: 17.5 ft³ – 0,5 m³

Standard features

Waterfall seat	FTL: Synchronous control with forward tilt, 4-position back lock
Back height adjustment	
Pneumatic seat height	
Standard backrest height	NB: Nylon base
Fixed lumbar support	HDW: Hard dual-wheel casters
Height/width/swivel adjustable "T" arms	RPA: Height and width adjustable arms with pivoting armrests
Medium fixed seat depth	
Seat and backrest lock in multiple positions	
Concurrent tilt mechanism	

Model	Frame	Upholstery / List (\$)		Control (\$)		Base (\$)		Casters (\$)		Arms (\$)	
ON11	E3 Black	Grade 2	840	FTL	Std	NB	Std	HDW	Std	RPA	Std
								SDW (1)	15		

(1) **SDW:** Soft dual-wheel casters (non-marking), black.



ROTARY CONFERENCE CHAIR

SPECIFICATIONS

- All models ship partially knock-down.
- Fabric/fabric dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.
- All models meet ANSI/BIFMA 5.1 and CAN/CGSB 44.232 standards.
- Upholstery, foam and arm selections are Cal-117 compliant (California Technical Bulletin).
- Limited lifetime warranty.
- Made in Canada.

ROTARY CONFERENCE CHAIR

SAMPLE ORDER: RD11-E3-QA13-QA13-P-NB-HDW-HWA5

RD11



Weight: 47.5 lbs – 21,55 kg
Volume: 17.5 ft³ – 0,5 m³

Standard features

Tilt tension	STB: Swivel-tilt control with back angle adjustment
Black rugged outer polymer shell	
Integrated lumbar support	P: Pneumatic seat height
Waterfall seat front	NB: Nylon base
Back height adjustment	HDW: Hard dual-wheel casters
Tilt lock	HWA5: Height and width adjustable arms
High backrest	
Fixed lumbar support	
Height and width adjustable arms	
Medium fixed seat depth	
Seat and backrest lock in multiple positions	
Concurrent tilt mechanism	

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
RD11	E3 Black	Grade 2 730	STB Std	P Std	NB Std	HDW Std SDW (1) 15	HWA5 Std	

(1) SDW: Soft dual-wheel casters (non-marking), black.



ROTARY OFFICE AND CONFERENCE CHAIR

SPECIFICATIONS

- All models ship assembled.
- Soft mesh backrest with fabric upholstery is available. First code indicates the color choice of the soft mesh material for the backrest, the second code is for upholstered seat.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.
- All models meet ANSI/BIFMA 5.1 and CAN/CGSB 44.232 standards.
- Upholstery, foam and arm selections are Cal-117 compliant (California Technical Bulletin).
- Limited lifetime warranty.
- Made in Canada.

ROTARY OFFICE AND CONFERENCE CHAIR

SAMPLE ORDER: RA13-E3-MRD-CPT85-SYN-P-AB-HDW-FA

RA13



Weight: 45 lbs – 20,45 kg
Volume: 16.95 ft³ – 0,48 m³

Standard features

Adjustable lumbar support
Side tilt tension adjustment
5-position tilt lock
Seat depth adjustment
Back height adjustment

SYN: Synchronous tilt control
P: Pneumatic seat height cylinder
AB: Nylon angel base
HDW: Hard dual-wheel casters
FA: One piece fixed arms

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)
RA13	E3 Black	MRD Dusk MRF Fog MRS Sand	Grade 2 740	SYN Std	P Std	AB Std	HDW Std SDW (1) 15	FA Std

(1) SDW: Soft dual-wheel casters (non-marking), black.



ROTARY OFFICE AND CONFERENCE CHAIR

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.
- All models meet ANSI/BIFMA 5.1 and CAN/CGSB 44.232 standards.
- Upholstery, foam and arm selections are Cal-117 compliant (California Technical Bulletin).
- Limited lifetime warranty.
- Made in Canada.

ROTARY OFFICE CHAIR

SAMPLE ORDER: SVX16-E3-XM36-XM36-P-NB-HDW-HWA3

SVX16



Weight: 60 lbs – 27,22 kg
Volume: 20.1 ft³ – 0,57 m³

Standard features

Tilt tension	P: Pneumatic seat height
Fully upholstered back panel	NB: Nylon base
Forward seat pitch adjustment	HDW: Hard dual-wheel casters
High backrest	HWA3: Height and width adjustable arms
Adjustable lumbar support	
Height and width adjustable arms	
Medium fixed seat depth	
Seat and backrest lock in multiple positions	
Independent tilt mechanism	

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
SVX16	E3 Black	Grade 2 925	P Std	NB Std	HDW Std SDW ⁽¹⁾ 15	HWA3 Std RPA ⁽²⁾ 30	SSP ⁽³⁾ 90

ROTARY OFFICE AND CONFERENCE CHAIR

SAMPLE ORDER: SVX11-E3-CPT85-CPT85-P-NB-HDW-HWA3

SVX11



Weight: 60 lbs – 27,22 kg
Volume: 20.1 ft³ – 0,57 m³

Standard features

Tilt tension	P: Pneumatic seat height
Fully upholstered back panel	NB: Nylon base
Forward seat pitch adjustment	HDW: Hard dual-wheel casters
Standard backrest height	HWA3: Height and width adjustable arms
Adjustable lumbar support	
Height and width adjustable arms	
Medium fixed seat depth or	
Seat and backrest lock in multiple positions	
Independent tilt mechanism	

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
SVX11	E3 Black	Grade 2 860	P Std	NB Std	HDW Std SDW ⁽¹⁾ 15	HWA3 Std RPA ⁽²⁾ 30	SSP ⁽³⁾ 90

- (1) **SDW:** Soft dual-wheel casters (non-marking), black.
 (2) **RPA:** Height and width arms with pivoting armrests.
 (3) **SSP:** Sliding seat pan.



SIDE CHAIR

SPECIFICATIONS

- All models come standard with wall-saver legs and ship assembled.
- Soft mesh backrest with fabric upholstery is available. First code indicates the color choice of the soft mesh material for the backrest, the second code is for the upholstered seat.
- FT32C guest chair comes with 2" (51 mm) hard plastic black dual-wheel casters.
- All models meet ANSI/BIFMA 5.1 and CAN/CGSB 44.232 standards.
- Upholstery, foam and arm selections are Cal-117 compliant (California Technical Bulletin).
- Limited lifetime warranty.
- Made in Canada.

SIDE CHAIRS

SAMPLE ORDER: FT32-E1-MMB-CPT85-DP

FT32



Weight: 37 lbs – 16,82 kg
Volume: 12.67 ft³ – 0,36 m³

Standard features

Ships 2 per carton **DP: Double pack**
Soft mesh back
Stacks 4 high
Black injection-molded fixed arms
7/8", 14-16-gauge, round steel tubing
Nylon floor glides

Model	Frame	Mesh	Upholstery (\$)	Other options (\$)
FT32	E3 Black	MMB Balance	Grade 2 465 x 2 = 930	DP Std
	E1 Polished Chrome 65 x 2 = 130	MMC Exact		SP ⁽¹⁾ 50/chair
		MME Elegance		
		MMP Perfection		
		MMS Passion		

FT31



Weight: 35 lbs – 15,91 kg
Volume: 12.67 ft³ – 0,36 m³

Standard features

Ships 2 per carton **DP: Double pack**
Soft mesh back
Stacks 4 high
7/8", 14-16-gauge, round steel tubing
Nylon floor glides

Model	Frame	Mesh	Upholstery (\$)	Other options (\$)
FT31	E3 Black	MMB Balance	Grade 2 420 x 2 = 840	DP Std
	E1 Polished Chrome 65 x 2 = 130	MMC Exact		SP ⁽¹⁾ 50/chair
		MME Elegance		
		MMP Perfection		
		MMS Passion		

FT32C



Weight: 37 lbs – 16,82 kg
Volume: 12.67 ft³ – 0,36 m³

Standard features

Ships 2 per carton **HDW: Hard dual wheel casters**
Soft mesh back **DP: Double pack**
Stacks 4 high
Black injection-molded fixed arms
7/8", 14-16-gauge, round steel tubing
Black casters

Model	Frame	Mesh	Upholstery (\$)	Casters (\$)	Other options (\$)
FT32C	E3 Black	MMB Balance	Grade 2 510 x 2 = 1,020	HDW Std	DP Std
	E1 Polished Chrome 65 x 2 = 130	MMC Exact		SDW ⁽²⁾ 15 x 2 = 30	SP ⁽¹⁾ 50/chair
		MME Elegance			
		MMP Perfection			
		MMS Passion			

(1) **SP:** Single pack.

(2) **SDW:** Soft dual-wheel casters (non-marking), black.



ROTARY OFFICE AND CONFERENCE CHAIR

SPECIFICATIONS

- All models ship assembled.
- Soft mesh backrest with fabric upholstery is available. First code indicates the color choice of the soft mesh material for the backrest, the second code is for upholstered seat.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.
- All models meet ANSI/BIFMA 5.1 and CAN/CGSB 44.232 standards.
- Upholstery, foam and arm selections are Cal-117 compliant (California Technical Bulletin).
- Limited lifetime warranty.
- Made in Canada.

ROTARY OFFICE AND CONFERENCE CHAIR

SAMPLE ORDER: UP13-E3-MUC-CPT89-SYN-P-AB-HDW-FA

UP13



Weight: 45 lbs – 20,45 kg
Volume: 16.95 ft³ – 0,48 m³

Standard features

Adjustable lumbar support
Black rugged outer polymer shell
Tilt tension adjustment
Tilt lock
Seat depth adjustment
Pneumatic seat height

SYN: Synchronous control
AB: Nylon angel base
HDW: Hard dual-wheel casters
FA: One piece fixed arms

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)
UP13	E3 Black	MUC Cloud	Grade 2 610	SYN Std	P Std	AB Std	HDW Std SDW ⁽¹⁾ 15	FA Std
		MUF Flame						
		MUO Ocean						
		MUR Raven						
		MUS Smoke						

(1) SDW: Soft dual-wheel casters (non-marking), black.



united chair[®]

A GROUPE LACASSE BRAND

Canadian Federal Government
SA: Supply Arrangement
E60PQ-120001/009/PQ

GROUPE
LACASSE

1 888 522.2773 www.groupelacasse.com