Rev. 12-Nov-19

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Section 1. CHEMICAL PRODUCT and COMPANY IDENTIFICATION

1.1 Identification:

STATICIDE® Anti-Static Floor Stripper Product Name:

Product Number: # 4010-1, #4010-2, #4010-5

Product description: Used to remove water-based floor finishes

Liquid mixture *Product type:*

Application: Industrial applications, professional applications

1.3 Manufacturer: ACL, Inc.

840 W. 49th Place Chicago, IL 60609

(01) 847.981.9212 [U.S.A.] Telephone: FAX: (01) 847.981.9278 [U.S.A.] Email of responsible party for SDS: marykay@aclstaticide.com

1.4 Emergency telephone:

US/Canada Emergency TEL: INFOTRAC: (01) 800.535.5053 (day or night) International Emergency TEL: INFOTRAC: 352.323.3500 (day or night)

Section 2. **HAZARDOUS IDENTIFICATION**

2.1 Classification of the substance or mixture

Product definition: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] & (US) OSHA HCS 2012

PHYSICAL/CHEMICAL HAZARDS:

Not Classified

HUMAN HEALTH HAZARDS:

Skin corrosion/irritation Category 1

ENVIRONMENTAL HAZARDS:

Not Classified

Ingredients of unknown toxicity: Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 0% See Section 11 for more detailed information on health effects and symptoms

2.2 Label elements

Hazard Pictograms:



Signal Word: Danger

Hazard Statement:

Causes severe skin burns and eye damage

Precautionary Statements Prevention:

Do not breathe dusts or mists

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements Response:

Do not breathe dust/fume/gas/mist/vapors/spray

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements – Storage: Store locked up

Precautionary Statements - Disposal: Dispose of contents/container to an approved waste disposal plant

2.3 Other Hazard: Not determined

| Section 3. | COMPOSITION / INFORMATION ON INGREDIENTS | | | |
|-----------------------------|--|----------|--|--|
| 3.1 Substances | | | | |
| CHEMICAL | CAS | Weight % | GHS Classification | |
| Monoethanolamine | 141-43-5 | < 3 | Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Corr. 1B (H314) | |
| Ethylene Glycol Butyl Ether | 111-76-2 | < 5 | Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) | |
| Sodium Metasilicate | 6834-92-0 | < 5 | Skin Corr. 1B (H314) STOT SE 3 (H335) | |
| Alcohols, C9-11 ethoxylated | 68439-46-3 | < 5 | Not classified | |
| Deionized water | 7732-18-5 | balance | Not classified | |

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Section 4. FIRST AID MEASURES

4.1.1 General Information

General Advice: If exposed or concerned: Get medical advice/attention

- **4.1.2 Inhalation** Remove to fresh air. Call a physician or poison control center immediately.
- 4.1.3 Skin: Wash off immediately with plenty of water. If skin irritation persists, call a physician.
- **4.1.4 Eyes** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediately call a poison center or doctor/physician.

4.1.5 Ingestion:: DO NOT INDUCE VOMITING. Drink promptly a large quantity of milk, egg whites, gelatin solution; or if they are not available, drink large quantities of water. Immediately call a poison center or doctor/physician.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. Wear gloves

4.2 Most important symptoms and effects, both acute and delayed:

<u>Potential acute health effects</u> Eye contact: Causes eye damage Inhalation: No specific data

Skin contact: Causes severe skin burns

Ingestion: May cause severe burns to mouth, throat or stomach.

Over-exposure signs/symptoms
Eye contact: No specific data
Inhalation: No specific data
Skin contact: No specific data
Ingestion: No specific data

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Section 5.

FIRE FIGHTING MEASURES

Protective equipment and precautions for firefighters:

5.1 Extinguishing media

Suitable extinguishing media: Water spray (fog). Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable extinguishing media: Not determined

5.2 Special hazards arising from the substance or mixture: Material is corrosive.

Hazardous Combustion Products: Under fire conditions, toxic and irritating fumes may be emitted. Carbon oxides.

5.3 Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

5.4 Further information: No data

Section 6.

ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Use personal protective equipment as required.

For emergency responders: Use personal protection recommended in Section 8.

- **6.2 Environmental precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS
- 6.3 Methods and material or containment and cleaning up
- 6.3.1 For containment: Prevent further leakage or spillage if safe to do so

6.3.2 For cleaning up: Mop up or otherwise absorb with an inert material and place in an appropriate waste disposal container for disposal. Clean up in accordance with all applicable regulations

6.3.3 Other information: None

6.4 Reference to other sections: For disposal see section 13.

Section 7.

HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Do not breathe vapors or spray mist. Wash face, hands, and any exposed skin thoroughly after handling. Wash contaminated clothing before reuse.

Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep locked up and out of reach of children.

Storage Conditions: Ambient $(40^{\circ} - 90^{\circ} \text{ F} / 4^{\circ}\text{C} - 32^{\circ}\text{C})$

Incompatible Materials: None known based on information supplied.

7.3 Specific end use(s) Apart from the uses mentioned in section 1.2

Designed for removing static dissipative floor finish usually found in static controlled areas in electronics manufacturing or data centers.

Section 8.

EXPOSURE CONTROL / PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limits

| Chemical Name | OSHA | ACGIH (TLV) | NIOSH | California |
|---------------------------|--------------------------|---------------------------|----------------------|----------------------|
| Monoethanolamine | TWA: 3 ppm 6 mg/m3 | TWA: 3 ppm | TWA: 3.000000 ppm | PEL: 3 ppm 8 mg/m3 |
| 141-43-5 | | TWA: 3.000000 ppm | 8.000000 mg/m3 | STEL: 6 ppm 15 mg/m3 |
| | Table Z-1 Limits for Air | STEL: 6 ppm | | |
| | Contaminants | Eye irritation | | |
| | | Skin irritation | | |
| Ethylene Glycol Monobutyl | TWA: 50.000000 ppm | TWA: 20.000000 ppm | TWA: 5.000000 ppm | PEL: 20 ppm |
| Ether | 240.000000 mg/m3 | Upper Respiratory Tract | 24.000000 mg/m3 | 97 mg/m3 |
| 111-76-2 | - | irritation Eye irritation | Potential for dermal | |
| | | · | absorption | Skin |

| Chemical Name | European Union | United Kingdom | France | Spain | Germany |
|------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|---------------------------|
| Monoethanolamine | TWA: 1 ppm | STEL: 3 ppm | TWA: 1 ppm | S* | TWA: 2 ppm |
| 141-43-5 | TWA: 2.5 mg/m ³ | STEL: 7.6 mg/m ³ | TWA: 2.5 mg/m ³ | STEL: 3 ppm | TWA: 5.1 mg/m^3 |
| | Skin | TWA: 1 ppm | STEL: 3 ppm | STEL: 7.5 mg/m ³ | Ceiling / Peak: 4 |
| | | TWA: 2.5 mg/m ³ | STEL: 7.6 mg/m ³ | TWA: 1 ppm | ppm |
| | | Skin | | TWA: 2.5 mg/m ³ | Ceiling / Peak: 10.2 |
| | | | | | mg/m^3 |
| | | | | | |
| | | | | | |
| Ethylene Glycol | S* | STEL: 50 ppm | TWA: 10 ppm | S* | TWA: 10 ppm |
| Monobutyl Ether | TWA 20 ppm | STEL: 246 mg/m ³ | TWA: 49 mg/m ³ | STEL: 50 ppm | TWA: 49 mg/m ³ |
| 111-76-2 | TWA 98 mg/m ³ | TWA: 25 ppm | STEL: 50 ppm | STEL: 245 mg/m ³ | Ceiling / Peak: 20 |
| | STEL 50 ppm | TWA: 123 mg/m ³ | STEL: 246 mg/m ³ | TWA: 20 ppm | ppm |
| | STEL 246 mg/m ³ | Skin | | TWA: 98 mg/m ³ | Ceiling / Peak: 98 |
| | | | | | mg/m^3 |
| | | | | | Skin |
| | | | | | |
| | | | | | |

| Chemical Name | Austria | Switzerland | Poland | Norway | Ireland |
|---------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|-----------------------------|
| Monoethanolamine | Skin | STEL: 4 ppm | STEL: 7.5 mg/m ³ | TWA: 1 ppm | TWA: 1 ppm |
| 141-43-5 | STEL 3 ppm | STEL: 10 mg/m ³ | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ |
| | STEL 7.6 mg/m ³ | TWA: 2 ppm | | Skin | STEL: 3 ppm |
| | TWA: 1 ppm | TWA: 5 mg/m ³ | | STEL: 3 ppm | STEL: 7.6 mg/m ³ |
| | TWA: 2.5 mg/m ³ | | | STEL: 5 mg/m ³ | Skin |
| Ethylene Glycol Monobutyl | Skin | Skin | STEL: 200 mg/m ³ | TWA: 10 ppm | TWA: 20 ppm |
| Ether | STEL 40 ppm | STEL: 20 ppm | TWA: 98 mg/m ³ | TWA: 50 mg/m^3 | TWA: 98 mg/m ³ |
| 111-76-2 | STEL 200 mg/m ³ | STEL: 98 mg/m ³ | | Skin | STEL: 50 ppm |
| | TWA: 20 ppm | TWA: 10 ppm | | STEL: 20 ppm | STEL: 246 mg/m ³ |
| | TWA: 98 mg/m ³ | TWA: 49 mg/m ³ | | STEL: 75 mg/m ³ | Skin |

Recommended monitoring procedures: Not established

DNELs/DMELs: No DNELs/DMELs available.

PNECs: No PNECs available

8.2 Exposure controls:

- **8.2.1** Appropriate engineering controls Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. Showers. Eyewash stations.
- **8.2.2** *Personal protective equipment* Wear lab coat.
- **8.2.2.1 Eye and face protection** Ensure that eyewash stations are proximal to the work-station location. Splash Goggles are recommended.
- 8.2.2.2 Skin protection Gloves Recommended
- **8.2.2.3 Respiratory protection** Under normal conditions, respirator is not normally required.
- 8.2.2.4 Thermal hazards: No data

Control of environmental exposure: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

In case of large spill: Splash goggles, full suit, vapor respirator, boots, gloves and a self-contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| Appearance | Clear red liquid |
|------------|------------------|
| Odor | Slight solvent |

| рН | 10.9 – 11.9 |
|--|------------------------|
| Melting point/freezing point | Not determined |
| Initial boiling point and boiling range | 100°C / 212°F |
| Flash point and method | Non flammable |
| Evaporation rate (H2O=1) | 1 |
| Flammability (solid, gas, liquid) | Not flammable / stable |
| Upper/lower flammability or explosive limits | Not established |
| Vapor pressure | Equal to water |
| Vapor density (air=1) | Equal to water |
| Relative Density | 1.050 |
| Water solubility. | Complete |
| Partition coefficient: n-octanol/water | Not established |
| Autoignition temperature | Not established |
| Decomposition temperature | Not established |
| Kinematic Viscosity | Not established |
| Dynamic viscosity | Not established |
| Explosive properties | Not established |

9.2 Other safety information

| VOC | <6% by weight; 100 g/l (concentrate); 20g/l (diluted) |
|------------------|---|
| Specific Gravity | 1.050 |

Section 10. STABILITY AND REACTIVITY

- **10.1 Reactivity** Stable under recommended storage conditions.
- **10.2** Chemical stability Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions Hazardous Polymerization will not occur in normal conditions.
- 10.4 Conditions to avoid: None
- 10.5 Incompatible materials Strong acids and oxidizers
- 10.6 Hazardous decomposition products: Burning produces irritating and toxic fumes. Oxides of carbon.

In the event of fire: see section 5

Section 11.

TOXICOLOGY INFORMATION

11.1 Information on toxicological effects Acute toxicity

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|--|---|--|
| Ethylene Glycol Monobutyl Ether 111-76-2 | = 470 mg/kg (Rat) | = 99 mg/kg (Rabbit) | = 486 ppm (Rat)4 h = 450 ppm (Rat)4 h |
| Sodium metasilicate 6834-92-0 | = 1153 mg/kg (Rat) | - | - |
| Monoethanolamine 141-43-5 | = 1720 mg/kg (Rat) | = 1 mL/kg(Rabbit) = 1000 mg/kg(Rabbit) | - |
| Alcohols, C9-11 ethoxylated 68439-46-3 | = 1378 mg/kg(Rat) = 1400 mg/kg(Rat) | > 2 g/kg(Rabbit) | - |
| Tetrasodium EDTA 64-02-8 | = 1658 mg/kg(Rat) = 10 g/kg(Rat) | - | - |

Conclusion/Summary:

Numerical measures of toxicity: The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50: 7,869.52 mg/kg

Dermal LD50: 14,944.80 mg/kg mg/L ATEmix (inhalation-dust/mist) 22.10 mg/L

Irritation/Corrosion

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|--------|---------|----------|
|-------------------------|--------|---------|----------|

| Monoethanolamine | Skin: Causes burns | Rabbit | |
|-----------------------------|--------------------|--------|----------|
| | Eyes: Corrosion | Rabbit | |
| Sodium Metasilicate | skin corrosive | Rabbit | 4 hours |
| Ethylene Glycol Butyl Ether | Eye irritation | Rabbit | 24 hours |
| | skin irritation | Rabbit | 20 hours |
| Tetrasodium Salt of EDTA | No Data | | |

Conclusion/Summary: Not available

Sensitization

| Product/ingredient name | Result | Species | Exposure |
|-----------------------------|-----------------------------------|--------------------------|-------------------------|
| Monoethanolamine | No data | | |
| Sodium Metasilicate | Does not cause skin sensitization | in vivo assay - mouse | OECD Test Guideline 429 |
| Ethylene Glycol Butyl Ether | Does not cause skin sensitization | Guinea Pig | Bueler |
| Tetrasodium Salt of EDTA | No data | | |

Conclusion/Summary: Not available

Mutagenicity

| Product/ingredient name | Result | Species | Test |
|-----------------------------|----------|------------------------|-------------------------|
| Monoethanolamine | Negative | S. typhimurium | Ames |
| | Negative | Mouse: Male and Female | OECD Test Guideline 474 |
| Sodium Metasilicate | Negative | S. typhimurium | Ames test |
| Ethylene Glycol Butyl Ether | No data | | |
| Tetrasodium Salt of EDTA | No data | | |

Conclusion/Summary: Not available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: Ethylene Glycol Monobutyl Ether (CAS 111-76-2) A3 Animal Carcinogen

Reproductive toxicity: Ethylene Glycol Butyl Ether has shown teratogenic effects in laboratory animals. **Specific target organ toxicity - single exposure:** Sodium Metasilicate- inhalation, may cause respiratory irritation.

Specific target organ toxicity - repeated exposure: Not classified

Aspiration hazard: Not classified **Chronic effects:** Not determined

11.2 Primary route(s) of exposure/entry:

Eye Contact: Causes serious eye damage. Skin Contact: Causes severe eye damage. Inhalation: Avoid breathing vapors or mists.

Ingestion: Do not ingest.

11.3 Symptoms related to the physical, chemical and toxicological characteristics

Not determined

Section 12. ECOLOGICAL INFORMATION

12.1 Toxicity: This product is not expected to be toxic to aquatic life.

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to s | Crustacea |
|--|---|--|---------------|---|
| Monoethanolamine 141-43-5 | 15: 72 h Desmodesmus subspicatus mg/L EC50 | 227: 96 h Pimephales promelas mg/L LC50 flow-through 200: 96 h Oncorhynchus mykiss mg/L LC50 flow- through 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static 3684: 96 h Brachydanio rerio mg/L LC50 static | No data | 65: 48 h Daphnia magna mg/L EC50 |
| Sodium Metasilicate 6834-92-0 | No data | 210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50 | | 216: 96 h Daphnia magna mg/L EC50 |
| Ethylene Glycol Butyl Ether 111-76-2 | No data | 1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50 | No data | 1000: 48 h Daphnia magna mg/L EC50 1698 - 1940: 24 h Daphnia magna mg/L EC50 |
| Tetrasodium Salt of EDTA 64-02-8 | 1.01: 72 h Desmodesmus subspicatus mg/L EC50 | 41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static | No data | 610: 24 h Daphnia magna mg/L EC50 |

12.2 Persistence/Degradability

Not determined

12.3 Bioaccumulation

Not determined

12.4 Mobility

| Chaminal manna | Doublition coefficient |
|---------------------------------|------------------------|
| Chemical name | Partition coefficient |
| Ethylene Glycol Monobutyl Ether | 0.81 |
| 111-76-2 | |
| Monoethanolamine | -1.91 |
| 141-43-5 | |

12.5 Results of PBT and vPvB assessment

PBT: Not available. **vPvB:** Not available.

12.6 Other adverse effects: No known significant effects or critical hazards. The ecological effects of this product have not been determined. The solvents in this product are not classified as toxic to aquatic organisms.

Section 13. DISPOSAL CONSIDERATIONS

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

12.1.1 Product / Packing Disposal

Methods of disposal: Disposal should be in accordance with applicable regional, national and local laws and regulations.

Hazardous waste: The classification of the product does not meet the criteria for a hazardous waste. RCRA 40 CFR 261 Classifications: As packaged and after use, it does not meet the criteria of a hazardous waste as defied under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it has neither the characteristics of Subpart C nor is listed in Subpart D.

Contaminated Packaging

Methods of disposal: Dispose of as unused product. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. Disposal should be in accordance with applicable regional, national and local laws and regulations

- 13.1.2 Waste treatment-relevant information: No information.
- 13.1.3 Sewage disposal-relevant information: Avoid release to the environment
- **13.1.4 Other disposal recommendations:** Federal, State, and Local laws governing disposal of material can differ. Ensure proper disposal compliance with proper authorities before disposal.

Section 14. TRANSPORTATION INFORMATION

| | Proper Shipping Name | Hazard Class | UN number | Packing Group |
|---------------|---|-----------------|-----------|------------------|
| US DOT ground | Corrosive liquids, n.o.s. (Monoethanolamine, Sodium Metasilicate) | 8 | 1760 | III |
| US DOT air | Corrosive liquids, n.o.s. (Monoethanolamine, Sodium Metasilicate) | 8 | 1760 | III |
| IATA | Corrosive liquids, n.o.s. (Monoethanolamine, Sodium Metasilicate) | 8 | 1760 | III |
| IMDG | Corrosive liquids, n.o.s. (Monoethanolamine, Sodium Metasilicate) | 8 | 1760 | III |

Section 15. REGULATORY INFORMATION

US Federal Regulations: SDS complies with the OSHA Hazard Communication Rule, 29 CFR 1910.1200.

CERCLA/Superfund, 40 CFR 117. 302: ---None of the chemicals are Section 302 hazards ---

| Chemical Name | CAS | SARA 311/312 | SARA 313 | TSCA | STATE |
|-----------------------------|------------|---|----------|---------|------------|
| Monoethanolamine | 1141-43-5 | Fire Hazard, Acute Health Hazard, Chronic Health Hazard | No | Present | MA, PA, NJ |
| Ethylene Glycol Butyl Ether | 111-76-2 | Fire Hazard Acute Health Hazard Chronic Health Hazard | Yes < 5% | Present | MA, PA, NJ |
| Sodium metasilicate | 6834-92-0 | | | Present | |
| Alcohols, C9-11 ethoxylated | 68439-46-3 | | | Present | |

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

CWA (Clean Water Act) --- None of the chemicals are listed ---

Toxic Substance Control Act (TSCA): All substances are TSCA listed.

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

Europe REACH: To the best of our ability, this SDS is written in accordance to REACH Directive EC1907/2006 Annex II and GHS requirements. This product is not subject to REACH restrictions under Annex XVII. This product does not contain a substance identified as a SvHC candidate.

| Chemical Name | SL | NDSL | EINECS | ELINCS | ENCS | IECSC | KECL | PICCS | AICS |
|---------------------|----|------|---------|--------|---------|-------|---------|-------|------|
| Monoethanolamine | Х | | Present | | Present | X | Present | X | X |
| Sodium Metasilicate | X | | Present | | Present | Х | Present | Х | Х |

| Ethylene Glycol Butyl Ether | Х | Present | Present | Х | Present | Х | Х |
|--------------------------------|---|---------|---------|---|---------|---|---|
| Alcohols, C9 – 11 ethoxylated | Х | Present | Present | Х | Present | Х | Х |

Occupational Illnesses (R-463-3, France)

| Chemical Name | French RG number |
|---------------------------------|------------------|
| Monoethanolamine | RG 49,RG 49bis |
| 141-43-5 | |
| Ethylene Glycol Monobutyl Ether | RG 84 |
| 111-76-2 | |

Canada WHMIS: This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR.

15.2 Chemical Safety Assessment: No chemical safety assessment has been carried out

Sections 16. OTHER INFORMATION

NFPA Health: Can cause temporary incapacitation or residual injury

NFPA Fire: Will not burn NFPA Instability: Stable NFPA Reactivity: None



REVISION DATES, SECTIONS, REVISED BY:

02-MAR-07 Revised Sections 9, 11, mkb 16-Oct-09 New address, New format, mkb

09-Nov-11 Revised sec 9, mkb

14- May-12 Revised sections 3 and 15, mkb 09-MAR-15 Revised all sections, mkb

14-May-19 Revised and reviewed all sections, mkb

11-Nov-19 Revised section 14, mkb

ABBREVIATIONS USED IN THIS DOCUMENT:

NE – Not Established, NA – Not Applicable, NIF – No Information Found

ABRIDGED LIST OF REFERENCES:

Code of Federal Regulations (CFR)

The Sigma-Aldrich Library of Regulatory and Safety Data

Chemical Guide and OSHA Hazardous Communication Standard

The Environmental Protection Agency (www.epa.gov)

American National Standards Institute

University of Oxford website: http://physchem.ox.ac.uk/MSDS/#CASnumbers

To the best of our knowledge, the information contained herein is accurate. However, neither ACL STATICIDE nor any of its subsidiaries assumes any liability **whatsoever for the accuracy or completeness of the information contained herein.** Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.