

acc. to OSHA HCS 29CFR1910.1200

Printing Date 12/13/2017

Version number 3

Reviewed on 12/13/2017

1 Identification

Trade name: <u>R276 Lead-free Solder Paste</u> Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

Details of the supplier of the safety data sheet Manufacturer/Supplier: Kester Inc. 800 West Thorndale Avenue Itasca, IL 60143 USA Tel (630) 616-4000 Tel International 00 1 630 616-4000

ITW Specialty Materials (Suzhou) Co., Ltd. Heng Qiao Road Wujiang Economic Development Zone Suzhou, Jiangsu 215200 China Tel +86 512 82060808

Kester GmbH Ganghofer Strasse 45 D-82216 Gernlinden Germany Tel +49 (0) 8142 4785 0

Information department: Product Compliance: EHS_Kester@kester.com Emergency telephone number: CHEMTREC 24-Hour Emergency Response Telephone Number : (800) 424-9300 CHEMTREC 24-Hour Emergency Response (Outside US & Canada) Telephone Number : (703) 527-3887

2 Hazard(s) identification

Classification of the substance or mixture



Health hazard

Repr. 1 H360 May damage fertility or the unborn child.



Skin Irrit. 2 H315 Causes skin irritation.

Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



Signal word Danger **Hazard statements** H315 Causes skin irritation. H360 May damage fertility or the unborn child.



acc. to OSHA HCS 29CFR1910.1200

Printing Date 12/13/2017

Version number 3

Reviewed on 12/13/2017

Trade name: R276 Lead-free Solder Paste

(Contd. of page 1) P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 If on skin: Wash with plenty of water. P332+P313 If skin irritation occurs: Get medical advice/attention. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4)

Health = 1 Fire = 0 Reactivity = 0

HMIS-ratings (scale 0 - 4)

HEALTH1FIRE0REACTIVITY0Reactivity = 0

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Description: Mixture of the substances listed below with nonhazardous additions.

CAS No.	Description		% Range
CAS: 7440-31-5	TIN (Sn)		70-85%
CAS: 7440-22-4	SILVER (Ag)		1-3%
CAS: 872-50-4	N-methyl-2-pyrrolidone	 Repr. 1B, H360 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 Flam. Liq. 4, H227 	0.1- 1%
SVHC			

CAS: 872-50-4 N-methyl-2-pyrrolidone

4 First-aid measures

Description of first aid measures

General information: Follow general first aid procedures.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: Seek immediate medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)



acc. to OSHA HCS 29CFR1910.1200

Printing Date 12/13/2017

Version number 3

Reviewed on 12/13/2017

Trade name: R276 Lead-free Solder Paste

(Contd. of page 2)

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture In case of fire, the following can be released: Advice for firefighters Protective equipment: No special measures required

Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Environmental precautions: Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Pick up mechanically. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 7440-31-5 TIN (Sn)

CAS: 7440-31-5	LIN (Sn)	6 mg/m³
CAS: 7440-22-4	SILVER (Ag)	0.3 mg/m ³
CAS: 7440-50-8	COPPER (Cu)	3 mg/m ³
CAS: 872-50-4	N-methyl-2-pyrrolidone	30 ppm
PAC-2:		
CAS: 7440-31-5	TIN (Sn)	67 mg/m ³
CAS: 7440-22-4	SILVER (Ag)	170 mg/m ³
CAS: 7440-50-8	COPPER (Cu)	33 mg/m ³
CAS: 872-50-4	N-methyl-2-pyrrolidone	32 ppm
PAC-3:		
CAS: 7440-31-5	TIN (Sn)	400 mg/m ³
CAS: 7440-22-4	SILVER (Ag)	990 mg/m ³
CAS: 7440-50-8	COPPER (Cu)	200 mg/m ³
CAS: 872-50-4	N-methyl-2-pyrrolidone	190 ppm

7 Handling and storage

Handling:

Precautions for safe handling No special measures required. Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: None. Specific end use(s) No further relevant information available.



Safety Data Sheet acc. to OSHA HCS 29CFR1910.1200

Printing Date 12/13/2017

Version number 3

Reviewed on 12/13/2017

Trade name: R276 Lead-free Solder Paste

(Contd. of page 3)

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Auditi	Additional mormation about design of technical systems. No further data, see tiem 7.				
	Control parameters				
	Components with limit values that require monitoring at the workplace:				
	CAS: 7440-31-5 TIN (Sn)				
PEL	Long-term value: 2 mg/m ³ metal				
REL	Long-term value: 2 mg/m ³				
TLV	Long-term value: 2 mg/m ³ metal				
CAS: 7	7440-22-4 SILVER (Ag)				
PEL	Long-term value: 0.01 mg/m ³				
REL	Long-term value: 0.01 mg/m ³				
TLV	Long-term value: 0.1 mg/m ³ metal: dust and fume				
CAS: 8	372-50-4 N-methyl-2-pyrrolidone				
WEEL	Long-term value: 10 ppm Skin				
 TLV= Threshold Limit Value (ACGIH) OSHA= Occupational Safety and Health Administration ACGIH= American Conference of Governmental Industrial Hygienists Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Breathing equipment: Not necessary if room is well-ventilated. Use suitable respiratory protective device in case of insufficient ventilation. Protection of hands: 					
	Protective gloves				
Nitrile Natura Penet i	al of gloves: rubber, NBR Il rubber, NR ration time of glove material: ract break through time has to be found out by the manufacturer of the protective gloves and has to be observed. (Contd. on page 5) us -				



acc. to OSHA HCS 29CFR1910.1200

Printing Date 12/13/2017

Version number 3

Reviewed on 12/13/2017

Trade name: R276 Lead-free Solder Paste



Safety glasses

9 Physical and chemical properties Information on basic physical and chemical properties **General Information** Appearance: Form: Paste Color: Silver grey Odor: Mild pH-value: Not applicable. Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: 274 °C (525.2 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Vapor pressure: Not applicable. Density: Not determined. Vapor density Not applicable. Solubility in / Miscibility with Water: Insoluble. Solvent content: 4.6 % **Organic solvents:** Solids content: 94.1 % 10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

US

(Contd. of page 4)



acc. to OSHA HCS 29CFR1910.1200

Printing Date 12/13/2017

Version number 3

Reviewed on 12/13/2017

Trade name: R276 Lead-free Solder Paste

(Contd. of page 5)

11 Toxicological information

Information on toxicological effects Acute toxicity: Primary irritant effect: on the skin: No irritant effect. on the eye: Irritating effect. Sensitization: Sensitization possible through inhalation. Sensitization possible through skin contact. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity Aquatic toxicity: No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

13 Disposal considerations

Waste treatment methods

Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, ADR, ADN, IMDG, IATA UN proper shipping name DOT, ADR, ADN, IMDG, IATA

Not applicable

Not applicable

(Contd. on page 7)



acc. to OSHA HCS 29CFR1910.1200

Printing Date 12/13/2017

Version number 3

Reviewed on 12/13/2017

(Contd. of page 6)

Trade name: R276 Lead-free Solder Paste

Transport hazard class(es)DOT, ADR, ADN, IMDG, IATAClassNot applicablePacking groupNot applicableDOT, IMDG, IATANot applicableSpecial precautions for userNot applicable.Transport in bulk according to Annex II of MARPOL73/78Not applicable.and the IBC CodeNot applicable.UN "Model Regulation":Not applicable.

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

All ingredients are listed on the following Government Inventories:

/ an inighteration	
China:	Inventory of Existing Chemical Substances in China (IECSC)
Korea:	Korea Existing Chemicals List (ECL)
Europe:	European Inventory of Existing Commercial Chemical Substances (EINECS)
Japan:	Inventory of Existing and New Chemical Substances (ENCS)
Philippines:	
USA:	TSCA (Toxic Substances Control Act) TSCA Inventory of Chemical Substances

USA The following information relates to product regulation specific to the USA.

SARA (Superfund Amendments and Reauthorization Act)

Section 355 (extremely hazardous substances):

None of the ingredient is listed.

Section 313 (Specific toxic chemical listings):

CAS: 7440-22-4 SILVER (Ag)

CAS: 7440-50-8 COPPER (Cu)

CAS: 872-50-4 N-methyl-2-pyrrolidone

TSCA new (21st Century Act) (Substances not listed)

California Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity:

N-methyl-2-pyrrolidone

Carcinogenic categories

EPA (Environmental Protection Agency)	
CAS: 7440-22-4 SILVER (Ag)	D
CAS: 7440-50-8 COPPER (Cu)	D
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

CANADA:

Workplace Hazardous Materials Identification (WHMIS):

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulation (CPR) and the Safety Data Sheet (SDS) contains all of the information required by the CPR.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).



acc. to OSHA HCS 29CFR1910.1200

Printing Date 12/13/2017

Version number 3

Reviewed on 12/13/2017

Trade name: R276 Lead-free Solder Paste



IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 4: Flammable liquids – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Repr. 1: Reproductive toxicity – Category 1 Repr. 1B: Reproductive toxicity – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

LIS