



GE
Lighting



Coloured GLS

TU@25A1/BL/B22 240V A50 GE 1/10/120
MIH

90932

Product information

GE incandescent lamps trace their ancestry to the world's first practical electric bulb, invented by Thomas Alva Edison, founder of General Electric Company, in 1879.

Available in all shapes and sizes, they offer particular qualities of light to suit specific applications.

Product data

Cap/Base	B22d
Bulb Shape	GLS
Bulb Finish	Colored (Coated)
Bulb Diameter [mm]	50
Nominal Length [mm]	88.5
Net weight per piece [g]	29
Gross weight per piece [g]	47
Regulatory comment	EUP related
Brand	General Electric (GE)
Energy efficiency class (EEC)	E

Performance data

Rated Life [h]	1000
Nominal power [W]	25
Weighted energy consumption [kWh/1000h]	23.53
Nominal lamp voltage [V]	240

Electrical data

Dimming Capability	Yes
--------------------	-----

Logistic data

DUN Code	10043168909324
EAN Code	0043168909327
Pack Quantity	120
Layer quantity	960 EUR, 1200 UK
Layer quantity EUR	960
Layer quantity UK	1200
Pallet quantity EUR (PC)	3840
Pallet quantity UK (PC)	4800
Outer case size	397 x 252 x 281 (mm)
Product status	Marked for phase-out

Application areas



Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Incandescent Lamps Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)