

# Mosaic™ Programme mechanisms

## switches



0 770 15



0 792 01



0 792 11



0 770 62



6 650 91

Selection chart for boxes, supports and plates **p. 900-901**

All two-way switches with indicator have a terminal for neutral connection and have to be equipped with an indicator

Pack	Cat.Nos	Switches 10 AX - 250 V~
		<b>One-way switches</b>
		Automatic terminals
10	0 770 00	○ White - 1 module
10	0 770 10	○ White - 2 modules
		<b>Energy saving switches</b>
		Automatic terminals
		Are installed and work like conventional 2-way switches. In addition, they automatically switch off after 10 mins if no movement is detected by the built-in IR detection cell
		Detection field: 160°. Detection range: 8 m
		Compatible with any lamp:
		- 12-150 W: incandescent and 230 V halogen lamps
		- 12-150 VA: lamps with electronic or ferromagnetic ballast
		- 8-30 W (or 650 mA): LED and CFL
		All types of lamps can be mixed on the same circuit
		Ideal for rooms where the light may be left switched on needlessly (child's bedroom, box room)
1	0 770 15	○ White
1	0 792 15	● Alu
		<b>Two-way switches</b>
		Automatic terminals
10	0 770 01	○ White - 1 module
10	0 792 01	● Alu - 1 module
10	0 787 10	○ White antimicrobial <sup>(1)</sup> - 1 module
10	0 770 11	○ White - 2 modules
10	0 792 11	● Alu - 2 modules
10	0 787 11	○ White antimicrobial <sup>(1)</sup> - 2 modules
		<b>Illuminated two-way switches</b>
		Automatic terminals
		To be equipped with lights (p. 877)
10	0 770 02	○ White - 1 module
10	0 792 02	● Alu - 1 module
10	0 770 12	○ White - 2 modules
10	0 792 12	● Alu - 2 modules
10	0 787 12	○ White antimicrobial <sup>(1)</sup> - 2 modules
		<b>Intermediate switches</b>
		Screw terminals
10	0 770 21	○ White - 2 modules
10	0 792 21	● Alu - 2 modules

Pack	Cat.Nos	Switches 16 AX - 250 V~
		Automatic terminals
		<b>2-pole one-way switch</b>
10	0 770 50	○ White - 2 modules
		<b>Illuminated 2-pole one-way switch</b>
10	0 770 52	White - 2 modules To be equipped with lights Cat.Nos 6 650 90 or 91
		<b>Switches 20 AX - 250 V~</b>
		Screw terminals
		<b>Two-way switches</b>
10	0 770 60	○ White - 1 module
10	0 770 92	○ White - 2 modules
		<b>Illuminated two-way switches</b>
		To be equipped with light Cat.No 0 676 64 (p. 877)
10	0 770 62	○ White - 1 module
10	0 770 94	○ White - 2 modules
		<b>2-pole two-way switch</b>
10	0 770 63	○ White - 2 modules
		<b>2-pole illuminated two-way switch</b>
		To be equipped with light Cat.No 0 676 64 (p. 877)
10	0 770 64	○ White - 2 modules
		<b>Accessories</b>
10	6 650 90	For illuminated function of Cat.No 0 770 52
10	6 650 91	For indicator function of Cat.No 0 770 52

1: Contains a silver compound to prevent the growth of bacteria on the surface of the plate

